



ZigBee[®] Alliance

ZIGBEE SMART ENERGY STANDARD

Protocol Implementation Conformance Statement (PICS)

Revision 7

Version 1.1b

Sponsored by: ZigBee Alliance

Accepted by: ZigBee Alliance Board of Directors

Abstract: This document lists the PICS for the Smart Energy Standard.

Purpose: Provides a pro-forma on which the capabilities and options of a particular implementation of the Smart Energy Standard can be stated.

Keywords: ZigBee, Qualification, Certification, Standard, Smart Energy, Metering, Energy Management

November 17, 2012

**Legal
Notice**

Copyright © ZigBee Alliance, Inc. (2007-2012). All rights Reserved. This information within this document is the property of the ZigBee Alliance and its use and disclosure are restricted.

Elements of ZigBee Alliance specifications may be subject to third party intellectual property rights, including without limitation, patent, copyright or trademark rights (such a third party may or may not be a member of ZigBee). ZigBee is not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights.

This document and the information contained herein are provided on an “AS IS” basis and ZigBee DISCLAIMS ALL WARRANTIES EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO (A) ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OF THIRD PARTIES (INCLUDING WITHOUT LIMITATION ANY INTELLECTUAL PROPERTY RIGHTS INCLUDING PATENT, COPYRIGHT OR TRADEMARK RIGHTS) OR (B) ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT. IN NO EVENT WILL ZIGBEE BE LIABLE FOR ANY LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OF DATA, INTERRUPTION OF BUSINESS, OR FOR ANY OTHER DIRECT, INDIRECT, SPECIAL OR EXEMPLARY, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY KIND, IN CONTRACT OR IN TORT, IN CONNECTION WITH THIS DOCUMENT OR THE INFORMATION CONTAINED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE. All Company, brand and product names may be trademarks that are the sole property of their respective owners.

The above notice and this paragraph must be included on all copies of this document that are made.

ZigBee Alliance, Inc.
2400 Camino Ramon, Suite 375
San Ramon, CA 94583

24 **Participants**

25 When the document was released, the Smart Energy Application Profile Work Group
26 leadership was composed of the following members:

27 Larry Kohrmann: Chair

28 Ian Winterburn: Vice-Chair

29 Rob Alexander & David Smith: Technical Editors

30 Jeff Shudark: Secretary

31

32	Table of Contents		
33	Participants.....		3
34	Table of Contents.....		4
35	References.....		6
36	1.1 ZigBee Alliance documents		6
37	1.2 IEEE documents.....		6
38	1.3 ISO documents		6
39	Change history		7
40	2 Introduction.....		8
41	2.1 Scope.....		8
42	2.2 Purpose.....		8
43	3 Abbreviations and special symbols.....		9
44	4 Instructions for completing the PICS pro forma.....		10
45	5 Identification of the implementation.....		11
46	6 Identification of the protocol		13
47	7 Global statement of conformance		14
48	8 PICS pro forma tables.....		15
49	8.1 ZigBee Device Types		15
50	8.2 Stack Profile.....		15
51	8.3 Stack Profile extensions for SE.....		16
52	8.4 SE general requirements support.....		16
53	8.5 ZigBee SE device description support		19
54	8.6 SE common clusters		20
55	8.7 ZigBee SE Device Description Capabilities		24
56	8.7.1 Energy Service Interface device functions		24
57	8.7.2 Metering device functions.....		25
58	8.7.3 In-Home display device functions		26
59	8.7.4 Programmable Communicating Thermostat (PCT) device functions.....		27
60	8.7.5 Load Control device functions.....		28
61	8.7.6 Range Extender device functions.....		29
62	8.7.7 Smart Appliance device functions		29
63	8.7.8 Prepayment Terminal device functions		30
64	8.8 Smart Energy Application Specific Cluster function capabilities.....		31
65	8.8.1 Basic Cluster		31
66	8.8.2 Identify.....		32
67	8.8.3 Alarms.....		32
68	8.8.4 Commissioning		32
69	8.8.5 Power Configuration.....		32
70	8.8.6 Time Cluster attributes and functions		32
71	8.8.7 Key Establishment Cluster attributes and functions		33
72	8.8.8 Demand Response and Load Control Cluster attributes and functions		34
73	8.8.9 Metering Cluster attributes and functions.....		36

74	8.8.10	Price Cluster attributes and functions	46
75	8.8.11	Messaging Cluster attributes and functions	50
76	8.8.12	Tunneling Cluster attributes and functions	51
77	8.8.13	Prepayment Cluster attributes and functions	53
78	8.8.14	Trust Center Swap-out	55
79	8.8.15	Multiple ESI.....	57
80	8.8.16	OTA Upgrade Cluster attributes and functions	58
81	8.8.17	Support on Non SE clusters	58

82

83 **References**

84 The following standards contain provisions, which, through reference in this document, constitute provisions of this
85 standard. All the standards listed are normative references. At the time of publication, the editions indicated were
86 valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to
87 investigate the possibility of applying the most recent editions of the standards indicated below.

88 **1.1 ZigBee Alliance documents**

- 89 [R1] ZigBee document 053474r18: ZigBee Specification 2007
90 [R2] ZigBee document 07-5356: ZigBee Smart Energy Standard Revision 18
91 [R3] ZigBee document 07-5123-04, ZigBee Cluster Library Specification
92 [R4] ZigBee document 04300r08: ZigBee Network Layer PICS
93 [R5] ZigBee document 064147r07: ZigBee Application Layer PICS
94 [R6] ZigBee document 043171r04: ZigBee Security Layer PICS
95 [R7] ZigBee document 064113r07: ZigBee Cluster Library PICS
96 [R8] ZigBee document 08006r03: ZigBee 2007 Layer PICS and Stack Profiles
97 [R9] ZigBee document number 09-5264-19: ZigBee OTA Upgrade Cluster Specification
98 [R10] ZigBee document number 09-5284-09: ZigBee OTA Upgrade Cluster PICS
99 [R11] ZigBee document number 09-5473-06: ZigBee OTA Upgrade Cluster Test Specification

100 **1.2 IEEE documents**

- 101 [R12] IEEE Standard for Part 15.4: Wireless Medium Access Control (MAC) and Physical Layer (PHY)
102 specifications for Low Rate Wireless Personal Area Networks (LR-WPANs), 2003.

103 **1.3 ISO documents**

- 104 [R13] ISO/IEC 9646-1:1991, Information technology - Open Systems Interconnection - Conformance testing
105 methodology and framework - Part 1: General concepts.
106 [R14] ISO/IEC 9646-7:1995, Information technology - Open Systems Interconnection - Conformance testing
107 methodology and framework - Part 7. Implementation conformance statements.

108

109

110

111 **Change history**

112 The following table shows the change history for this specification.

113

114

Table 1 – Revision change history

Revision	Version	Description
R00	-	Initial draft (November, 2007)
R01	-	Updated to Revision 12 of the SE specification and Errata.
R02	-	Updated to Revision 14 of the SE specification
R03	1.0	Fix typo. Update SE specification reference to r14.
R04	1.0	Update SE specification reference to r15. Update section references.
R05	1.1	Update for SE 1.1 release
R06	1.1.1	Update for SE 1.1.1 release Processed CCBs: 1264 - Add support for CV and PTZ (gas conversion factors) to price cluster 1273 - Additional of 'Get Support Tunnel Protocols' Command and Response 1289 - PhysicalEnvironment bit for Mirroring 1301 - Simplified Multi-ESI Time Sync 1430 - PICS requirement (Table 38 - item MCC1) wrong 1431 - PICS requirement (Table 5 - item SEG25) wrong 1432 - PICS requirement (KES1 and KECS1) Mismatch 1437 - DeviceClass is marked read-writeable but write may not be allowed 1486 - End point requirement
R07	1.1b	Update for SE 1.1b release Processed CCBs: 1494 - Add Billing Period Attribute Set to the Price Cluster 1496 - Duplicate Item Number in PICS Document Table [MCS2] 1500 - New metering attribute for block pricing 1570 - Rename Display Device to "In-Home Display" (IHD) Modifications to link the elements of the Block Tariff feature together

115

116 **2 Introduction**

117
118 To evaluate conformance of a particular implementation, it is necessary to have a statement of
119 which capabilities and options have been implemented for a given standard. Such a statement is
120 called a protocol implementation conformance statement (PICS).

121 **2.1 Scope**

122 This document provides the protocol implementation conformance statement (PICS) pro forma
123 for the ZigBee specifications cited in Reference [R2] in compliance with the relevant
124 requirements, and in accordance with the relevant guidance, given in ISO/IEC 9646-7.

125
126 This document addresses the ZigBee SE Application Profile.

127 **2.2 Purpose**

128 The supplier of a protocol implementation claiming to conform to the ZigBee SE Application
129 Profile shall complete the following PICS pro forma and accompany it with the information
130 necessary to identify fully both the supplier and the implementation.

131
132 The PICS is in the form of answers to a set of questions in the PICS pro forma. The questions in
133 a pro forma consist of a systematic list of protocol capabilities and options as well as their
134 implementation requirements. The implementation requirement indicates whether
135 implementation of a capability is mandatory, optional, or conditional depending on options
136 selected. When a protocol implementer answers questions in a PICS pro forma, they would
137 indicate whether an item is implemented or not, and provide explanations if an item is not
138 implemented.

3 Abbreviations and special symbols

139
140
141
142

Notations for requirement status:

M	Mandatory
O	Optional
O.n	Optional, but support of at least one of the group of options labeled O.n is required.
N/A	Not applicable
X	Prohibited
<i>Item Number:</i> <i>:Status</i>	Status is conditional on support of item number

143
144
145
146
147
148
149

“*Item Number*”: Conditional, status dependent upon the support marked for the “*Item Number*”.

For example, FD1: O.1 indicates that the status is optional but at least one of the features described in FD1 is required to be implemented, if this implementation is to follow the standard of which this PICS Pro forma is a part.

4 Instructions for completing the PICS pro forma

150
151
152 If a given implementation is claimed to conform to this standard, the actual PICS pro forma to be
153 filled in by a supplier shall be technically equivalent to the text of the PICS pro forma in this
154 annex, and shall preserve the numbering and naming and the ordering of the PICS pro forma.

155
156 A PICS which conforms to this document shall be a conforming PICS pro forma completed in
157 accordance with the instructions for completion given in this annex.

158
159 The main part of the PICS is a fixed-format questionnaire, divided into five tables. Answers to
160 the questionnaire are to be provided in the rightmost column, either by simply marking an
161 answer to indicate a restricted choice (such as Yes or No), or by entering a value, set, or range of
162 values.

5 Identification of the implementation

163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204

Implementation under test (IUT) identification

IUT name: Freescale Zigbee Smart Energy Profile

IUT version: 1.1b

System under test (SUT) identification

SUT name: Kinetis KW2x ESI

Software Version: 4.0.0

Hardware Version: TWR-KW2x

Operating system (optional): BeeStack TS

Specification Versions Implemented

Smart Energy Specification Document Number (include revision): 5356r18

Smart Energy Test Specification Document (include revision): 5384r20

Product supplier

Name: Freescale

Address: 6501 William Cannon Drive West, Austin, TX 78735, USA

Telephone number: +1-512-895-7396

Facsimile number: 1-512-895-2487

Email address: keith.tilley@freescale.com

Additional information: _____

Client

Name: _____

Address: _____

205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233

Telephone number: _____

Facsimile number: _____

Email address: _____

Additional information: _____

PICS contact person

Name: Alin Lazar

Address: 45 Tudor Vladimirescu Bvd., Bucharest, 050881, RO

Telephone number: +40-21-3052-211

Facsimile number: 40-21-3052-000

Email address: alin.lazar@freescale.com

Additional information:

PICS/System conformance statement

234

6 Identification of the protocol

235

236

This PICS pro forma applies to ZigBee SE Application Profile, cited in Reference [R2].

7 Global statement of conformance

237

238

239 The implementation described in this PICS pro forma meets all of the mandatory requirements of
240 the referenced standards:

241

242 Application Profile: ZigBee SE – 07-5356-18

243

244 Yes

245 No

246

247 Note -- Answering ‘No’ indicates non-conformance to the specified protocol standard. Non-
248 supported mandatory capabilities are to be identified in the following tables, with an explanation
249 by the implementer explaining why the implementation is non-conforming.

250

251 The supplier will have fully complied with the requirements for a statement of conformance by
252 completing the statement contained in this sub-clause. That means, by clicking the above, the
253 statement of conformance is complete.

254

255 8 PICS pro forma tables

256

257 The following tables are composed of the detailed questions to be answered, which make up the
258 PICS pro forma.

259

260 8.1 ZigBee Device Types

261

Table 2 - Functional device types

Item number	Item description	Reference	Status	Support
FDT1	Is this device capable of acting as a ZigBee coordinator?	[R1]/2.5.5.5.1	¹ O.1	[Y]
FDT2	Is this device capable of acting as a ZigBee router?	[R1]/2.5.5.5.2	O.1	[N]
FDT3	Is this a ZigBee end device?	[R1]/2.5.5.5.3	O.1	[N]

262

263

264 8.2 Stack Profile

265

Table 3 –Stack Profile

Item number	Item description	Reference	Status	Support
ZSP1	Is the device built on a ZigBee Compliant Platform certified for the ZigBee stack profile [R8]?	[R4] [R2]/5.2	O.2 ²	[Y]
ZSP2	Is the device built on a ZigBee PRO Compliant Platform certified for the ZigBee PRO stack profile [R8]?	[R8] [R2]/5.2	O.2	[Y]

266

¹ O.1 – Device under test must select only one of these options. Devices under test supporting multiple ZigBee device types must serially re-test using each supported ZigBee device type.

² O.2 – Device under test must be deployed on either of the ZigBee or ZigBee PRO stack profiles.

267 **8.3 Stack Profile extensions for SE**

268

Table 4 – Stack profile extensions for SE

Item number	Item description	Reference	Status	Support
SPE1	Does the device support Application Link Keys?	[R2]/5.2 [R6]/ASLS6	M	[Y]
SPE2	Does this device use a stack that supports fragmentation?	[R2]/5.2 [R5]/ADF5, ADF6	M	[Y]
SPE3	Does this device use any SE Profile Commands that require the use of Fragmentation?	[R2]/5.2 [R5]/ADF5, ADF6	MC1: M MS1: M	[Y]
SPE4	Does the device adhere to the polling rate specifications given in [R2]/5.2 (i.e. Does your application poll equal to or less often as called out in the specification)?	[R2]/5.2	FDT3:M	[N]
SPE5	Does this devices support reception of fragmented messages?		M	[Y]
SPE6	Does this device support generation of fragmented messages?		O	[Y]

269

270 **8.4 SE general requirements support**

271 In the below tables please answer Yes / No for supported , number of instances supported, and
 272 end point for each instance. In support one instance can just provide end point number without
 273 instance number.

274

Table 5 – SE general requirements support

Item number	Item description	Reference	Status	Support
SEG1	Does the device support the ZigBee Cluster Library?	[R2]/5.10, 5.11 [R3]	M	[Y]
SEG2	Does the device support the ZigBee Cluster Library List specified for SE including the mandatory/optional clusters detailed in the ZCL	[R2]/5.10, 5.11 [R7]	M	[Y]

Item number	Item description	Reference	Status	Support
	PICs?			
SEG3	<p>Does the device support the ZigBee Cluster Library with the parameters for attribute reporting, reporting configuration and read reporting configuration as detailed in the SE Profile clusters?</p> <p>Editor's Note: Reporting interval constraints and other parameters are mandatory where attribute reporting is used. Support of attribute reporting may be optional or mandatory based on clusters implemented.</p>	[R2]/5.11 [R3]	M	[Y]
SEG4	Is the device capable of joining a ZigBee SE network and does it interact with a consumer ZigBee Home Area Network only through a bridge device?	[R2]/5.1	FDT2: M FDT3: M	[N]
SEG5	<p>Does the device support "E-Mode" commissioning?</p> <p>SE Profile requirement: Those devices that will join an existing network must support button pushes or simple documented user interfaces to initiate the joining process.</p>	[R2]/5.1	FDT2: M FDT3: M For joining devices	[N]
SEG6	Deleted	[R2]/5.1		N/A
SEG7	Does the device support the compatible Startup Attribute Set, Join Parameters, Security Parameters, End Device Parameters, Link Status Parameters, Concentrator Parameters, APS Transport Parameters and Binding Parameters?	[R2]/5.3, 5.3.1, 5.3.2, 5.3.3, 5.3.4, 5.3.5, 5.3.6, 5.3.7, 5.3.8, 5.3.9	M	[Y]
SEG8	<p>Does the device support joining with pre-installed link keys?</p> <p>Note: SE specifies use of Install Codes to derive the link key.</p>	[R2]/5.4.1	FDT2: M FDT3: M	[N]
SEG9	Does the device support joining using the key establishment cluster?	[R2]/5.4.7	FDT2: M FDT3: M	[N]

Item number	Item description	Reference	Status	Support
SEG10	Deleted	[R2]/5.5		NA
SEG11	Does the device support the list of SE preferred channels?	[R2]/5.8.1	O	[Y]
SEG12	Does the device support the SE broadcast policy?	[R2]/5.8.2	O	[Y]
SEG13	Does the device support the SE frequency agility policy?	[R2]/5.8.3	O	[Y]
SEG14	Does the device support the security key update policies for SE networks?	[R2]/5.8.4	M	[Y]
SEG15	Does the device support the ZCL Time Cluster and SE time synchronization? Editor's Note: Support of the ZCL Time Cluster is not mandatory for all SE devices. The SE device descriptions define the required Time cluster support.	[R2]/5.12.1.1	O	[Y]
SEG16	Does the device support discovery of optional attributes?	[R2]/5.12	M	[Y]
SEG17	Does the device application discover and handle unsupported attributes in other devices?	[R2]/5.12	M	[Y]
SEG18	Does the device support an indication to the user that the network has formed properly?	[R2]/5.5.1	O	[Y]
SEG19	Does the device support an indication to the user that a device has joined a network successfully?	[R2]/5.5.1	O	[Y]
SEG20	Does the device support the commissioning modes and provide supporting commissioning documentation according to network type?	[R2]/5.5.2, 5.5.3, 5.5.4	M	[Y]
SEG21	Does the device use the appropriate security key per cluster?	[R2]/5.4.6	M	[Y]
SEG22	Does the device support the SE Mirrored Device Capacity – Service Discovery?	[R4]/D.3.3.4.1	O	[Y]

Item number	Item description	Reference	Status	Support
SEG23	Does one of the device support the SE Install Code Formats: 48, 64, 96, or 128 bit number and 16 bit CRC?	[R4]/5.4.8.1.1	O	[Y]
SEG24	Does the device expect to receive unsolicited messages from the DRLC, Messaging, Metering or Pricing clusters?	[R4]/5.4.5.1	O	[Y]
SEG25	Does the device support rejoining a secured network?	[R4]/5.4.2	FDT2:M FDT3:M ³	[N]
SEG26	Does the device support devices leaving its network?	[R4]/5.4.3	FDT1:M	[Y]
SEG27	Does the device support updating the Network Key?	[R4]/5.4.4	M	[Y]
SEG28	Does the device support updating the Link Key?	[R4]/5.4.5	M	[Y]

275 8.5 ZigBee SE device description support

276

Table 6 – SE device description support

Item number	Item description	Reference	Status	Support
SED1	Is the product programmed as an Energy Service Interface?	[R2]/6.3.1	O.3 ⁴	[Y][EP#8]
SED2	Is the product programmed as a Metering Device?	[R2]/6.3.2	O.3	[N]
SED3	Is the product programmed as an In-Home ⁵ Display?	[R2]/6.3.3	O.3	[N]
SED4	Is the product programmed as a Programmable Communicating Thermostat (PCT)?	[R2]/6.3.4	O.3	[N]
SED5	Is the product programmed as a Load Control?	[R2]/6.3.5	O.3	[N]

³ CCB 1431

⁴ O.3 – Device under test must select at least one and may select more than one of the SE device descriptions. If multiple SE device descriptions are supported in the same device then each of the supported device descriptions must be deployed on individual endpoints within the device under test.

⁵ CCB 1570

Item number	Item description	Reference	Status	Support
SED6	Is the product programmed as a Range Extender?	[R2]/6.3.6	O.3	[N]
SED7	Is the product programmed as a Smart Appliance?	[R2]/6.3.7	O.3	[N]
SED8	Is the product programmed as a Prepayment Terminal?	[R2]/6.3.8	O.3	[N]
SED9 ⁶	Does the product utilize an endpoint using the Physical Device identifier?	[R2]/6.3.9	O	[N]

277
278

279 8.6 SE common clusters

280
281
282

The common cluster ZCL PICs restrictions/requirements are obtained from [R2]/5.11, 5.12.

Table 7 – Common cluster ZCL PICs restrictions/requirements

ZCL PICs Item number [R7]	Status	Additional Constraints	Support
FC100	M	ZCL Cluster ID enumeration is mandatory	[Y]
FC1	M	General ZCL Frame Format is mandatory	[Y]
BCC1	O	Does the device support the Basic Cluster as a client?	[N]
BCS1	M	Does the device support the Basic Cluster as a server?	[Y][EP#8]
GCC1	O	Deleted	NA
GCS1	O	Deleted	NA
ACC1	O	Does the device support the Alarms Cluster as a client?	[N]

⁶ CCB 1486

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
ACS1	O	Does the device support the Alarms Cluster as a server?	[N]
TCS1		Deleted	NA
TCC1		Deleted	NA

283
284

Table 8 – Common cluster support

Item number	Item description	Reference	Status	Support
ASDC1	Deleted	[R2]/5.10		NA
ASDC2	Deleted	[R2]/5.10		NA
ASDC3	Deleted	[R2]/5.10		NA
ASDS1	Deleted		O	NA
ASDS2	Does the device support the server Price Cluster sent via the Anonymous Inter-PAN transmission mechanism?	[R2]/Annex D.4	O	[Y][EP#8]
ASDS3	Does the device support the server Messaging Cluster sent via the Anonymous Inter-PAN transmission mechanism?	[R2]/Annex D.5	O	[Y][EP#8]
KEC1	Does the device support the Key Establishment cluster as a client?	[R2]/Annex C.3.1	M	[Y][EP#8]
KES1	Does the device support the Key Establishment cluster as a server?	[R2]/Annex C.3.1	M ⁷	[Y][EP#8]
PC1	Does the device support the Price cluster as a client?	[R2]/6.1	O	[N]
PS1	Does the device support the Price cluster as a server?	[R2]/ 6.1	O	[Y][EP#8]

⁷ CCB 1432

Item number	Item description	Reference	Status	Support
DRLC1	Does the device support the Demand Response and Load Control cluster as a client?	[R2]/ 6.1	O	[N]
DRLS1	Does the device support the Demand Response and Load Control cluster as a server?	[R2]/ 6.1	O	[Y][EP#8]
SMC1	Does the device support the Metering cluster as a client?	[R2]/ 6.1	O	[N]
SMS1	Does the device support the Metering cluster as a server?	[R2]/ 6.1	O	[Y][EP#8]
MC1	Does the device support the Messaging cluster as a client?	[R2]/ 6.1	O	[N]
MS1	Does the device support the Messaging cluster as a server?	[R2]/ 6.1	O	[Y][EP#8]
PPC1	Does the device support the Prepayment cluster as a client?	[R2]/ 6.1	O	[N]
PPS1	Does the device support the Prepayment cluster as a server?	[R2]/ 6.1	O	[N]
SECC1	Does the device support clusters with Reporting Capability?	[R2]/6.1.1	O	[Y][EP#8]
SECC2	Are any manufacturer-specific cluster(s) supported?	[R2]/6.1.2	O	[N]
SECC3	Are any non-SE ZCL or other application cluster(s) supported?	[R2]/6.1.3	O	[N]
ICS1	Does the device support the Identify cluster?	[R2]/ 6.1	O	[N]
PCCS1	Does the device support the Power Configuration cluster?	[R2]/ 6.1	O	[N]
SMC2	Does the device support the Block Tariffs Metering cluster attributes as a client?	[R2]/ 6.1	O	[Y][EP#8]
SMS2	Does the device support the Block Tariffs Metering cluster attributes as a server?	[R2]/ 6.1	O	[N]
TUC1	Does the device support the Tunneling cluster as	[R2]/ 6.1	O	[N]

Item number	Item description	Reference	Status	Support
	a client?			
TUS1	Does the device support the Tunneling cluster as a server?	[R2]/ 6.1	O	<input type="checkbox"/>
TCSW1	Does the device support Trust Center Swap-out ?	[R2]/ 6.1	O	<input type="checkbox"/>
OTAC1	Does the device support the OTA Upgrade cluster as a client?	[R2]/ 6.1	O	<input type="checkbox"/>
OTAS1	Does the device support the OTA Upgrade cluster as a server?	[R2]/ 6.1	O	<input type="checkbox"/>
ALM1	Does the device support the Alarms as a server?	[R2]/ 6.1	O	<input type="checkbox"/>

285

286

287 **8.7 ZigBee SE Device Description Capabilities**

288 Tables in the following sub-clauses detail the capabilities specific to a device description.

289 **8.7.1 Energy Service Interface device functions**

290

291

Table 9 – Energy Service Interface ZCL PICS restrictions/requirements

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
TCS1	M	Time Cluster server is mandatory	[Y][EP#8]

292

293

294 Table 10 provides the SE PICs restrictions based on requirements in [R2]/6.3.1.1.

295

296

Table 10 – Energy Service Interface SE PICS restrictions/requirements

SE PICS Item number	Status	Additional Constraints	Support
SMC1	O	Metering Cluster client is optional	[Y][EP#8]
SMS1	O	Metering Cluster server is optional	[N]
MS1	M	Messaging Cluster server is mandatory	[Y][EP#8]
PS1	M	Price Cluster server is mandatory	[Y][EP#8]
DRLS1	M	Demand Response and Load Cluster server is mandatory	[Y][EP#8]
PC1	O	Price Cluster client is optional	[N]
MS1	O	Messaging Cluster client is optional	[N]
PPC1	O	Prepayment Cluster client is optional	[N]
PPS1	O	Prepayment Cluster server is optional	[N]
TUS1	O	Tunneling Cluster server is optional	[N]

SE PICS Item number	Status	Additional Constraints	Support
TCSW1	O	Trust Center Swap-out is optional	[N]
OTAS1	O	OTA Upgrade Cluster server is optional	[N]
TUC1	O	Tunneling Cluster client is optional	[N]
OTAC1	O	OTA Upgrade Cluster client is optional	[N]

297
298
299

300 8.7.2 Metering device functions

301

Table 11 – Metering device ZCL PICS restrictions/requirements

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
TCC1	O	Time Cluster client is optional	[N]

302

303 Table 12 provides the SE PICS restrictions based on requirements in [R2]/6.3.2.1.

304

305

Table 12 – Metering device SE PICS restrictions/requirements

SE PICS Item number	Status	Additional Constraints	Support
SMS1	M	Metering Cluster server is mandatory	[N]
PPS1	O	Prepayment Cluster server is optional	[N]
PC1	O	Price Cluster client is optional	[N]
MC1	O	Messaging Cluster client is optional	[N]
SMS3	SMS2:O	Block Tariffs Metering cluster server attributes are optional	[N]

SE PICS Item number	Status	Additional Constraints	Support
TUC1	O	Tunneling Cluster client is optional	[N]
TUS1	O	Tunneling Cluster server is optional	[N]
TCSW1	O	Trust Center Swap-out is optional	[N]
OTAC1	O	OTA Upgrade Cluster client is optional	[N]
OTAS1	O	OTA Upgrade Cluster server is optional	[N]

306

307 8.7.3 In-Home⁸ display device functions

308

Table 13 – In-Home⁹ display device ZCL PICS restrictions/requirements

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
TCC1	O	Time Cluster client is optional	[N]

309

310 Table 14 provides the SE PICS restrictions based on requirements in [R2]/6.3.3.1.

311

312

Table 14 – In-Home¹⁰ display device SE PICS restrictions/requirements

SE PICS Item number	Status	Additional Constraints	Support
DRLC1	O	Demand Response and Load Cluster client is optional	[N]
PC1	O	Price Cluster client is optional	[N]
SMC1	O	Metering Cluster client is optional	[N]

⁸ CCB 1570

⁹ CCB 1570

¹⁰ CCB 1570

SE PICS Item number	Status	Additional Constraints	Support
PPC1	O	Pre-payment Cluster client is optional	[N]
MC1	O	Messaging Cluster client is optional	[N]
TUC1	O	Tunneling Cluster client is optional	[N]
TCSW1	O	Trust Center Swap-out is optional	[N]
OTAC1	O	OTA Upgrade Cluster client is optional	[N]
OTAS1	O	OTA Upgrade Cluster server is optional	[N]

313

314

315

316 8.7.4 Programmable Communicating Thermostat (PCT) device functions

317

Table 15 Programmable Communicating Thermostat (PCT) ZCL PICS restrictions/requirements

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
TCC1	M	Time Cluster client is mandatory	[N]

318

319 Table 16 provides the SE PICS restrictions based on requirements in [R2]/6.3.4.1.

320

321

Table 16 Programmable Communicating Thermostat (PCT) SE PICS restrictions/requirements

SE PICS Item number	Status	Additional Constraints	Support
DRLC1	M	Demand Response and Load Cluster client is mandatory	[N]
PPC1	O	Prepayment Cluster client is optional	[N]
PPC1	O	Pre-payment Cluster client is optional	[N]

SE PICS Item number	Status	Additional Constraints	Support
PC1	O	Price Cluster client is optional	[N]
SMC1	O	Metering Cluster client is optional	[N]
MC1	O	Messaging Cluster client is optional	[N]
TUC1	O	Tunneling Cluster client is optional	[N]
TCSW1	O	Trust Center Swap-out is optional	[N]
OTAC1	O	OTA Upgrade Cluster client is optional	[N]
OTAS1	O	OTA Upgrade Cluster server is optional	[N]

322

323 8.7.5 Load Control device functions

324

Table 17 – Load Control ZCL PICS restrictions/requirements

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
TCC1	M	Time Cluster client is mandatory	[N]

325

326 Table 18 provides the SE PICS restrictions based on requirements in [R2]/6.3.5.1.

327

328

Table 18 – Load Control SE PICS restrictions/requirements

SE PICS Item number	Status	Additional Constraints	Support
DRLC1	M	Demand Response and Load Cluster client is mandatory	[N]
PC1	O	Price Cluster client is optional	[N]
TUC1	O	Tunneling Cluster client is optional	[N]
TCSW1	O	Trust Center Swap-out is optional	[N]

SE PICS Item number	Status	Additional Constraints	Support
OTAC1	O	OTA Upgrade Cluster client is optional	[N]
OTAS1	O	OTA Upgrade Cluster server is optional	[N]

329

330 8.7.6 Range Extender device functions

331

Table 19 – Range Extender ZCL PICS restrictions/requirements

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
TCC1	O	Time Cluster client is optional.	[N]

332

333 Table 20 provides the SE PICS restrictions based on requirements in [R2]/6.3.6.1.

334

335

Table 20 –Range Extender SE PICS restrictions/requirements

SE PICS Item number	Status	Additional Constraints	Support
TCSW1	O	Trust Center Swap-out is optional	[N]
OTAC1	O	OTA Upgrade Cluster client is optional	[N]
OTAS1	O	OTA Upgrade Cluster server is optional	[N]

336

337 8.7.7 Smart Appliance device functions

338

Table 21 – Smart Appliance ZCL PICS restrictions/requirements

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
TCC1	M	Time Cluster client is mandatory	[N]

339
340
341
342

Table 22 provides the SE PICS restrictions based on requirements in [R2]/6.3.7.1.

Table 22 –Smart Appliance SE PICS restrictions/requirements

SE PICS Item number	Status	Additional Constraints	Support
PPC1	O	Prepayment Cluster client is optional	[N]
DRLC1	O	Demand Response and Load Cluster client is optional	[N]
PC1	M	Price Cluster client is mandatory	[N]
SMC1	O	Metering Cluster client is optional ED NOTE: This is not listed in the specification – should it be?	[N]
MC1	O	Messaging Cluster client is optional	[N]
TUC1	O	Tunneling Cluster client is optional	[N]
TCSW1	O	Trust Center Swap-out is optional	[N]
OTAC1	O	OTA Upgrade Cluster client is optional	[N]
OTAS1	O	OTA Upgrade Cluster server is optional	[N]

343
344

8.7.8 Prepayment Terminal device functions

Table 23 – Prepayment Terminal ZCL PICS restrictions/requirements

ZCL PICS Item number [R7]	Status	Additional Constraints	Support
TCC1	M	Time Cluster client is mandatory	[N]

347
348
349

Table 24 provides the SE PICS restrictions based on requirements in [R2]/6.3.8.1.

350

Table 24 – Per-payment Terminal SE PICS restrictions/requirements

SE PICS Item number	Status	Additional Constraints	Support
DRLC1	O	Demand Response and Load Cluster client is optional	[N]
PC1	M	Price Cluster client is mandatory	[N]
SMC1	O	Metering Cluster client is optional	[N]
MC1	O	Messaging Cluster client is optional	[N]
TUC1	O	Tunneling Cluster client is optional	[N]
TCSW1	O	Trust Center Swap-out is optional	[N]
OTAC1	O	OTA Upgrade Cluster client is optional	[N]
OTAS1	O	OTA Upgrade Cluster server is optional	[N]

351

352 8.8 Smart Energy Application Specific Cluster function capabilities

353 8.8.1 Basic Cluster

354

Table 25 – Basic cluster server capabilities

Item number	Item description	Reference	Status	Support
BCS1	Is the Basic Cluster supported as a server?	[R3]	M	[Y][EP#8]
BCS2	Is the <i>ZCLversion</i> attribute supported?		BCS1:M	[Y][EP#8]
BCS3	Is the <i>Powersource</i> attribute supported?		BCS1:M	[Y][EP#8]
BCS4	Is the <i>PhysicalEnvironment</i> attribute supported?		SEG22:M BCS1:O ¹¹	[Y][EP#8]

¹¹ CCB 1289

355

356

Table 26 – Basic cluster client capabilities

Item number	Item description	Reference	Status	Support
BCC1	Is the Basic Cluster supported as a client?	[R3]	O	[N]

357

358

359 8.8.2 **Identify**

360

361

362 8.8.3 **Alarms**

363

364

365 8.8.4 **Commissioning**

366

367

368 8.8.5 **Power Configuration**

369

370

371 8.8.6 **Time Cluster attributes and functions**

372

Table 27 – Time cluster server capabilities

Item number	Item description	Reference	Status	Support
TICS1	Is the Time Cluster supported as a server?	[R3]	O	[Y][EP#8]
TICS2	Is the Time attribute supported?		TICS1:M	[Y][EP#8]
TICS3	Is the TimeStatus attribute supported?		TICS1:M	[Y][EP#8]
TICS4	Is the TimeZone attribute supported?		TICS1:O	[Y][EP#8]
TICS5	Is the DstStart attribute supported?		TICS1:O	[Y][EP#8]
TICS6	Is the DstEnd attribute supported?		TICS1:O	[Y][EP#8]

Item number	Item description	Reference	Status	Support
TICS7	Is the DstShift attribute supported?		TICS1:O	[Y][EP#8]
TICS8	Is the StandardTime attribute supported?		TICS1:O	[Y][EP#8]
TICS9	Is the LocalTime attribute supported?		TICS1:O	[Y][EP#8]

373

Table 28 – Time cluster client capabilities

Item number	Item description	Reference	Status	Support
TICC1	Is the Time Cluster supported as a client?	[R3]	O	[Y][EP#8]

374

375

376 8.8.7 Key Establishment Cluster attributes and functions

377

Table 29 – Key Establishment cluster server capabilities

Item number	Item description	Reference	Status	Support
KECS1	Is the Key Establishment Cluster supported as a server?	[R2]/C.3.1	M	[Y][EP#8]
KECS2	Is the KeyEstablishmentSuite attribute supported?		KECS1:M	[Y][EP#8]
KECS3	Is the reception of Initiate Key Establishment Request command supported?		KECS1:M	[Y][EP#8]
KECS4	Is the reception of Ephemeral Data Request command supported?		KECS1:M	[Y][EP#8]
KECS5	Is the reception of Confirm Key Data Request command supported?		KECS1:M	[Y][EP#8]
KECS6	Is the reception of Terminate Key Establishment command supported?		KECS1:M	[Y][EP#8]
KECS7	Is the generation of Initiate Key Establishment Response command supported?		KECS1:M	[Y][EP#8]
KECS8	Is the generation of Ephemeral Data Response command supported?		KECS1:M	[Y][EP#8]

Item number	Item description	Reference	Status	Support
KECS9	Is the generation of Confirm Key Data Response command supported?		KECS1:M	[Y][EP#8]

378

Table 30 – Key Establishment cluster client capabilities

Item number	Item description	Reference	Status	Support
KECC1	Is the Key Establishment Cluster supported as a client?	[R2]/C.3.1	M	[Y][EP#8]
KECC2	Is the KeyEstablishmentSuite attribute supported?		KECC1:M	[Y][EP#8]
KECC3	Is the reception of Initiate Key Establishment Response command supported?		KECC1:M	[Y][EP#8]
KECC4	Is the reception of Ephemeral Data Response command supported?		KECC1:M	[Y][EP#8]
KECC5	Is the reception of Confirm Key Data Response command supported?		KECC1:M	[Y][EP#8]
KECC6	Is the reception of Terminate Key Establishment command supported?		KECC1:M	[Y][EP#8]
KECC7	Is the generation of Initiate Key Establishment Request command supported?		KECC1:M	[Y][EP#8]
KECC8	Is the generation of Ephemeral Data Request command supported?		KECC1:M	[Y][EP#8]
KECC9	Is the generation of Confirm Key Data Request command supported?		KECC1:M	[Y][EP#8]
KECC10	Is the generation of Terminate Key Establishment command supported?		KECC1:M	[Y][EP#8]

379

380 **8.8.8 Demand Response and Load Control Cluster attributes and functions**

381

Table 31 – Demand Response and Load Control cluster server capabilities

Item number	Item description	Reference	Status	Support
DRLCCS1	Is the Demand Response and Load Control	[R2]/D.2	O	[Y][EP#8]

Item number	Item description	Reference	Status	Support
	Cluster supported as a server?			
DRLCCS2	Is the reception of Report Event Status command supported?		DRLCCS1:M	[Y][EP#8]
DRLCCS3	Is the reception of Get Scheduled Events command supported?		DRLCCS1:M	[Y][EP#8]
DRLCCS4	Is the generation of Load Control Event command supported?		DRLCCS1:M	[Y][EP#8]
DRLCCS5	Is the generation of Cancel Load Control Event command supported?		DRLCCS1:M	[Y][EP#8]
DRLCCS6	Is the generation of Cancel All Load Control Events command supported?		DRLCCS1:M	[Y][EP#8]

382

Table 32 – Demand Response and Load Control cluster client capabilities

Item number	Item description	Reference	Status	Support
DRLCCC1	Is the Demand Response and Load Control Cluster supported as a client?	[R2]/D.2	O	[N]
DRLCCC2	Is the UtilityEnrolmentGroup attribute supported?		DRLCCC1:M	[N]
DRLCCC3	Is the StartRandomizeMinutes attribute supported?		DRLCCC1:M	[N]
DRLCCC4	Is the StopRandomizeMinutes attribute supported?		DRLCCC1:M	[N]
DRLCCC5	Is the DeviceClassValue attribute supported?		DRLCCC1:M	[N]
DRLCCC5.1	Is it permitted to externally write the DeviceClassValue attribute? ¹²		DRLCCC1:O	[N]
DRLCCC6	Is the reception of Load Control Event command supported?		DRLCCC1:M	[N]
DRLCCC7	Is the reception of Cancel Load Control Event command supported?		DRLCCC1:M	[N]

¹² CCB 1437

Item number	Item description	Reference	Status	Support
DRLCCC8	Is the reception of Cancel All Load Control Events command supported?		DRLCCC1:M	[N]
DRLCCC9	Is the generation of Report Event Status command supported?		DRLCCC1:M	[N]
DRLCCC10	Is the generation of Get Scheduled Events command supported?		DRLCCC1:M	[N]

383

384

385 8.8.9 Metering Cluster attributes and functions

386

Table 33 – Metering cluster server capabilities

Item number	Item description	Reference	Status	Support
MECS1	Is the Metering Cluster supported as a server?	[R2]/D.3	O	[N]
MECS2	Is the CurrentSummationDelivered attribute supported?		MECS1:M	[N]
MECS3	Is the CurrentSummationReceived attribute supported?		MECS1:O	[N]
MECS4	Is the CurrentMaxDemandDelivered attribute supported?		MECS1:O	[N]
MECS5	Is the CurrentMaxDemandReceived attribute supported?		MECS1:O	[N]
MECS6	Is the DFTSummation attribute supported?		MECS1:O	[N]
MECS7	Is the DailyFreezeTime attribute supported?		MECS1:O	[N]
MECS8	Is the PowerFactor attribute supported?		MECS1:O	[N]
MECS9	Is the ReadingSnapShotTime attribute supported?		MECS1:O	[N]
MECS10	Is the CurrentMaxDemandDeliveredTime attribute supported?		MECS1:O	[N]
MECS11	Is the CurrentMaxDemandReceivedTime attribute supported?		MECS1:O	[N]

Item number	Item description	Reference	Status	Support
MECS12	Is the DefaultUpdatePeriod attribute supported?		MECS1:O	[N]
MECS13	Is the FastPollUpdatePeriod attribute supported?		MECS1:O	[N]
MECS14	Is the CurrentBlockPeriodConsumptionDelivered attribute supported?		MECS132:M MECS133:M	[N]
MECS15	Is the DailyConsumptionTarget attribute supported?		MECS1:O	[N]
MECS16	Is the CurrentBlock attribute supported?		MECS132:O MECS133:O	[N]
MECS17	Is the CurrentTier1SummationDelivered attribute supported?		MECS1:O	[N]
MECS18	Is the CurrentTier1SummationReceived attribute supported?		MECS1:O	[N]
MECS19	Is the CurrentTier2SummationDelivered attribute supported?		MECS1:O	[N]
MECS20	Is the CurrentTier2SummationReceived attribute supported?		MECS1:O	[N]
MECS21	Is the CurrentTier3SummationDelivered attribute supported?		MECS1:O	[N]
MECS22	Is the CurrentTier3SummationReceived attribute supported?		MECS1:O	[N]
MECS23	Is the CurrentTier4SummationDelivered attribute supported?		MECS1:O	[N]
MECS24	Is the CurrentTier4SummationReceived attribute supported?		MECS1:O	[N]
MECS25	Is the CurrentTier5SummationDelivered attribute supported?		MECS1:O	[N]
MECS26	Is the CurrentTier5SummationReceived attribute supported?		MECS1:O	[N]
MECS27	Is the CurrentTier6SummationDelivered		MECS1:O	[N]

Item number	Item description	Reference	Status	Support
	attribute supported?			
MECS28	Is the CurrentTier6SummationReceived attribute supported?		MECS1:O	[N]
MECS29	Is the CurrentTier7SummationDelivered attribute supported?		MECS1:O	[N]
MECS30	Is the CurrentTier7SummationReceived attribute supported?		MECS1:O	[N]
MECS31	Is the CurrentTier8SummationDelivered attribute supported?		MECS1:O	[N]
MECS32	Is the CurrentTier8SummationReceived attribute supported?		MECS1:O	[N]
MECS33	Is the CurrentTier9SummationDelivered attribute supported?		MECS1:O	[N]
MECS34	Is the CurrentTier9SummationReceived attribute supported?		MECS1:O	[N]
MECS35	Is the CurrentTier10SummationDelivered attribute supported?		MECS1:O	[N]
MECS36	Is the CurrentTier10SummationReceived attribute supported?		MECS1:O	[N]
MECS37	Is the CurrentTier11SummationDelivered attribute supported?		MECS1:O	[N]
MECS38	Is the CurrentTier11SummationReceived attribute supported?		MECS1:O	[N]
MECS39	Is the CurrentTier12SummationDelivered attribute supported?		MECS1:O	[N]
MECS40	Is the CurrentTier12SummationReceived attribute supported?		MECS1:O	[N]
MECS41	Is the CurrentTier13SummationDelivered attribute supported?		MECS1:O	[N]
MECS42	Is the CurrentTier13SummationReceived attribute supported?		MECS1:O	[N]

Item number	Item description	Reference	Status	Support
MECS43	Is the CurrentTier14SummationDelivered attribute supported?		MECS1:O	[N]
MECS44	Is the CurrentTier14SummationReceived attribute supported?		MECS1:O	[N]
MECS45	Is the CurrentTier15SummationDelivered attribute supported?		MECS1:O	[N]
MECS46	Is the CurrentTier15SummationReceived attribute supported?		MECS1:O	[N]
MECS47	Is the Meter Status attribute supported?		MECS1:M	[N]
MECS48	Is the UnitofMeasure attribute supported?		MECS1:M	[N]
MECS49	Is the Multiplier attribute supported?		MECS1:O	[N]
MECS50	Is the Divisor attribute supported?		MECS1:O	[N]
MECS51	Is the SummationFormatting attribute supported?		MECS1:M	[N]
MECS52	Is the DemandFormatting attribute supported?		MECS1:O	[N]
MECS53	Is the HistoricalConsumptionFormatting attribute supported?		MECS1:O	[N]
MECS54	Is the MeteringDeviceType attribute supported?		MECS1:M	[N]
MECS54a	Is the MeteringDeviceType: Electric Metering?		MECS54:O.1	[N]
MECS54b	Is the MeteringDeviceType: Gas Metering?		MECS54:O.1	[N]
MECS54c	Is the MeteringDeviceType: Water Metering?		MECS54:O.1	[N]
MECS54d	Is the MeteringDeviceType: Pressure Metering?		MECS54:O.1	[N]
MECS54e	Is the MeteringDeviceType: Heat Metering?		MECS54:O.1	[N]
MECS54f	Is the MeteringDeviceType: Cooling Metering?		MECS54:O.1	[N]
MECS55	Is the SiteID attribute supported?		MECS1:O	[N]
MECS56	Is the MeterSerialNumber attribute supported?		MECS1:O	[N]

Item number	Item description	Reference	Status	Support
MECS57	Is the InstantaneousDemand attribute supported?		MECS1:O	[N]
MECS58	Is the CurrentDayConsumptionDelivered attribute supported?		MECS1:O	[N]
MECS59	Is the CurrentDayConsumptionReceived attribute supported?		MECS1:O	[N]
MECS60	Is the PreviousDayConsumptionDelivered attribute supported?		MECS1:O	[N]
MECS61	Is the PreviousDayConsumptionReceived attribute supported?		MECS1:O	[N]
MECS62	Is the CurrentPartialProfileIntervalStartTimeDelivered attribute supported?		MECS1:O	[N]
MECS63	Is the CurrentPartialProfileIntervalStartTimeReceived attribute supported?		MECS1:O	[N]
MECS64	Is the CurrentPartialProfileIntervalValueDelivered attribute supported?		MECS1:O	[N]
MECS65	Is the CurrentPartialProfileIntervalValueReceived attribute supported?		MECS1:O	[N]
MECS66	Is the MaxNumberOfPeriodsDelivered attribute supported?		MECS1:O	[N]
MECS67	Is the CurrentDemandDelivered attribute supported?		MECS1:O	[N]
MECS68	Is the DemandLimit attribute supported?		MECS1:O	[N]
MECS69	Is the DemandIntegrationPeriod attribute supported?		MECS1:O	[N]
MECS70	Is the NumberOfDemandSubintervals attribute supported?		MECS1:O	[N]
MECS71	Is the reception of Get Profile command		MECS1:O	[N]

Item number	Item description	Reference	Status	Support
	supported?			
MECS72	Is the reception of Request Mirror Response command supported?		MECS1:O	[N]
MECS73	Is the reception of Mirror Removed command supported?		MECS1:O	[N]
MECS74	Is the generation of Get Profile Response command supported?		MECS1:O	[N]
MECS75	Is the generation of Request Mirror command supported?		MECS1:O	[N]
MECS76	Is the generation of Remove Mirror command supported?		MECS1:O	[N]
MECS77	Is the ProfileIntervalPeriod attribute supported?		MECS1:O	[N]
MECS78	Is the IntervalReadReportingPeriod attribute supported?		MECS1:O	[N]
MECS79	Is the PresetReadingTime attribute supported?		MECS1:O	[N]
MECS80	Is the VolumePerReport attribute supported?		MECS1:O	[N]
MECS81	Is the FlowRestriction attribute supported?		MECS1:O	[N]
MECS82	Is the Supply Status attribute supported?		MECS1:O	[N]
MECS83	Is the CurrentDayMaxPressure attribute supported?		MECS1:O	[N]
MECS84	Is the CurrentDayMinPressure attribute supported?		MECS1:O	[N]
MECS85	Is the PreviousDayMaxPressure attribute supported?		MECS1:O	[N]
MECS86	Is the PreviousDayMinPressure attribute supported?		MECS1:O	[N]
MECS87	Is the CurrentDayMaxDemand attribute supported?		MECS1:O	[N]
MECS88	Is the PreviousDayMaxDemand attribute		MECS1:O	[N]

Item number	Item description	Reference	Status	Support
	supported?			
MECS89	Is the Meter Status (Gas) attribute supported?		MECS1:O	[N]
MECS90	Is the Meter Status (Water) attribute supported?		MECS1:O	[N]
MECS91	Is the RemainingBatteryLife attribute supported?		MECS1:O	[N]
MECS93	Is the CurrentInletEnergyCarrierSummation attribute supported?		MECS54e:M MECS54f:M MECS1:O	[N]
MECS94	Is the CurrentOutletEnergyCarrierSummation attribute supported?		MECS1:O	[N]
MECS95	Is the InletTemperature attribute supported?		MECS54e:M MECS54f:M MECS1:O	[N]
MECS96	Is the OutletTemperature attribute supported?		MECS54e:M MECS54f:M MECS1:O	[N]
MECS97	Is the ControlTemperature attribute supported?		MECS1:O	[N]
MECS98	Is the CurrentInletEnergyCarrierDemand attribute supported?		MECS1:O	[N]
MECS99	Is the CurrentOutletEnergyCarrierDemand attribute supported?		MECS1:O	[N]
MECS100	Is the EnergyCarrierUnitOfMeasure attribute supported?		MECS54e:M MECS54f:M MECS1:O	[N]
MECS101	Is the EnergyCarrierSummationFormatting attribute supported?		MECS93:M MECS94:M	[N]
MECS102	Is the EnergyCarrierDemandFormatting attribute supported?		MECS98:M MECS99:M MECS107:M MECS108:M MECS109:M MECS110:M MECS111:M MECS112:M	[N]

Item number	Item description	Reference	Status	Support
MECS103	Is the TemperatureUnitOfMeasure attribute supported?		MECS54e:M MECS54f:M	[N]
MECS104	Is the TemperatureFormatting attribute supported?		MECS54e:M MECS54f:M	[N]
MECS105	Is the CurrentMonthMaxDemand attribute supported?		MECS1:O	[N]
MECS106	Is the CurrentYearMaxDemand attribute supported?		MECS1:O	[N]
MECS107	Is the CurrentDayMaxEnergyCarrierDemand attribute supported?		MECS1:O	[N]
MECS108	Is the PreviousDayMaxEnergyCarrierDemand attribute supported?		MECS1:O	[N]
MECS109	Is the CurrentMonthMaxEnergyCarrierDemand attribute supported?		MECS1:O	[N]
MECS110	Is the CurrentMonthMinEnergyCarrierDemand attribute supported?		MECS1:O	[N]
MECS111	Is the CurrentYearMaxEnergyCarrierDemand attribute supported?		MECS1:O	[N]
MECS112	Is the CurrentYearMinEnergyCarrierDemand attribute supported?		MECS1:O	[N]
MECS113	Is the HoursInOperation attribute supported?		MECS54e:M MECS54f:M	[N]
MECS114	Is the HoursInFault attribute supported?		MECS1:O	[N]
MECS115	Is the Generic AlarmMask attribute supported?		MECS1:O	[N]
MECS116	Is the Electricity AlarmMask attribute supported?		MECS1:O	[N]
MECS117	Is the GenericFlow/Pressure AlarmMask attribute supported?		MECS1:O	[N]
MECS118	Is the Water Specific AlarmMask attribute supported?		MECS1:O	[N]

Item number	Item description	Reference	Status	Support
MECS119	Is the Heating Specific AlarmMask attribute supported?		MECS1:O	[N]
MECS120	Is the Cooling Specific AlarmMask attribute supported?		MECS1:O	[N]
MECS121	Is the Gas Specific AlarmMask attribute supported?		MECS1:O	[N]
MECS122	Is the reception of Request Fast Poll Mode command supported?		MECS1:O	[N]
MECS123	Is the generation of Request Fast Poll Mode Response supported?		MECS1:O	[N]
MECS124	Is the Mapping of the Status Attribute (Electricity) supported?	[R2]/D.3.2.2.3.1 Table D.16	MECS54a:M	[N]
MECS125	Is the Meter Status Attribute (Gas) mapping supported?	[R2]/D.3.2.2.3.1 Table D.17	MECS54b:M	[NA]
MECS126	Is the Meter Status Attribute (Water) mapping supported?	[R2]/D.3.2.2.3.1 Table D.18	MECS54c:M	[NA]
MECS127	RESERVED			[NA]
MECS128	Is the Meter Status Attribute (Heat and Cooling) mapping?	[R2]/D.3.2.2.3.1 Table D.19	MECS54e:M MECS54f:M	[NA]
MECS129	RESERVED			[NA]
MECS130	Does the device generate fragmented Get Profile Response commands?		MECS74:O	[N]
MECS131	Is the <i>PreviousBlockPeriodConsumptionDelivered</i> attribute supported?	[R2]/D.3.2.2.1 Table D.11	MECS132:O ¹³ MECS133:O	[N]
MECS132	Does the device support Block Charging only?	[R2]/D.4.4.3.2	MECS1:O	[N]
MECS133	Does the device support Block/TOU Combination Charging?	[R2]/D.4.4.3.3	MECS1:O	[N]
MECS134	Are any Block Information ‘No Tier’ attributes	[R2]/D.3.2.2.8	MECS132:M	[N]

¹³ CCB 1500

Item number	Item description	Reference	Status	Support
	(0x00 to 0x0F) supported?			
MECS135	Are any Block Information ‘TierxBlocky’ attributes (0x10 to 0xFF) supported	[R2]/D.3.2.2.8	MECS133:O	[N]

387

Table 34 – Metering cluster client capabilities

Item number	Item description	Reference	Status	Support
MECC1	Is the Metering Cluster supported as a client?	[R2]/D.3	O	[Y][EP#8]
MECC2	Is the reception of Get Profile Response command supported?		MECC1:O	[Y][EP#8]
MECC3	Is the reception of Request Mirror command supported?		MECC1:O	[Y][EP#8]
MECC4	Is the reception of Remove Mirror command supported?		MECC1:O	[Y][EP#8]
MECC5	Is the generation of Get Profile command supported?		MECC1:O	[Y][EP#8]
MECC6	Is the generation of Request Mirror Response command supported?		MECC1:O	[Y][EP#8]
MECC7	Is the generation of Mirror Removed command supported?		MECC1:O	[Y][EP#8]
MECC8	Is the reception of Request Fast Poll Mode Response command supported?		MECC1:O	[Y][EP#8]
MECC9	Is the generation of Request Fast Poll Mode command supported?		MECC1:O	[Y][EP#8]
MECC10	Does the device support reception of fragmented Get Profile Response commands?		MECC5:M	[Y][EP#8]

388

389

390 8.8.10 Price Cluster attributes and functions

391

Table 35 – Price cluster server capabilities

Item number	Item description	Reference	Status	Support
PCS1	Is the Price Cluster supported as a server?	[R2]/D.4	O	[Y][EP#8]
PCS2	Is the Tier1PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS3	Is the Tier2PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS4	Is the Tier3PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS5	Is the Tier4PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS6	Is the Tier5PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS7	Is the Tier6PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS8	Is the reception of Get Current Price command supported?		PCS1:M	[Y][EP#8]
PCS9	Is the reception of Get Scheduled Prices command supported?		PCS1:O	[Y][EP#8]
PCS10	Is the generation of Publish Price command supported?		PCS1:M	[Y][EP#8]
PCS11	Is the Tier7PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS12	Is the Tier8PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS13	Is the Tier9PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS14	Is the Tier10PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS15	Is the Tier11PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS16	Is the Tier12PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS17	Is the Tier13PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS18	Is the Tier14PriceLabel attribute supported?		PCS1:O	[Y][EP#8]
PCS19	Is the Tier15PriceLabel attribute supported?		PCS1:O	[Y][EP#8]

Item number	Item description	Reference	Status	Support
PCS20	Is the Block Threshold attribute set supported?		PCS42:M PCS43:M	[Y][EP#8]
PCS25	Is the reception of Price Acknowledgement command supported?		PCS1:O	[Y][EP#8]
PCS26	Is the generation of Publish Block Period command supported?		PCS42:O PCS43:O	[Y][EP#8]
PCS27	Is the reception of Get Block Period(s) command support?		PCS42:O PCS43:O	[Y][EP#8]
PCS28	Is the Commodity Type (server) attribute supported?		PCS1:O	[Y][EP#8]
PCS29	Is the Standing Charge attribute supported?		PCS1:O	[Y][EP#8]
PCS30	Is the <i>ConversionFactor</i> attribute supported?		PCS1:O ¹⁴	[Y][EP#8]
PCS31	Is the <i>ConversionFactorTrailingDigit</i> supported?		PCS1:O ¹⁵	[Y][EP#8]
PCS32	Is the <i>CalorificValue</i> attribute supported?		PCS1:O ¹⁶	[Y][EP#8]
PCS33	Is the <i>CalorificValueUnit</i> attribute supported?		PCS1:O ¹⁷	[Y][EP#8]
PCS34	Is the <i>CalorificValueTrailingDigit</i> attribute supported?		PCS1:O ¹⁸	[Y][EP#8]
PCS36	Is the reception of the <i>GetConversionFactor</i> command supported?		PCS1:O ¹⁹	[N]
PCS37	Is the reception of the <i>GetCalorificValue</i> command supported?		PCS1:O ²⁰	[N]

¹⁴ CCB 1264¹⁵ CCB 1264¹⁶ CCB 1264¹⁷ CCB 1264¹⁸ CCB 1264¹⁹ CCB 1264²⁰ CCB 1264

Item number	Item description	Reference	Status	Support
PCS38	Is the generation of the <i>Publish Conversion Factor</i> command supported?		PCS1:O ²¹	[N]
PCS39	Is the generation of the <i>Publish Calorific Value</i> command supported?		PCS1:O ²²	[N]
PCS40	Is the <i>CurrentBillingPeriodStart</i> attribute supported?	[R2]/D.4.2.2.6 Table D.49	PCS1:O ²³	[N]
PCS41	Is the <i>CurrentBillingPeriodDuration</i> attribute supported?	[R2]/D.4.2.2.6 Table D.49	PCS1:O ²⁴	[N]
PCS42	Does the device support Block Charging only?	[R2]/D.4.4.3.2	PCS1:O	[N]
PCS43	Does the device support Block/TOU Combination Charging ?	[R2]/D.4.4.3.3	PCS1:O	[N]
PCS44	Is the Block Period attribute set supported?	[R2]/D.4.2.2.3	PCS42:O PCS43:O	[Y][EP#8]
PCS45	Are any Block Price Information ‘No Tier’ attributes (0x00 to 0x0F) supported?	[R2]/D.4.2.2.5	PCS42:M	[Y][EP#8]
PCS46	Are any Block Price Information ‘TierxBlocky’ attributes (0x10 to 0xFF) supported?	[R2]/D.4.2.2.5	PCS43:O	[Y][EP#8]

392

393

Table 36 – Price cluster client capabilities

Item number	Item description	Reference	Status	Support
PCC1	Is the Price Cluster supported as a client?	[R2]/D.4	O	[Y][EP#8]
PCC2	Is the reception of Publish Price command supported?		PCC1:M	[Y][EP#8]
PCC3	Is the generation of Get Current Price command supported?		PCC1:M	[Y][EP#8]

²¹ CCB 1264²² CCB 1264²³ CCB 1494²⁴ CCB 1494

Item number	Item description	Reference	Status	Support
PCC4	Is the generation of Get Scheduled Prices command supported?		PCC1:O	[Y][EP#8]
PCC5	Is the PriceIncreaseRandomizeMinutes attribute supported?		PCC1:O	[Y][EP#8]
PCC6	Is the PriceDecreaseRandomizeMinutes attribute supported?		PCC1:O	[Y][EP#8]
PCC7	Is the Commodity Type (client) attribute supported?		PCC1:O	[Y][EP#8]
PCC8	Is the generation of Price Acknowledgement command supported?		PCC1:O	[Y][EP#8]
PCC9	Is the reception of Publish Block Period command supported?		PCC12:O PCC13:O	[Y][EP#8]
PCC10	Is the generation of Get Block Period(s) command supported?		PCC12:O PCC13:O	[Y][EP#8]
PCC11	Is the TOU charging behavior supported?	[R2]/D.4.4.3.1	PCC1:O	[N]
PCC12	Is the Block Tariffs Block Charging ONLY behavior supported?	[R2]/D.4.4.3.2	PCC1:O	[N]
PCC13	Is the Block Tariffs Block/TOU Combination Charging supported?	[R2]/D.4.4.3.3	PCC1:O	[N]
PCC14	Is the Block Tariffs guideline for extended non-communication supported?	[R2]/D.4.4.3.4	PCC12:O PCC13:O	[N]
PCC15	Is the Block Tariffs guideline for meter installation or swap-out supported?	[R2]/D.4.4.3.4	PCC12:O PCC13:O	[N]
PCC16	Is the generation of the <i>GetConversionFactor</i> command supported?		PCC1:O ²⁵	[N]
PCC17	Is the generation of the <i>GetCalorificValue</i> command supported?		PCC1:O ²⁶	[N]

²⁵ CCB 1264

²⁶ CCB 1264

Item number	Item description	Reference	Status	Support
PCC18	Is the reception of the <i>Publish Conversion Factor</i> command supported?		PCC1:O ²⁷	[N]
PCC19	Is the reception of the <i>Publish Calorific Value</i> command supported?		PCC1:O ²⁸	[N]

394

395

396 8.8.11 Messaging Cluster attributes and functions

397

Table 37 – Messaging cluster server capabilities

Item number	Item description	Reference	Status	Support
MCS1	Is the Messaging Cluster supported as a server?	[R2]/D.5	O	[Y][EP#8]
MCS2	Is the reception of Get Last Message command supported?		MCS1:M	[Y][EP#8]
MCS5 ²⁹	Is the reception of Message Confirmation command supported?		MCS1:M	[Y][EP#8]
MCS3	Is the generation of Display Message command supported?		MCS1:M	[Y][EP#8]
MCS4	Is the generation of Cancel Message command supported?		MCS1:M	[Y][EP#8]

398

Table 38 – Messaging cluster client capabilities

Item number	Item description	Reference	Status	Support
MCC1	Is the Messaging Cluster supported as a client?	[R2]/D.5	O ³⁰	[N]
MCC2	Is the reception of Display Message command supported?		MCC1:M	[N]
MCC3	Is the reception of Cancel Message command		MCC1:M	[N]

²⁷ CCB 1264²⁸ CCB 1264²⁹ CCB 1496³⁰ CCB 1430

Item number	Item description	Reference	Status	Support
	supported?			
MCC4	Is the generation of Get Last Message command supported?		MCC1:M	[N]
MCC5	Is the generation of Message Confirmation command supported?		MCC1:M	[N]

399

400 8.8.12 Tunneling Cluster attributes and functions

401

Table 39 – Tunneling cluster server capabilities

Item number	Item description	Reference	Status	Support
TUS1	Is the Tunneling Cluster supported as a server?	[R2]/D.6	O	[N]
TUS2	Is the reception of RequestTunnel command supported?	[R2]/D.6.2.4	TUS1:M	[N]
TUS3	Is the reception of CloseTunnel command supported?	[R2]/D.6.2.4	TUS1:M	[N]
TUS4	Is the reception of TransferData command supported?	[R2]/D.6.2.4	TUS1:M	[N]
TUS5	Is the reception of TransferDataError command supported?	[R2]/D.6.2.4	TUS1:M	[N]
TUS6	Is the reception of AckTransferData command supported?	[R2]/D.6.2.4	TUS1:O	[N]
TUS7	Is the reception of ReadyData command supported?	[R2]/D.6.2.4	TUS1:O	[N]
TUS8	Is the generation of RequestTunnelResponse command supported?	[R2]/D.6.2.5	TUS1:M	[N]
TUS9	Is the generation of TransferData command supported?	[R2]/D.6.2.5	TUS1:M	[N]
TUS10	Is the generation of TransferDataError command supported?	[R2]/D.6.2.5	TUS1:M	[N]

Item number	Item description	Reference	Status	Support
TUS11	Is the generation of AckTransferData command supported?	[R2]/D.6.2.5	TUS1:O	[N]
TUS12	Is the generation of ReadyData command supported?	[R2]/D.6.2.5	TUS1:O	[N]
TUS13	Is the reception of the <i>GetSupportedTunnelProtocols</i> supported?	[R2]/D.6.2.4	TUS1:O ³¹	[N]
TUS14	Is the generation of the <i>Supported Tunnel Protocols Response</i> command supported?	[R2]/D.6.2.5	TUS1:O ³²	[N]
TUS15	Is the generation of the <i>TunnelClosureNotification</i> command supported?	[R2]/D.6.2.5	TUS1:O ³³	[N]

402

403

Table 40 – Tunneling cluster client capabilities

Item number	Item description	Reference	Status	Support
TUC1	Is the Tunneling Cluster supported as a client?	[R2]/D.6	O	[N]
TUC2	Is the reception of RequestTunnelResponse command supported?	[R2]/D.6.3.3	TUC1:M	[N]
TUC3	Is the reception of TransferData command supported?	[R2]/D.6.3.3	TUC1:M	[N]
TUC4	Is the reception of TransferDataError command supported?	[R2]/D.6.3.3	TUC1:M	[N]
TUC5	Is the reception of AckTransferData command supported?	[R2]/D.6.3.3	TUC1:O	[N]
TUC6	Is the generation of ReadyData command supported?	[R2]/D.6.3.3	TUC1:O	[N]
TUC7	Is the generation of RequestTunnel command supported?	[R2]/D.6.3.4	TUC1:M	[N]

³¹ CCB 1273³² CCB 1273³³ CCB 1273

Item number	Item description	Reference	Status	Support
TUC8	Is the generation of CloseTunnel command supported?	[R2]/D.6.3.4	TUC1:M	[N]
TUC9	Is the generation of TransferData command supported?	[R2]/D.6.3.4	TUC1:M	[N]
TUC10	Is the generation of TransferDataError command supported?	[R2]/D.6.3.4	TUC1:M	[N]
TUC11	Is the generation of AckTransferData command supported?	[R2]/D.6.3.4	TUC1:O	[N]
TUC12	Is the generation of ReadyData command supported?	[R2]/D.6.3.4	TUC1:O	[N]
TUC13	Is the generation of the <i>GetSupportedTunnelProtocols</i> supported?	[R2]/D.6.2.4	TUC1:O ³⁴	[N]
TUC14	Is the reception of the <i>Supported Tunnel Protocols Response</i> command supported?	[R2]/D.6.2.5	TUC1:O ³⁵	[N]
TUC15	Is the reception of the <i>TunnelClosureNotification</i> command supported?	[R2]/D.6.2.5	TUC1:O ³⁶	[N]

404

405 8.8.13 **Prepayment Cluster attributes and functions**

406

Table 41 – Prepayment cluster server capabilities

Item number	Item description	Reference	Status	Support
PPCS1	Is the Prepayment Cluster supported as a server?	[R2]/D.7	O	[N]
PPCS2	Is the reception of Select Available Emergency Credit command supported?	[R2]/D.7.2.3	PPCS1:O	[N]
PPCS3	Is the reception of Change Supply command supported?	[R2]/D.7.2.3	PPCS1:O	[N]

³⁴ CCB 1273³⁵ CCB 1273³⁶ CCB 1273

Item number	Item description	Reference	Status	Support
PPCS4	Is the generation of Supply Status Response command supported?	[R2]/D.7.2.4	PPCS1:O	[N]
PPCS7	Is the Payment Control attribute supported?	[R2]/D.7.2.2.1	PPCS1:M	[N]
PPCS8	Is the Credit Remaining attribute supported?	[R2]/D.7.2.2.1	PPCS1:O	[N]
PPCS9	Is the Emergency Credit Remaining attribute supported?	[R2]/D.7.2.2.1	PPCS1:O	[N]
PPCS10	Is the Credit Status attribute supported?	[R2]/D.7.2.2.1	PPCS1:O	[N]
PPCS11	Are the Top up Date/Time attributes supported? If so, list supported attributes #1-5.	[R2]/D.7.2.2.2	PPCS1:O	[N]
PPCS12	Are the Top up Amount attributes supported? If so, list supported attributes #1-5.	[R2]/D.7.2.2.2	PPCS1:O	[N]
PPCS13	Are the Originating Device attributes supported? If so, list supported attributes #1-5.	[R2]/D.7.2.2.2	PPCS1:O	[N]
PPCS14	Is the Fuel Debt Remaining attribute supported?	[R2]/D.7.2.2.3	PPCS1:O	[N]
PPCS15	Is the Fuel Debt Recovery Rate attribute supported?	[R2]/D.7.2.2.3	PPCS1:O	[N]
PPCS16	Is the Fuel Debt Recovery Period attribute supported?	[R2]/D.7.2.2.3	PPCS1:O	[N]
PPCS17	Is the Non Fuel Debt Remaining attribute supported?	[R2]/D.7.2.2.3	PPCS1:O	[N]
PPCS18	Is the Non Fuel Debt Recovery Rate attribute supported?	[R2]/D.7.2.2.3	PPCS1:O	[N]
PPCS19	Is the Non Fuel Debt Recovery Period attribute supported?	[R2]/D.7.2.2.3	PPCS1:O	[N]
PPCS20	Is the Proposed Change Provider ID attribute supported?	[R2]/D.7.2.2.4	PPCS1:O	[N]
PPCS21	Is the Proposed Change Implementation Time attribute supported?	[R2]/D.7.2.2.4	PPCS1:O	[N]

Item number	Item description	Reference	Status	Support
PPCS22	Is the Proposed Change Supply Status attribute supported?	[R2]/D.7.2.2.4	PPCS1:O	[N]
PPCS23	Is the Delayed Supply Interrupt – Value Remaining attribute supported?	[R2]/D.7.2.2.4	PPCS1:O	[N]
PPCS24	Is the Delayed Supply Interrupt – Value Type attribute supported?	[R2]/D.7.2.2.4	PPCS1:O	[N]

407

408

Table 42 – Prepayment cluster client capabilities

Item number	Item description	Reference	Status	Support
PPCC1	Is the Prepayment Cluster supported as a client?	[R2]/D.7	O	[N]
PPCC2	Is the generation of Select Available Emergency Credit command supported?	[R2]/D.7.3.4	PPCC1:O	[N]
PPCC3	Is the generation of Change Supply command supported?	[R2]/D.7.3.4	PPCC1:O	[N]
PPCC4	Is the reception of Supply Status Response command supported?	[R2]/D.7.3.3	PPCC1:O	[N]

409

410 8.8.14 Trust Center Swap-out

411

Table 43 – Trust Center Swap-out capabilities

Item number	Item description	Reference	Status	Support
TCSW1	Is the device a Trust Center supporting Trust Center Swap-out?	[R2]/5.4.2.2.3	O	[N]
TCSW2	Is the generation of Trust Center keep-alive command supported?		TCSW1:M FDT1:M FDT2:M	[N]
TCSW3	Is the backup of the Extended PAN ID to an off-chip device supported?		TCSW1:M FDT1:M	[N]
TCSW4	Is the backup of the registered device EUI-64 to		TCSW1:M	[N]

Item number	Item description	Reference	Status	Support
	an off-chip device supported?		FDT1:M	
TCSW5	Is the backup of the registered device Install Code to an off-chip device supported?		TCSW1:M FDT1:M	[N]
TCSW6	Is the backup of the registered device hashed CBKE derived link key to an off-chip device supported?		TCSW1:M FDT1:M	[N]
TCSW7	Is the restore of the Extended PAN ID from an off-chip device supported?		TCSW1:M FDT1:M	[N]
TCSW8	Is the restore of the registered device EUI-64 from an off-chip device supported?		TCSW1:M FDT1:M	[N]
TCSW9	Is the restore of the registered device Install Code from an off-chip device supported?		TCSW1:M FDT1:M	[N]
TCSW10	Is the restore of the registered device hashed CBKE derived link key from an off-chip device supported?		TCSW1:M FDT1:M	[N]
TCSW11	Is the discovery of the new Trust Center based on the Extended PAN ID supported?		TCSW1:M FDT2:M	[N]
TCSW12	Is the rejoin using the CBKE derived link key supported?		TCSW1:M FDT2:M	[N]
TCSW13	Is the Reconnission of device supported?		FDT1:M FDT2:M FDT3:M	[N]
TCSW14	Does the device support the Trust Center Swap-Out parameters?	[R2] 5.4.2.2.3.7	TCSW1:M FDT1:M	[N]

412

413 8.8.15 Multiple ESI

414

Table 44 – Multiple ESI Client capabilities

Item number	Item description	Reference	Status	Support
MESC1	Is Multiple ESI supported?	[R2]/5.7	O	[N]
MESC2	Is the discovery of all ESIs in a HAN supported?		MESC1:M	[N]
MESC3	Is the generation of bindings on discovered ESIs supported?		MESC1:M	[N]
MESC4	Is determination of the authoritative ESI supported?		MESC1:M	[N]
MESC5	Is processing of events from multiple ESIs supported?		MESC1:M	[N]
MESC6	Is resolution of conflicting events received from multiple ESIs supported?		MESC1:M	[N]
MESC7	Is the notification message for an event sent to at least one ESI that sent the event?		MESC1:M	[N]
MESC8	Is the event processing based on the authoritative time?		MESC1:M	[N]

415

416

Table 45 – Multiple ESI Server capabilities

Item number	Item description	Reference	Status	Support
MESS1	Is Multiple ESI supported?	[R2]/5.7	O	[N]
MESS2	Is the <i>TimeStatus</i> attribute supported?		MESS1:M	[N]
DELETED ³⁷ MESS3	Is the <i>LastSynchronizedTime</i> attribute supported?		MESS1:M	[N]
MESS4	Is the <i>ValidUntilTime</i> attribute supported?		MESS1:M	[N]

417

³⁷ CCB 1301

418 8.8.16 **OTA Upgrade Cluster attributes and functions**419 **Table 46 – OTA Upgrade cluster server capabilities**

Item number	Item description	Reference	Status	Support
OTAS1	Is the OTA Upgrade Cluster supported as a server?	[R9]	O	<input type="checkbox"/>

420

421 **Table 47 – OTA Upgrade cluster client capabilities**

Item number	Item description	Reference	Status	Support
OTAC1	Is the OTA Upgrade Cluster supported as a client?	[R9]	O	<input type="checkbox"/>

422

423 If supporting OTA upgrade cluster client or server, need to complete OTA Upgrade Cluster PICS
 424 document in addition to this document for certification.


425

426 8.8.17 **Support on Non SE clusters**

427

428 List in the below section all non SE clusters supported on the submitted product:

429



430