

zigbee alliance

ZIGBEE SMART ENERGY STANDARD

Protocol Implementation Conformance Statement (PICS)

Revision 10

Version 1.4

Sponsored by: Zigbee Alliance

Accepted by: Zigbee Alliance Board of Directors

Abstract: This document lists the PICS for the Smart Energy Standard.

Purpose: Provides a pro-forma on which the capabilities and options of a particular implementation of the Smart Energy Standard can be stated.

Keywords: Zigbee, Qualification, Certification, Standard, Smart Energy, Metering, Energy Management

June 14, 2017

24

Notice of use and disclosure

Copyright © Zigbee Alliance (2005-2017). All rights reserved. This information within this document is the property of the Zigbee Alliance and its use and disclosure are restricted.

Elements of Zigbee Alliance specifications may be subject to third party intellectual property rights, including without limitation, patent, copyright or trademark rights (such a third party may or may not be a member of Zigbee). Zigbee is not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights.

No right to use any Zigbee name, logo or trademark is conferred herein. Use of any Zigbee name, logo or trademark requires membership in the Zigbee Alliance and compliance with the Zigbee Logo and Trademark Policy and related Zigbee policies.

This document and the information contained herein are provided on an “AS IS” basis and Zigbee DISCLAIMS ALL WARRANTIES EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO (A) ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OF THIRD PARTIES (INCLUDING WITHOUT LIMITATION ANY INTELLECTUAL PROPERTY RIGHTS INCLUDING PATENT, COPYRIGHT OR TRADEMARK RIGHTS) OR (B) ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NONINFRINGEMENT. IN NO EVENT WILL ZIGBEE BE LIABLE FOR ANY LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OF DATA, INTERRUPTION OF BUSINESS, OR FOR ANY OTHER DIRECT, INDIRECT, SPECIAL OR EXEMPLARY, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY KIND, IN CONTRACT OR IN TORT, IN CONNECTION WITH THIS DOCUMENT OR THE INFORMATION CONTAINED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE. All company, brand, and product names may be trademarks that are the sole property of their respective owners.

The above notice and this paragraph must be included on all copies of this document that are made.

Zigbee Alliance
508 Second Street, Suite 206
Davis, CA 95616

25

26 **Participants**

27 When the document was released, the Smart Energy Application Profile Work Group
28 leadership was composed of the following members:

29 Ian Winterburn: Chair

30 Jeffrey King: Vice-Chair

31 Michael Cowan & Ian Winterburn: Technical Editors

32 Larry Kohrmann: Secretary

33

| | | |
|----|--|----|
| 34 | Table of Contents | |
| 35 | Participants..... | 3 |
| 36 | Table of Contents..... | 4 |
| 37 | References..... | 6 |
| 38 | 1.1 Zigbee Alliance documents..... | 6 |
| 39 | 1.2 IEEE documents..... | 6 |
| 40 | 1.3 ISO documents..... | 6 |
| 41 | Change history..... | 7 |
| 42 | 2 Introduction..... | 11 |
| 43 | 2.1 Scope..... | 11 |
| 44 | 2.2 Purpose..... | 11 |
| 45 | 3 Abbreviations and special symbols..... | 12 |
| 46 | 4 Instructions for completing the PICS pro forma..... | 13 |
| 47 | 5 Identification of the implementation..... | 14 |
| 48 | 6 Identification of the protocol..... | 17 |
| 49 | 7 Global statement of conformance..... | 18 |
| 50 | 8 PICS pro forma tables..... | 19 |
| 51 | 8.1 Zigbee Device Types..... | 19 |
| 52 | 8.2 Stack Profile..... | 20 |
| 53 | 8.3 Stack Profile extensions for SE..... | 20 |
| 54 | 8.4 SE general requirements support..... | 21 |
| 55 | 8.5 Zigbee SE device description support..... | 27 |
| 56 | 8.6 SE common clusters..... | 27 |
| 57 | 8.7 Zigbee SE Device Description Capabilities..... | 31 |
| 58 | 8.7.1 Energy Service Interface device functions..... | 31 |
| 59 | 8.7.2 Metering device functions..... | 33 |
| 60 | 8.7.3 In-Home display device functions..... | 34 |
| 61 | 8.7.4 Programmable Communicating Thermostat (PCT) device functions..... | 36 |
| 62 | 8.7.5 Load Control device functions..... | 37 |
| 63 | 8.7.6 Range Extender device functions..... | 38 |
| 64 | 8.7.7 Smart Appliance device functions..... | 39 |
| 65 | 8.7.8 Prepayment Terminal device functions..... | 40 |
| 66 | 8.7.9 Remote Communications Device functions..... | 42 |
| 67 | 8.8 Smart Energy Application Specific Cluster function capabilities..... | 43 |
| 68 | 8.8.1 Basic Cluster..... | 43 |
| 69 | 8.8.2 Identify..... | 43 |
| 70 | 8.8.3 Alarms..... | 43 |
| 71 | 8.8.4 Commissioning..... | 43 |
| 72 | 8.8.5 Power Configuration..... | 44 |
| 73 | 8.8.6 Time Cluster attributes and functions..... | 44 |
| 74 | 8.8.7 Key Establishment Cluster attributes and functions..... | 45 |
| 75 | 8.8.8 Demand Response and Load Control Cluster attributes and functions..... | 46 |
| 76 | 8.8.9 Metering Cluster attributes and functions..... | 48 |

| | | | |
|----|--------|--|-----|
| 77 | 8.8.10 | Price Cluster attributes and functions | 78 |
| 78 | 8.8.11 | Messaging Cluster attributes and functions | 90 |
| 79 | 8.8.12 | Tunneling Cluster attributes and functions | 92 |
| 80 | 8.8.13 | Prepayment Cluster attributes and functions | 94 |
| 81 | 8.8.14 | Trust Center Swap-out | 104 |
| 82 | 8.8.15 | Multiple ESI..... | 105 |
| 83 | 8.8.16 | OTA Upgrade Cluster attributes and functions | 106 |
| 84 | 8.8.17 | Calendar Cluster attributes and functions | 107 |
| 85 | 8.8.18 | Device Management Cluster attributes and functions | 111 |
| 86 | 8.8.19 | Events Cluster attributes and functions..... | 116 |
| 87 | 8.8.20 | Energy Management Cluster attributes and functions | 117 |
| 88 | 8.8.21 | MDU Pairing Cluster attributes and functions..... | 118 |
| 89 | 8.8.22 | Sub-GHz Cluster attributes and functions | 119 |
| 90 | 8.8.23 | Support on Non SE clusters | 120 |
| 91 | | | |

References

92
93 The following standards contain provisions, which, through reference in this document, constitute provisions of this
94 standard. All the standards listed are normative references. At the time of publication, the editions indicated were
95 valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to
96 investigate the possibility of applying the most recent editions of the standards indicated below.

97 1.1 Zigbee Alliance documents

- 98 [R1] Zigbee document 05-3474-22: The Zigbee Specification
99 [R2] Zigbee document 07-5356: Zigbee Smart Energy Standard Revision 21.
100 [R3] Zigbee document 07-5123-04, Zigbee Cluster Library Specification
101 [R4] Zigbee document 04300r08: Zigbee Network Layer PICS
102 [R5] Zigbee document 064147r07: Zigbee Application Layer PICS
103 [R6] Zigbee document 043171r04: Zigbee Security Layer PICS
104 [R7] Zigbee document 064113r07: Zigbee Cluster Library PICS
105 [R8] Zigbee document 08-0006-07: Zigbee 2017 Layer PICS and Stack Profiles
106 [R9] Zigbee document number 16-05028-001: Zigbee OTA Upgrade Cluster Specification
107 [R10] Zigbee document number 09-5284-10: Zigbee OTA Upgrade Cluster PICS
108 [R11] Zigbee document number 09-5473-09: Zigbee OTA Upgrade Cluster Test Specification

109 1.2 IEEE documents

- 110 [R12] IEEE Standard for Part 15.4: Wireless Medium Access Control (MAC) and Physical Layer (PHY)
111 specifications for Low Rate Wireless Personal Area Networks (LR-WPANs), 2015.

112 1.3 ISO documents

- 113 [R13] ISO/IEC 9646-1:1991, Information technology - Open Systems Interconnection - Conformance testing
114 methodology and framework - Part 1: General concepts.
115 [R14] ISO/IEC 9646-7:1995, Information technology - Open Systems Interconnection - Conformance testing
116 methodology and framework - Part 7. Implementation conformance statements.

117

118

119

120

Change history

121

The following table shows the change history for this specification.

122

Table 1 – Revision change history

| Revision | Version | Description |
|----------|---------|---|
| R00 | - | Initial draft (November, 2007) |
| R01 | - | Updated to Revision 12 of the SE specification and Errata. |
| R02 | - | Updated to Revision 14 of the SE specification |
| R03 | 1.0 | Fix typo. Update SE specification reference to r14. |
| R04 | 1.0 | Update SE specification reference to r15. Update section references. |
| R05 | 1.1 | Update for SE 1.1 release |
| R06 | 1.1.1 | Update for SE 1.1.1 release Processed CCBs: 1264 - Add support for CV and PTZ (gas conversion factors) to price cluster 1273 - Additional of 'Get Support Tunnel Protocols' Command and Response 1289 - PhysicalEnvironment bit for Mirroring 1301 - Simplified Multi-ESI Time Sync 1430 - PICS requirement (Table 38 - item MCC1) wrong 1431 - PICS requirement (Table 5 - item SEG25) wrong 1432 - PICS requirement (KES1 and KECS1) Mismatch 1437 - DeviceClass is marked read-writeable but write may not be allowed 1486 - End point requirement |
| R07 | 1.1b | Update for SE 1.1b release Processed CCBs: 1494 - Add Billing Period Attribute Set to the Price Cluster 1496 - Duplicate Item Number in PICS Document Table [MCS2] 1500 - New metering attribute for block pricing 1570 - Rename Display Device to "In-Home Display" (IHD) Modifications to link the elements of the Block Tariff feature together |
| R08 | 1.2a | Update for SE 1.2a release Processed CCBs: 1886 - IntervalReadReportingPeriod - Remove Attribute from the Spec 1999 - Heating and Cooling Mandatory Attributes (for details of changes between 1.1b and 1.2a, please refer to editors' drafting document 13-0453) |

| | | |
|-----|------|---|
| R09 | 1.2b | <p>Tidy up of Trust Center Swap-out section (8.8.14), together with additional entries for new Keep-Alive cluster in Table 8 of section 8.6</p> <p>CCB 1513 – Rename DRLC End Randomization to Duration Randomization</p> <p>CCB 1880 – Contradictory Naming of DRLC Attribute</p> <p>CCB 2078 – SPE6 Updated to make Fragmentation Mandatory.</p> <p>[For details of actual changes made from revision 8, refer to Editor’s copy (15-0133)]</p> |
| R10 | 1.4 | <p>Section 8.8.22 added for new Sub-GHz cluster</p> <p>Other functionality added for Sub-GHz/Multi-MAC operation</p> <p>CCB 2185 - Incorrect dependency listings in PICS document</p> <p>CCB 2216 - Direct CBKE between 2 Non-TC Devices</p> <p>CCB 2258 - PICS item MECS210 has incorrect status</p> <p>CCB 2260 - PICS item MECS284 has incorrect status</p> <p>CCB 2262 - PICS item MECS14 has incorrect status</p> <p>CCB 2303 - Incorrect "status" for PICS item MCC8</p> <p>CCB 2306 - SE PICS document indicates optional ValidUntilTime attribute as mandatory.</p> <p>CCB 2320 - SEG22 – Wording clarified.</p> <p>[For details of actual changes made from revision 9, refer to Editor’s copy (16-05035)]</p> |

124

125

2 Introduction

126

127

128 To evaluate conformance of a particular implementation, it is necessary to have a statement of
129 which capabilities and options have been implemented for a given standard. Such a statement is
130 called a protocol implementation conformance statement (PICS).

2.1 Scope

131 This document provides the protocol implementation conformance statement (PICS) pro forma
132 for the Zigbee specifications cited in Reference [R2] in compliance with the relevant
133 requirements, and in accordance with the relevant guidance, given in ISO/IEC 9646-7.
134

135

136 This document addresses the Zigbee SE Application Profile.

2.2 Purpose

137 The supplier of a protocol implementation claiming to conform to the Zigbee SE Application
138 Profile shall complete the following PICS pro forma and accompany it with the information
139 necessary to identify fully both the supplier and the implementation.
140

141

142 The PICS is in the form of answers to a set of questions in the PICS pro forma. The questions in
143 a pro forma consist of a systematic list of protocol capabilities and options as well as their
144 implementation requirements. The implementation requirement indicates whether
145 implementation of a capability is mandatory, optional, or conditional depending on options
146 selected. When a protocol implementer answers questions in a PICS pro forma, they would
147 indicate whether an item is implemented or not, and provide explanations if an item is not
148 implemented.

3 Abbreviations and special symbols

| | |
|-----|---|
| 149 | |
| 150 | |
| 151 | Notations for requirement status: |
| 152 | |
| | M Mandatory |
| | O Optional |
| | O.n Optional, but support of at least one of the group of options labeled O.n is required. |
| | N/A Not applicable |
| | X Prohibited |
| | <i>Item Number:</i> Status is conditional on support of item number |
| | <i>:Status</i> |
| 153 | |
| 154 | “ <i>Item Number</i> ”: Conditional, status dependent upon the support marked for the “ <i>Item Number</i> ”. |
| 155 | |
| 156 | For example, FD1: O.1 indicates that the status is optional but at least one of the features |
| 157 | described in FD1 is required to be implemented, if this implementation is to follow the standard |
| 158 | of which this PICS Pro forma is a part. |
| 159 | |

4 Instructions for completing the PICS pro forma

160

161

162 If a given implementation is claimed to conform to this standard, the actual PICS pro forma to be
163 filled in by a supplier shall be technically equivalent to the text of the PICS pro forma in this
164 annex, and shall preserve the numbering and naming and the ordering of the PICS pro forma.

165

166 A PICS which conforms to this document shall be a conforming PICS pro forma completed in
167 accordance with the instructions for completion given in this annex.

168

169 The main part of the PICS is a fixed-format questionnaire, divided into five tables. Answers to
170 the questionnaire are to be provided in the rightmost column, either by simply marking an
171 answer to indicate a restricted choice (such as Yes or No), or by entering a value, set, or range of
172 values.

5 Identification of the implementation

173

174

Implementation under test (IUT) identification

176

IUT name:

178

179

IUT version:

181

182

183

184

185

System under test (SUT) identification

187

SUT name: Trio II Touch Button (00:07)

189

190

Software Version: 05:10:00:00

192

193

Hardware Version: 02_00

195

196

197

Operating system (optional):

199

200

201

Specification Versions Implemented

203

Smart Energy Specification Document Number (include revision): 07-5356-21 _____

205

Smart Energy Test Specification Document (include revision): 07-5384-23 _____

207

208

Product supplier

209

Name: Green Energy Options Ltd

212

Address: 3 St. Mary's Court, Main Street, Hardwick, Cambridge, CB23 7Qs, UK

214

Telephone number: +44 (0)1223 850 210 _____

215

216
217 Facsimile number: _____
218
219 Email address: pete.cumming@geotogether.com _____
220
221 Additional information: _____
222

223
224 **Client**

225
226 Name: Pete Cumming _____
227
228 Address: 3 St. Mary's Court, Main Street, Hardwick, Cambridge, CB23 7Qs, UK _____
229
230 _____
231
232 Telephone number: +44 (0)1223 850 210 _____
233
234 Facsimile number: _____
235
236 Email address: pete.cumming@geotogether.com _____
237
238 Additional information: _____
239

240
241 **PICS contact person**

242
243 Name: Stuart Haslam _____
244
245 Address: 3 St. Mary's Court, Main Street, Hardwick, Cambridge, CB23 7Qs, UK _____
246
247 _____
248
249 Telephone number: +44 (0) 1223 850 210
250 _____
251
252 Facsimile number:
253 _____
254
255 Email address: stuart.haslam@geotogether.com
256 _____
257

258 Additional information:

259

260

261

262 **PICS/System conformance statement**

263

264

6 Identification of the protocol

265

266

This PICS pro forma applies to Zigbee SE Application Profile, cited in Reference [R2].

7 Global statement of conformance

267
268
269 The implementation described in this PICS pro forma meets all of the mandatory requirements of
270 the referenced standards:

271
272 Application Profile: Zigbee SE – 07-5356-21
273

274 Yes

275 No
276

277 Note -- Answering ‘No’ indicates non-conformance to the specified protocol standard. Non-
278 supported mandatory capabilities are to be identified in the following tables, with an explanation
279 by the implementer explaining why the implementation is non-conforming.
280

281 The supplier will have fully complied with the requirements for a statement of conformance by
282 completing the statement contained in this sub-clause. That means, by clicking the above, the
283 statement of conformance is complete.
284

285 8 PICS pro forma tables

286
287 The following tables are composed of the detailed questions to be answered, which make up the
288 PICS pro forma.
289

290 8.1 Zigbee Device Types

291 **Table 2 - Functional device types**

| Item number | Item description | Reference | Status | Support |
|-------------|--|-------------------------|------------------|---------|
| FDT1 | Is this device capable of acting as a Zigbee 2.4GHz Coordinator? | [R1]/ 2.5.4.5.1 | ¹ O.1 | N |
| FDT2 | Is this device capable of acting as a Zigbee 2.4GHz Router? | [R1]/2.5.4.5.2 | O.1 | N |
| FDT3 | Is this a Zigbee 2.4GHz only End Device? | [R1]/2.5.4.5.5 | O.1 | Y |
| FDT4 | Is this device capable of acting as a Zigbee Sub-GHz only Coordinator? | [R1]/ 2.5.4.5.1 | O.1 | N |
| FDT5 | Is this device capable of acting as a Zigbee Multi-MAC Switch Coordinator? | [R1]/1.4.1.2 / [R2]/3.2 | O.1 | N |
| FDT6 | Is this device capable of acting as a Zigbee Sub-GHz only Router? NOTE that such a device cannot currently be used in European markets due to Duty Cycle Monitoring limitations | [R1]/1.4.1.2 | O.1 | N |
| FDT7 | Is this device capable of acting as a Zigbee Multi-MAC Switch Router? NOTE that such a device cannot currently be used in European markets due to Duty Cycle Monitoring limitations | [R1]/1.4.1.2 / [R2]/3.2 | O.1 | N |
| FDT8 | Is this device capable of acting as a Zigbee Multi-MAC Selection Router? NOTE that such a device cannot currently be used in European markets due to Duty Cycle Monitoring limitations | [R1]/1.4.1.2 / [R2]/3.2 | O.1 | N |

¹ O.1 – Device under test must select only one of these options. Devices under test supporting multiple ZigBee device types must serially re-test using each supported ZigBee device type.

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------------------|--------|---------|
| FDT9 | Is this a Zigbee Sub-GHz only End Device? | [R1]/2.5.4.5.5 | O.1 | N |
| FDT10 | Is this device capable of acting as a Zigbee Multi-MAC Selection End Device? | [R1]/1.4.1.2 / [R2]/3.2 | O.1 | N |

292

293

294 **8.2 Stack Profile**

295

Table 3 –Stack Profile

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|------------------|---------|
| ZSP1 | Is the device built on a Zigbee Compliant Platform certified for the Zigbee stack profile [R8]? | [R4] [R2]/5.2 | O.2 ² | N |
| ZSP2 | Is the device built on a Zigbee PRO Compliant Platform certified for the Zigbee PRO stack profile [R8]? | [R8] [R2]/5.2 | O.2 | Y |

296

297 **8.3 Stack Profile extensions for SE**

298

Table 4 – Stack profile extensions for SE

| Item number | Item description | Reference | Status | Support |
|-------------|---|--------------------------------|--------|---------|
| SPE1 | Does the device support Application Link Keys? | [R2]/5.2 [R6]/ASLS6 | M | Y |
| SPE2 | Does this device use a stack that supports fragmentation? | [R2]/5.2 [R5]/ADF5, ADF6 | M | Y |

² O.2 – Device under test must be deployed on either of the ZigBee PRO stack profiles.

| Item number | Item description | Reference | Status | Support |
|-------------|--|--------------------------------|--------------------------------|---------|
| SPE3 | Does this device use any SE Profile Commands that require the use of Fragmentation? | [R2]/5.2 [R5]/ADF5, ADF6 | MC1: M MS1: M | Y |
| SPE4 | Does the device adhere to the polling rate specifications given in [R2]/5.2 (i.e. Does your application poll equal to or less often as called out in the specification)? | [R2]/5.2 | FDT3: M FDT9: M FDT10: M | Y |
| SPE5 | Does this devices support reception of fragmented messages? | | M | Y |
| SPE6 | Does this device support generation of fragmented messages? | | M ³ | Y |

299

300 **8.4 SE general requirements support**

301 In the below tables please answer Yes / No for supported , number of instances supported, and
 302 end point for each instance. In support one instance can just provide end point number without
 303 instance number.

304

Table 5 – SE general requirements support

| Item number | Item description | Reference | Status | Support |
|-------------|--|-------------------------|--------|---------|
| SEG1 | Does the device support the Zigbee Cluster Library? | [R2]/5.11, 5.12 [R3] | M | Y |
| SEG2 | Does the device support the Zigbee Cluster Library List specified for SE including the mandatory/optional clusters detailed in the ZCL PICs? | [R2]/5.11, 5.12 [R7] | M | Y |

³ CCB 2078

| Item number | Item description | Reference | Status | Support |
|-------------|---|---|---|---------|
| SEG3 | <p>Does the device support the Zigbee Cluster Library with the parameters for attribute reporting, reporting configuration and read reporting configuration as detailed in the SE Profile clusters?</p> <p>Editor's Note: Reporting interval constraints and other parameters are mandatory where attribute reporting is used. Support of attribute reporting may be optional or mandatory based on clusters implemented.</p> | [R2]/5.11 [R3] | M | Y |
| SEG4 | Is the device capable of joining a Zigbee SE network and does it interact with a consumer Zigbee Home Area Network only through a bridge device? | [R2]/5.1 | FDT2: M FDT3: M FDT6: M FDT7: M FDT8: M FDT9: M FDT10: M | Y |
| SEG5 | <p>Does the device support "E-Mode" commissioning?</p> <p>SE Profile requirement: Those devices that will join an existing network must support button pushes or simple documented user interfaces to initiate the joining process.</p> | [R2]/5.1 | FDT2: M FDT3: M FDT6: M FDT7: M FDT8: M FDT9: M FDT10: M For joining devices | Y |
| SEG6 | Deleted | [R2]/5.1 | | N/A |
| SEG7 | Does the device support the compatible Startup Attribute Set, Join Parameters, Security Parameters, End Device Parameters, Link Status Parameters, Concentrator Parameters, APS Transport Parameters and Binding Parameters? | [R2]/5.3, 5.3.1, 5.3.2, 5.3.3, 5.3.4, 5.3.5, 5.3.6, 5.3.7, 5.3.8, 5.3.9 | M | Y |
| SEG8 | <p>Does the device support joining with pre-installed link keys?</p> <p>Note: SE specifies use of Install Codes to derive the link key.</p> | [R2]/5.4.1 | FDT2: M FDT3: M FDT6: M FDT7: M FDT8: M FDT9: M FDT10: M | Y |

| Item number | Item description | Reference | Status | Support |
|-------------|---|--------------------------|--|---------|
| SEG9 | Does the device support joining using the Key Establishment cluster? | [R2]/5.4.7 | FDT2: M FDT3: M FDT6: M FDT7: M FDT8: M FDT9: M FDT10: M | Y |
| SEG10 | Deleted | [R2]/5.5 | | NA |
| SEG11 | Does the device support the list of SE preferred channels? | [R2]/5.8.1 | O | N |
| SEG12 | Does the device support the SE broadcast policy? | [R2]/5.8.2 | O | N |
| SEG13 | Does the device support the SE frequency agility policy? | [R2]/5.8.3 | O | N |
| SEG14 | Does the device support the security key update policies for SE networks? | [R2]/5.8.4 | M | Y |
| SEG15 | Does the device support the ZCL Time Cluster and SE time synchronization? Editor's Note: Support of the ZCL Time Cluster is not mandatory for all SE devices. The SE device descriptions define the required Time cluster support. | [R2]/5.12.1.1 | O | Y |
| SEG16 | Does the device support discovery of optional attributes? | [R2]/5.12 | M | Y |
| SEG17 | Does the device application discover and handle unsupported attributes in other devices? | [R2]/5.12 | M | Y |
| SEG18 | Does the device support an indication to the user that the network has formed properly? | [R2]/5.5.1 | O | N |
| SEG19 | Does the device support an indication to the user that a device has joined a network successfully? | [R2]/5.5.1 | O | Y |
| SEG20 | Does the device support the commissioning modes and provide supporting | [R2]/5.5.2, 5.5.3, 5.5.4 | M | Y |

| Item number | Item description | Reference | Status | Support |
|---------------------|--|----------------|--|---------|
| | commissioning documentation according to network type? | | | |
| SEG21 | Does the device use the appropriate security key per cluster? | [R2]/5.4.6 | M | Y |
| SEG22 | Does the device support and allow the discovery of Mirrored Endpoints hosted on the device? ⁴ | [R4]/D.3.4.4.1 | O | N |
| SEG22a ⁵ | Does the device support discovering another device on the HAN that can host a Mirrored Endpoint? | [R4]/D.3.4.4 | O | N |
| SEG23 | Does one of the device support the SE Install Code Formats: 48, 64, 96, or 128 bit number and 16 bit CRC? | [R4]/5.4.8.1.1 | O | Y |
| SEG24 | Does the device expect to receive unsolicited messages from the DRLC, Messaging, Metering or Pricing clusters? | [R4]/5.4.5.1 | O | Y |
| SEG25 | Does the device support rejoining a secured network? | [R4]/5.4.2 | FDT2:M FDT3:M FDT6: M FDT7: M FDT8: M FDT9: M FDT10: M | Y |
| SEG26 | Does the device support devices leaving its network? | [R4]/5.4.3 | FDT1:M FDT4:M FDT5:M | [NA] |
| SEG27 | Does the device support updating the Network Key? | [R4]/5.4.4 | M | Y |
| SEG28 | Does the device support updating the Link Key? | [R4]/5.4.5 | M | Y |
| SEG29 | Does the device support Federated Trust Center functionality? | [R2]/5.6 | O | N |

⁴ CCB 2320⁵ CCB 2320

| Item number | Item description | Reference | Status | Support |
|--------------------|---|--------------|--|---------|
| SEG30 | Does the device support Network Interoperability? | [R2]/5.13 | O | N |
| SEG31 ⁶ | Does the device support the formation of 'Partner' Link Keys with other non-TC devices? | [R2]/5.4.7.4 | FDT2: O FDT3: O FDT6: O FDT7: O FDT8: O FDT9: O FDT10: O | Y |
| SEG32 ⁷ | Does the device support direct CBKE with another non-TC device (once a 'Partner' Link Key has been established with that other device)? | [R2]/5.4.7.4 | FDT2: O FDT3: O FDT6: O FDT7: O FDT8: O FDT9: O FDT10: O | Y |
| SEG33 | Does the device transmit 'High Frequency' messages? | [R2]/5.11 | FDT4:M FDT5:M FDT6: O FDT7: O FDT8: O FDT9: O FDT10: O | Y |
| SEG34 | Deleted | | | |
| SEG35 | Is the device capable of forming a 'Multi-MAC' network? | [R2]/5.14.2 | FDT5:M | N |
| SEG36 | Is the device capable of joining a 2.4GHz-only network? | [R2]/5.14.3 | FDT2:O FDT3: O FDT7: O FDT8: O FDT10: O | Y |
| SEG37 | Is the device capable of joining a 'Multi-MAC' network? | [R2]/5.14.3 | FDT2:O FDT3: O FDT6: O FDT7: O FDT8: O FDT10: O | N |

⁶ CCB 2216

⁷ CCB 2216

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------|--|---------|
| SEG38 | Is the device capable of re-joining a 2.4GHz-only network? | [R2]/5.14.4 | FDT2:O FDT3: O FDT7: O FDT8: O FDT10: O | Y |
| SEG39 | Is the device capable of re-joining a 'Multi-MAC' network? | [R2]/5.14.4 | FDT2:O FDT3: O FDT6: O FDT7: O FDT8: O FDT10: O | N |
| SEG40 | Does the device support Power Control functionality? | [R2]/5.14.5 | FDT4:O FDT5:O FDT6: O FDT7: O FDT8: O FDT9: O FDT10: O | N |
| SEG41 | Does the device support Duty Cycle Monitoring functionality? | [R2]/5.14.6 | FDT4:O FDT5:O FDT9: O FDT10: O | N |
| SEG42 | Does the device support Frequency Agility functionality? | [R2]/5.14.7 | FDT4:O FDT5:O FDT6: O FDT7: O FDT8: O FDT9: O FDT10: O | N |
| SEG43 | Does the device power down the Sub-GHz interface while Permit Joining is disabled and no Sub-GHz device has joined the network. | [R2]/5.14.2 | FDT5:O | NA |

305 **8.5 Zigbee SE device description support**

306

Table 6 – SE device description support

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------|------------------|-------------------|
| SED1 | Is the product programmed as an Energy Service Interface? | [R2]/6.3.1 | O.3 ⁸ | N |
| SED2 | Is the product programmed as a Metering Device? | [R2]/6.3.2 | O.3 | N |
| SED3 | Is the product programmed as an In-Home Display? | [R2]/6.3.3 | O.3 | Y [Int: EP# 1] |
| SED4 | Is the product programmed as a Programmable Communicating Thermostat (PCT)? | [R2]/6.3.4 | O.3 | N |
| SED5 | Is the product programmed as a Load Control? | [R2]/6.3.5 | O.3 | N |
| SED6 | Is the product programmed as a Range Extender? | [R2]/6.3.6 | O.3 | N |
| SED7 | Is the product programmed as a Smart Appliance? | [R2]/6.3.7 | O.3 | N |
| SED8 | Is the product programmed as a Prepayment Terminal? | [R2]/6.3.8 | O.3 | N |
| SED9 | Does the product utilize an endpoint using the Physical Device identifier? | [R2]/6.3.9 | O | N |
| SED10 | Is the product programmed as a Remote Communications Device? | [R2]/6.3.10 | O.3 | N |

307

308

309 **8.6 SE common clusters**

310

311 The common cluster ZCL PICs restrictions/requirements are obtained from [R2]/5.11, 5.12.

⁸ O.3 – Device under test must select at least one and may select more than one of the SE device descriptions. If multiple SE device descriptions are supported in the same device then each of the supported device descriptions must be deployed on individual endpoints within the device under test.

312

Table 7 – Common cluster ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|---|-------------------|
| FC100 | M | ZCL Cluster ID enumeration is mandatory | Y |
| FC1 | M | General ZCL Frame Format is mandatory | Y |
| BCC1 | O | Does the device support the Basic Cluster as a client? | Y [Int: EP# 1] |
| BCS1 | M | Does the device support the Basic Cluster as a server? | Y [Int: EP# 1] |
| GCC1 | O | Deleted | NA |
| GCS1 | O | Deleted | NA |
| ACC1 | O | Does the device support the Alarms Cluster as a client? | N |
| ACS1 | O | Does the device support the Alarms Cluster as a server? | N |
| TCS1 | | Deleted | NA |
| TCC1 | | Deleted | NA |

313

314

Table 8 – Common cluster support

| Item number | Item description | Reference | Status | Support |
|-------------|------------------|-----------|--------|---------|
| ASDC1 | Deleted | [R2]/5.10 | | NA |
| ASDC2 | Deleted | [R2]/5.10 | | NA |
| ASDC3 | Deleted | [R2]/5.10 | | NA |
| ASDS1 | Deleted | | O | NA |
| ASDS2 | Deleted | | | |

| Item number | Item description | Reference | Status | Support |
|-------------|---|--------------------|--------------------------------------|-------------------|
| ASDS3 | Deleted | | | |
| KEC1 | Does the device support the Key Establishment cluster as a client? | [R2]/Annex C.3.1 | M | Y [Int: EP# 1] |
| KES1 | Does the device support the Key Establishment cluster as a server? | [R2]/Annex C.3.1 | M | Y [Int: EP# 1] |
| SECC1 | Does the device support clusters with Reporting Capability? | [R2]/6.1.1 | O | N |
| SECC2 | Are any manufacturer-specific cluster(s) supported? | [R2]/6.1.2 | O | N |
| SECC3 | Are any non-SE ZCL or other application cluster(s) supported? | [R2]/6.1.3 | O | N |
| ICS1 | Does the device support the Identify cluster? | [R2]/ 6.1 | O | N |
| PCCS1 | Does the device support the Power Configuration cluster? | [R2]/ 6.1 | O | N |
| SMC2 | Does the device support the Block Tariffs Metering cluster attributes as a client? | [R2]/ 6.1 | O | N |
| SMS2 | Does the device support the Block Tariffs Metering cluster attributes as a server? | [R2]/ 6.1 | O | N |
| TCSW1 | Does the device support Trust Center Swap-out ? | [R2]/ 6.1 | O | Y |
| OTAC1 | Does the device support the OTA Upgrade cluster as a client? | [R2]/ 6.1 | O | N |
| OTAS1 | Does the device support the OTA Upgrade cluster as a server? | [R2]/ 6.1 | O | N |
| EVS1 | Does the device support the Events cluster as a server? | [R2]/ 6.1 | O | N |
| KAC1 | Is the device a Router supporting the Keep-Alive cluster <i>TC Keep-Alive Base</i> attribute as a client? | [R2] 6.1 / A.3.2.1 | FDT2:O FDT6:O FDT7:O FDT8:O | N |

| Item number | Item description | Reference | Status | Support |
|-------------|--|--------------------|--|---------|
| | | | TCSW1b:M | |
| KAC2 | Is the device a Router supporting the Keep-Alive cluster <i>TC Keep-Alive Jitter</i> attribute as a client? | [R2] 6.1 / A.3.2.1 | FDT2:O FDT6:O FDT7:O FDT8:O TCSW1b:M | N |
| KAC3 | Is the device an End Device supporting the Keep-Alive cluster <i>TC Keep-Alive Base</i> attribute as a client? | [R2] 6.1 / A.3.2.1 | FDT3:O FDT9:O FDT10:O | N |
| KAC4 | Is the device an End Device supporting the Keep-Alive cluster <i>TC Keep-Alive Jitter</i> attribute as a client? | [R2] 6.1 / A.3.2.1 | FDT3:O FDT9:O FDT10:O | N |
| KAS1 | Does the device support the Keep-Alive cluster as a server? | [R2]/ 6.1 | FDT1:O FDT4:O FDT5:O TCSW1a:M | N |

315

316

317 **8.7 Zigbee SE Device Description Capabilities**

318 Tables in the following sub-clauses detail the capabilities specific to a device description.

319 **8.7.1 Energy Service Interface device functions**

320

321

Table 9 – Energy Service Interface ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|----------------------------------|-----------------------|
| TCS1 | M | Time Cluster server is mandatory | [Y/N] [Int: EP# x] |

322

323

324 Table 10 provides the SE PICs restrictions based on requirements in [R2]/6.3.1.1.

325

326

Table 10 – Energy Service Interface SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|--|-----------------------|
| SMC1 | O | Metering Cluster client is optional | [Y/N] [Int: EP# x] |
| SMS1 | O | Metering Cluster server is optional | [Y/N] [Int: EP# x] |
| MS1 | M | Messaging Cluster server is mandatory | [Y/N] [Int: EP# x] |
| PS1 | M | Price Cluster server is mandatory | [Y/N] [Int: EP# x] |
| DRLS1 | M | Demand Response and Load Cluster server is mandatory | [Y/N] [Int: EP# x] |
| PC1 | O | Price Cluster client is optional | [Y/N] [Int: EP# x] |
| CALS1 | O | Calendar Cluster server is optional | [Y/N] [Int: EP# x] |

| SE PICS Item number | Status | Additional Constraints | Support |
|------------------------------------|---------------|--|-----------------------|
| MC1 | O | Messaging Cluster client is optional | [Y/N] [Int: EP# x] |
| PPC1 | O | Prepayment Cluster client is optional | [Y/N] [Int: EP# x] |
| PPS1 | O | Prepayment Cluster server is optional | [Y/N] [Int: EP# x] |
| DMS1 | O | Device Management Cluster server is optional | [Y/N] [Int: EP# x] |
| DMC1 | O | Device Management Cluster client is optional | [Y/N] [Int: EP# x] |
| ALM1 | O | Alarms Cluster server is optional | [Y/N] [Int: EP# x] |
| EVC1 | O | Events Cluster client is optional | [Y/N] [Int: EP# x] |
| MDUS1 | O | MDU Pairing Cluster server is optional | [Y/N] [Int: EP# x] |
| MDUC1 | O | MDU Pairing Cluster client is optional | [Y/N] [Int: EP# x] |
| EMC1 | O | Energy Management Cluster client is optional | [Y/N] [Int: EP# x] |
| TUS1 | O | Tunneling Cluster server is optional | [Y/N] [Int: EP# x] |
| TCSW1 | O | Trust Center Swap-out is optional | [Y/N] [Int: EP# x] |
| TUC1 | O | Tunneling Cluster client is optional | [Y/N] [Int: EP# x] |
| SGZS1 | O | Sub-GHz Cluster server is optional | [Y/N] [Int: EP# x] |
| SGZC1 | O | Sub-GHz Cluster client is optional | [Y/N] [Int: EP# x] |

327
328
329

330 8.7.2 Metering device functions

331

Table 11 – Metering device ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|---------------------------------|-----------------------|
| TCC1 | O | Time Cluster client is optional | [Y/N] [Int: EP# x] |

332

333 Table 12 provides the SE PICS restrictions based on requirements in [R2]/6.3.2.1.

334

335

Table 12 – Metering device SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|--|-----------------------|
| SMS1 | M | Metering Cluster server is mandatory | [Y/N] [Int: EP# x] |
| PPS1 | O | Prepayment Cluster server is optional | [Y/N] [Int: EP# x] |
| PC1 | O | Price Cluster client is optional | [Y/N] [Int: EP# x] |
| CALC1 | O | Calendar Cluster client is optional | [Y/N] [Int: EP# x] |
| MC1 | O | Messaging Cluster client is optional | [Y/N] [Int: EP# x] |
| DMC1 | O | Device Management Cluster client is optional | [Y/N] [Int: EP# x] |
| MDUC1 | O | MDU Pairing Cluster client is optional | [Y/N] [Int: EP# x] |
| ALM1 | O | Alarms Cluster server is optional | [Y/N] [Int: EP# x] |

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|---|-----------------------|
| SMS3 | SMS2:O | Block Tariffs Metering cluster server attributes are optional | [Y/N] [Int: EP# x] |
| TUC1 | O | Tunneling Cluster client is optional | [Y/N] [Int: EP# x] |
| TUS1 | O | Tunneling Cluster server is optional | [Y/N] [Int: EP# x] |
| TCSW1 | O | Trust Center Swap-out is optional | [Y/N] [Int: EP# x] |
| SGZC1 | O | Sub-GHz Cluster client is optional | [Y/N] [Int: EP# x] |

336

337 8.7.3 **In-Home display device functions**

338

Table 13 – In-Home display device ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|---------------------------------|-------------------|
| TCC1 | O | Time Cluster client is optional | Y [Int: EP# 1] |

339

340 Table 14 provides the SE PICs restrictions based on requirements in [R2]/6.3.3.1.

341

342

Table 14 – In-Home display device SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|---|-------------------|
| DRLC1 | O | Demand Response and Load Cluster client is optional | N |
| PC1 | O | Price Cluster client is optional | Y [Int: EP# 1] |

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------------|--------|--|-------------------|
| CALC1 | O | Calendar Cluster client is optional | Y [Int: EP# 1] |
| SMC1 | O | Metering Cluster client is optional | Y [Int: EP# 1] |
| PPC1 | O | Prepayment Cluster client is optional | Y [Int: EP# 1] |
| MC1 | O | Messaging Cluster client is optional | Y [Int: EP# 1] |
| DMC1 | O | Device Management Cluster client is optional | Y [Int: EP# 1] |
| MDUC1 | O | MDU Pairing Cluster client is optional | N |
| EMC1 | O | Energy Management Cluster client is optional | N |
| ALM1 | O | Alarms Cluster server is optional | N |
| EVC1 | O | Events Cluster client is optional | N |
| TUS1 | O | Tunneling Cluster server is optional | N |
| TUC1 | O | Tunneling Cluster client is optional | Y [Int: EP# 1] |
| TCSW1 | O | Trust Center Swap-out is optional | Y |
| | | | |
| SGZC1 | O | Sub-GHz Cluster client is optional | N |

343

344

345

346 8.7.4 Programmable Communicating Thermostat (PCT) device functions

347 Table 15 Programmable Communicating Thermostat (PCT) ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|----------------------------------|-----------------------|
| TCC1 | M | Time Cluster client is mandatory | [Y/N] [Int: EP# x] |

348
349 Table 16 provides the SE PICS restrictions based on requirements in [R2]/6.3.4.1.

350
351 Table 16 Programmable Communicating Thermostat (PCT) SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|--|-----------------------|
| DRLC1 | M | Demand Response and Load Cluster client is mandatory | [Y/N] [Int: EP# x] |
| PPC1 | O | Prepayment Cluster client is optional | [Y/N] [Int: EP# x] |
| PC1 | O | Price Cluster client is optional | [Y/N] [Int: EP# x] |
| CALC1 | O | Calendar Cluster client is optional | [Y/N] [Int: EP# x] |
| SMC1 | O | Metering Cluster client is optional | [Y/N] [Int: EP# x] |
| MC1 | O | Messaging Cluster client is optional | [Y/N] [Int: EP# x] |
| DMC1 | O | Device Management Cluster client is optional | [Y/N] [Int: EP# x] |
| MDUC1 | O | MDU Pairing Cluster client is optional | [Y/N] [Int: EP# x] |
| EMS1 | O | Energy Management Cluster server is optional | [Y/N] [Int: EP# x] |

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|--------------------------------------|-----------------------|
| ALM1 | O | Alarms Cluster server is optional | [Y/N] [Int: EP# x] |
| TUS1 | O | Tunneling Cluster server is optional | [Y/N] [Int: EP# x] |
| TUC1 | O | Tunneling Cluster client is optional | [Y/N] [Int: EP# x] |
| TCSW1 | O | Trust Center Swap-out is optional | [Y/N] [Int: EP# x] |
| SGZC1 | O | Sub-GHz Cluster client is optional | [Y/N] [Int: EP# x] |

352

353 8.7.5 Load Control device functions

354

Table 17 – Load Control ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|----------------------------------|-----------------------|
| TCC1 | M | Time Cluster client is mandatory | [Y/N] [Int: EP# x] |

355

356 Table 18 provides the SE PICS restrictions based on requirements in [R2]/6.3.5.1.

357

358

Table 18 – Load Control SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|--|-----------------------|
| DRLC1 | M | Demand Response and Load Cluster client is mandatory | [Y/N] [Int: EP# x] |
| PC1 | O | Price Cluster client is optional | [Y/N] [Int: EP# x] |

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|--|-----------------------|
| CALC1 | O | Calendar Cluster client is optional | [Y/N] [Int: EP# x] |
| DMC1 | O | Device Management Cluster client is optional | [Y/N] [Int: EP# x] |
| MDUC1 | O | MDU Pairing Cluster client is optional | [Y/N] [Int: EP# x] |
| EMS1 | O | Energy Management Cluster server is optional | [Y/N] [Int: EP# x] |
| ALM1 | O | Alarms Cluster server is optional | [Y/N] [Int: EP# x] |
| TUS1 | O | Tunneling Cluster server is optional | [Y/N] [Int: EP# x] |
| TUC1 | O | Tunneling Cluster client is optional | [Y/N] [Int: EP# x] |
| TCSW1 | O | Trust Center Swap-out is optional | [Y/N] [Int: EP# x] |
| SGZC1 | O | Sub-GHz Cluster client is optional | [Y/N] [Int: EP# x] |

359

360 8.7.6 Range Extender device functions

361

Table 19 – Range Extender ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|----------------------------------|-----------------------|
| TCC1 | O | Time Cluster client is optional. | [Y/N] [Int: EP# x] |

362

363 Table 20 provides the SE PICS restrictions based on requirements in [R2]/6.3.6.1.

364

365

Table 20 –Range Extender SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|-----------------------------------|-----------------------|
| TCSW1 | O | Trust Center Swap-out is optional | [Y/N] [Int: EP# x] |

366

367 8.7.7 Smart Appliance device functions

368

Table 21 – Smart Appliance ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|----------------------------------|-----------------------|
| TCC1 | M | Time Cluster client is mandatory | [Y/N] [Int: EP# x] |

369

370 Table 22 provides the SE PICS restrictions based on requirements in [R2]/6.3.7.1.

371

372

Table 22 –Smart Appliance SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|---|-----------------------|
| PPC1 | O | Prepayment Cluster client is optional | [Y/N] [Int: EP# x] |
| DRLC1 | O | Demand Response and Load Cluster client is optional | [Y/N] [Int: EP# x] |
| PC1 | M | Price Cluster client is mandatory | [Y/N] [Int: EP# x] |
| SMC1 | O | Metering Cluster client is optional ED NOTE: This is not listed in the specification – should it be? | [Y/N] [Int: EP# x] |
| MC1 | O | Messaging Cluster client is optional | [Y/N] [Int: EP# x] |

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|--|-----------------------|
| CALC1 | O | Calendar Cluster client is optional | [Y/N] [Int: EP# x] |
| DMC1 | O | Device Management Cluster client is optional | [Y/N] [Int: EP# x] |
| MDUC1 | O | MDU Pairing Cluster client is optional | [Y/N] [Int: EP# x] |
| EMS1 | O | Energy Management Cluster server is optional | [Y/N] [Int: EP# x] |
| ALM1 | O | Alarms Cluster server is optional | [Y/N] [Int: EP# x] |
| TUS1 | O | Tunneling Cluster server is optional | [Y/N] [Int: EP# x] |
| TUC1 | O | Tunneling Cluster client is optional | [Y/N] [Int: EP# x] |
| TCSW1 | O | Trust Center Swap-out is optional | [Y/N] [Int: EP# x] |
| SGZC1 | O | Sub-GHz Cluster client is optional | [Y/N] [Int: EP# x] |

373

374

375 **8.7.8 Prepayment Terminal device functions**

376

Table 23 – Prepayment Terminal ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|----------------------------------|-----------------------|
| TCC1 | M | Time Cluster client is mandatory | [Y/N] [Int: EP# x] |

377

378 Table 24 provides the SE PICS restrictions based on requirements in [R2]/6.3.8.1.

379
380

Table 24 – Prepayment Terminal SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|----------------------------|---------------|---|-----------------------|
| DRLC1 | O | Demand Response and Load Cluster client is optional | [Y/N] [Int: EP# x] |
| PC1 | M | Price Cluster client is mandatory | [Y/N] [Int: EP# x] |
| PPS1 | M | Prepayment Cluster server is mandatory | [Y/N] [Int: EP# x] |
| PPC1 | M | Prepayment Cluster client is mandatory | [Y/N] [Int: EP# x] |
| SMC1 | O | Metering Cluster client is optional | [Y/N] [Int: EP# x] |
| MC1 | O | Messaging Cluster client is optional | [Y/N] [Int: EP# x] |
| CALC1 | O | Calendar Cluster client is optional | [Y/N] [Int: EP# x] |
| DMC1 | O | Device Management Cluster client is optional | [Y/N] [Int: EP# x] |
| MDUC1 | O | MDU Pairing Cluster client is optional | [Y/N] [Int: EP# x] |
| EMC1 | O | Energy Management Cluster client is optional | [Y/N] [Int: EP# x] |
| ALM1 | O | Alarms Cluster server is optional | [Y/N] [Int: EP# x] |
| TUS1 | O | Tunneling Cluster server is optional | [Y/N] [Int: EP# x] |
| TUC1 | O | Tunneling Cluster client is optional | [Y/N] [Int: EP# x] |
| TCSW1 | O | Trust Center Swap-out is optional | [Y/N] [Int: EP# x] |

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|------------------------------------|-----------------------|
| SGZC1 | O | Sub-GHz Cluster client is optional | [Y/N] [Int: EP# x] |

381
382

383 8.7.9 Remote Communications Device functions

384

Table 25 – Remote Communications Device ZCL PICS restrictions/requirements

| ZCL PICS Item number [R7] | Status | Additional Constraints | Support |
|---------------------------|--------|---------------------------------|-----------------------|
| TCS1 | O | Time Cluster server is optional | [Y/N] [Int: EP# x] |

385

386 Table 26 provides the SE PICS restrictions based on requirements in [R2]/6.3.10.1.

387

388

Table 26 – Remote Communications Device SE PICS restrictions/requirements

| SE PICS Item number | Status | Additional Constraints | Support |
|---------------------|--------|--------------------------------------|-----------------------|
| TUS1 | O | Tunneling Cluster server is optional | [Y/N] [Int: EP# x] |
| TUC1 | O | Tunneling Cluster client is optional | [Y/N] [Int: EP# x] |
| TCSW1 | O | Trust Center Swap-out is optional | [Y/N] [Int: EP# x] |
| SGZS1 | O | Sub-GHz Cluster server is optional | [Y/N] [Int: EP# x] |

389

390 **8.8 Smart Energy Application Specific Cluster function capabilities**

391 8.8.1 **Basic Cluster**

392

Table 27 – Basic cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------|-------------------|-------------------|
| BCS1 | Is the Basic Cluster supported as a server? | [R3] | M | Y [Int: EP# 1] |
| BCS2 | Is the <i>ZCLversion</i> attribute supported? | | BCS1:M | Y [Int: EP# 1] |
| BCS3 | Is the <i>Powersource</i> attribute supported? | | BCS1:M | Y [Int: EP# 1] |
| BCS4 | Is the <i>PhysicalEnvironment</i> attribute supported? | | SEG22:M BCS1:O | N |

393

394

Table 28 – Basic cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------|--------|-------------------|
| BCC1 | Is the Basic Cluster supported as a client? | [R3] | O | Y [Int: EP# 1] |

395

396

397 8.8.2 **Identify**

398

399

400 8.8.3 **Alarms**

401

402

403 8.8.4 **Commissioning**

404

405

406 8.8.5 **Power Configuration**

407

408

409 8.8.6 **Time Cluster attributes and functions**

410

Table 29 – Time cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------|---------|---------|
| TICS1 | Is the Time Cluster supported as a server? | [R3] | O | N |
| TICS2 | Is the Time attribute supported? | | TICS1:M | NA |
| TICS3 | Is the TimeStatus attribute supported? | | TICS1:M | NA |
| TICS4 | Is the TimeZone attribute supported? | | TICS1:O | NA |
| TICS5 | Is the DstStart attribute supported? | | TICS1:O | NA |
| TICS6 | Is the DstEnd attribute supported? | | TICS1:O | NA |
| TICS7 | Is the DstShift attribute supported? | | TICS1:O | NA |
| TICS8 | Is the StandardTime attribute supported? | | TICS1:O | NA |
| TICS9 | Is the LocalTime attribute supported? | | TICS1:O | NA |

411

Table 30 – Time cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------|--------|-------------------|
| TICC1 | Is the Time Cluster supported as a client? | [R3] | O | Y [Int: EP# 1] |

412

413

414 8.8.7 Key Establishment Cluster attributes and functions

415 Table 31 – Key Establishment cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------------------|---------|-------------------|
| KECS1 | Is the Key Establishment Cluster supported as a server? | [R2]/C.3.1 | M | Y [Int: EP# 1] |
| KECS2 | Is the KeyEstablishmentSuite attribute supported? | [R2]/C.3.1.2.2.1 | KECS1:M | Y [Int: EP# 1] |
| KECS3 | Is the reception of Initiate Key Establishment Request command supported? | [R2]/C.3.1.2.3.1 | KECS1:M | Y [Int: EP# 1] |
| KECS4 | Is the reception of Ephemeral Data Request command supported? | [R2]/C.3.1.2.3.2 | KECS1:M | Y [Int: EP# 1] |
| KECS5 | Is the reception of Confirm Key Data Request command supported? | [R2]/C.3.1.2.3.3 | KECS1:M | Y [Int: EP# 1] |
| KECS6 | Is the reception of Terminate Key Establishment command supported? | [R2]/C.3.1.2.3.4 | KECS1:M | Y [Int: EP# 1] |
| KECS7 | Is the generation of Initiate Key Establishment Response command supported? | [R2]/C.3.1.2.4 / C.3.1.3.3.1 | KECS1:M | Y [Int: EP# 1] |
| KECS8 | Is the generation of Ephemeral Data Response command supported? | [R2]/C.3.1.2.4 / C.3.1.3.3.2 | KECS1:M | Y [Int: EP# 1] |
| KECS9 | Is the generation of Confirm Key Data Response command supported? | [R2]/C.3.1.2.4 / C.3.1.3.3.3 | KECS1:M | Y [Int: EP# 1] |
| KECS10 | Is the generation of Terminate Key Establishment command supported? | [R2]/C.3.1.2.4 / C.3.1.3.3.4 | KECS1:M | Y [Int: EP# 1] |

416 Table 32 – Key Establishment cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------|--------|-------------------|
| KECC1 | Is the Key Establishment Cluster supported as a client? | [R2]/C.3.1 | M | Y [Int: EP# 1] |

| Item number | Item description | Reference | Status | Support |
|-------------|--|---------------------------------|---------|-------------------|
| KECC2 | Is the KeyEstablishmentSuite attribute supported? | [R2]/C.3.1.3.2.1 | KECC1:M | Y [Int: EP# 1] |
| KECC3 | Is the reception of Initiate Key Establishment Response command supported? | [R2]/C.3.1.3.3.1 | KECC1:M | Y [Int: EP# 1] |
| KECC4 | Is the reception of Ephemeral Data Response command supported? | [R2]/C.3.1.3.3.2 | KECC1:M | Y [Int: EP# 1] |
| KECC5 | Is the reception of Confirm Key Data Response command supported? | [R2]/C.3.1.3.3.3 | KECC1:M | Y [Int: EP# 1] |
| KECC6 | Is the reception of Terminate Key Establishment command supported? | [R2]/C.3.1.3.3.4 | KECC1:M | Y [Int: EP# 1] |
| KECC7 | Is the generation of Initiate Key Establishment Request command supported? | [R2]/C.3.1.3.4 / C.3.1.2.3.1 | KECC1:M | Y [Int: EP# 1] |
| KECC8 | Is the generation of Ephemeral Data Request command supported? | [R2]/C.3.1.3.4 / C.3.1.2.3.2 | KECC1:M | Y [Int: EP# 1] |
| KECC9 | Is the generation of Confirm Key Data Request command supported? | [R2]/C.3.1.3.4 / C.3.1.2.3.3 | KECC1:M | Y [Int: EP# 1] |
| KECC10 | Is the generation of Terminate Key Establishment command supported? | [R2]/C.3.1.3.4 / C.3.1.2.3.4 | KECC1:M | Y [Int: EP# 1] |

417

418 8.8.8 Demand Response and Load Control Cluster attributes and functions

419

Table 33 – Demand Response and Load Control cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------------------|-----------|---------|
| DRLCCS1 | Is the Demand Response and Load Control Cluster supported as a server? | [R2]/D.2 | O | N |
| DRLCCS2 | Is the reception of Report Event Status command supported? | [R2]/D.2.2.4 / D.2.3.3.1 | DRLCCS1:M | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|--------------------------|-----------|---------|
| DRLCCS3 | Is the reception of Get Scheduled Events command supported? | [R2]/D.2.2.4 / D.2.3.3.2 | DRLCCS1:M | NA |
| DRLCCS4 | Is the generation of Load Control Event command supported? | [R2]/D.2.2.3.1 | DRLCCS1:M | NA |
| DRLCCS5 | Is the generation of Cancel Load Control Event command supported? | [R2]/D.2.2.3.2 | DRLCCS1:M | NA |
| DRLCCS6 | Is the generation of Cancel All Load Control Events command supported? | [R2]/D.2.2.3.3 | DRLCCS1:M | NA |

420

Table 34 – Demand Response and Load Control cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|--------------------------|-----------|---------|
| DRLCCC1 | Is the Demand Response and Load Control Cluster supported as a client? | [R2]/D.2 | O | N |
| DRLCCC2 | Is the UtilityEnrolmentGroup attribute supported? | [R2]/D.2.3.2.1 | DRLCCC1:M | NA |
| DRLCCC3 | Is the StartRandomizationMinutes ⁹ attribute supported? | [R2]/D.2.3.2.2 | DRLCCC1:M | NA |
| DRLCCC4 | Is the <i>DurationRandomization</i> Minutes ¹⁰ attribute supported? | [R2]/D.2.3.2.3 | DRLCCC1:M | NA |
| DRLCCC5 | Is the DeviceClassValue attribute supported? | [R2]/D.2.3.2.4 | DRLCCC1:M | NA |
| DRLCCC5.1 | Is it permitted to externally write the DeviceClassValue attribute? | [R2]/D.2.3.2.4 | DRLCCC1:O | NA |
| DRLCCC6 | Is the reception of Load Control Event command supported? | [R2]/D.2.3.4 / D.2.2.3.1 | DRLCCC1:M | NA |
| DRLCCC7 | Is the reception of Cancel Load Control Event command supported? | [R2]/D.2.3.4 / D.2.2.3.2 | DRLCCC1:M | NA |
| DRLCCC8 | Is the reception of Cancel All Load Control Events command supported? | [R2]/D.2.3.4 / D.2.2.3.3 | DRLCCC1:M | NA |

⁹ CCB 1880¹⁰ CCBs 1513 & 1880

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------|-----------|---------|
| DRLCCC9 | Is the generation of Report Event Status command supported? | [R2]/D.2.3.3.1 | DRLCCC1:M | NA |
| DRLCCC10 | Is the generation of Get Scheduled Events command supported? | [R2]/D.2.3.3.2 | DRLCCC1:M | NA |

421

422

423 8.8.9 Metering Cluster attributes and functions

424

Table 35 – Metering cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------|---------|---------|
| MECS1 | Is the Metering Cluster supported as a server? | [R2] D.3 | O | N |
| MECS2 | Is the CurrentSummationDelivered attribute supported? | [R2] D.3.2.2.1.1 | MECS1:M | NA |
| MECS3 | Is the CurrentSummationReceived attribute supported? | [R2] D.3.2.2.1.2 | MECS1:O | NA |
| MECS4 | Is the CurrentMaxDemandDelivered attribute supported? | [R2] D.3.2.2.1.3 | MECS1:O | NA |
| MECS5 | Is the CurrentMaxDemandReceived attribute supported? | [R2] D.3.2.2.1.4 | MECS1:O | NA |
| MECS6 | Is the DFTSummation attribute supported? | [R2] D.3.2.2.1.5 | MECS1:O | NA |
| MECS7 | Is the DailyFreezeTime attribute supported? | [R2] D.3.2.2.1.6 | MECS1:O | NA |
| MECS8 | Is the PowerFactor attribute supported? | [R2] D.3.2.2.1.7 | MECS1:O | NA |
| MECS9 | Is the ReadingSnapShotTime attribute supported? | [R2] D.3.2.2.1.8 | MECS1:O | NA |
| MECS10 | Is the CurrentMaxDemandDeliveredTime attribute supported? | [R2] D.3.2.2.1.9 | MECS1:O | NA |
| MECS11 | Is the CurrentMaxDemandReceivedTime attribute supported? | [R2] D.3.2.2.1.10 | MECS1:O | NA |
| MECS12 | Is the DefaultUpdatePeriod attribute supported? | [R2] D.3.2.2.1.11 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------------|--|---------|
| MECS13 | Is the FastPollUpdatePeriod attribute supported? | [R2] D.3.2.2.1.12 | MECS1:O | NA |
| MECS14 | Is the CurrentBlockPeriodConsumptionDelivered attribute supported? | [R2] D.3.2.2.1.13 | MECS132:O ¹¹ MECS133:O ¹² | NA |
| MECS15 | Is the DailyConsumptionTarget attribute supported? | [R2] D.3.2.2.1.14 | MECS1:O | NA |
| MECS16 | Is the CurrentBlock attribute supported? | [R2] D.3.2.2.1.15 | MECS132:O MECS133:O | NA |
| MECS17 | Is the CurrentTier1SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS18 | Is the CurrentTier1SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS19 | Is the CurrentTier2SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS20 | Is the CurrentTier2SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS21 | Is the CurrentTier3SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS22 | Is the CurrentTier3SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS23 | Is the CurrentTier4SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS24 | Is the CurrentTier4SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS25 | Is the CurrentTier5SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS26 | Is the CurrentTier5SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |

¹¹ CCB 2262¹² CCB 2262

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---------|---------|
| MECS27 | Is the CurrentTier6SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS28 | Is the CurrentTier6SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS29 | Is the CurrentTier7SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS30 | Is the CurrentTier7SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS31 | Is the CurrentTier8SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS32 | Is the CurrentTier8SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS33 | Is the CurrentTier9SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS34 | Is the CurrentTier9SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS35 | Is the CurrentTier10SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS36 | Is the CurrentTier10SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS37 | Is the CurrentTier11SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS38 | Is the CurrentTier11SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS39 | Is the CurrentTier12SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS40 | Is the CurrentTier12SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS41 | Is the CurrentTier13SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|------------|---------|
| MECS42 | Is the CurrentTier13SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS43 | Is the CurrentTier14SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS44 | Is the CurrentTier14SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS45 | Is the CurrentTier15SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS46 | Is the CurrentTier15SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS47 | Is the Meter Status attribute supported? | [R2] D.3.2.2.3.1 | MECS1:M | NA |
| MECS48 | Is the UnitofMeasure attribute supported? | [R2] D.3.2.2.4.1 | MECS1:M | NA |
| MECS49 | Is the Multiplier attribute supported? | [R2] D.3.2.2.4.2 | MECS1:O | NA |
| MECS50 | Is the Divisor attribute supported? | [R2] D.3.2.2.4.3 | MECS1:O | NA |
| MECS51 | Is the SummationFormatting attribute supported? | [R2] D.3.2.2.4.4 | MECS1:M | NA |
| MECS52 | Is the DemandFormatting attribute supported? | [R2] D.3.2.2.4.5 | MECS1:O | NA |
| MECS53 | Is the HistoricalConsumptionFormatting attribute supported? | [R2] D.3.2.2.4.6 | MECS1:O | NA |
| MECS54 | Is the MeteringDeviceType attribute supported? | [R2] D.3.2.2.4.7 | MECS1:M | NA |
| MECS54a | Is the MeteringDeviceType: Electric Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54b | Is the MeteringDeviceType: Gas Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54c | Is the MeteringDeviceType: Water Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54d | Is the MeteringDeviceType: Pressure Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54e | Is the MeteringDeviceType: Heat Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54f | Is the MeteringDeviceType: Cooling Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|------------------|------------|---------|
| MECS54g | Is the MeteringDeviceType: End Use Measurement Device (EUMD)? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54h | Is the MeteringDeviceType: PV Generation Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54i | Is the MeteringDeviceType: Wind Turbine Generation Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54j | Is the MeteringDeviceType: Water Turbine Generation Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54k | Is the MeteringDeviceType: Micro Generation Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54l | Is the MeteringDeviceType: Solar Hot Water Generation Metering? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54m | Is the MeteringDeviceType: Electric Metering Element/Phase1 supported? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54n | Is the MeteringDeviceType: Electric Metering Element/Phase2 supported? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS54o | Is the MeteringDeviceType: Electric Metering Element/Phase3 supported? | [R2] D.3.2.2.4.7 | MECS54:O.1 | NA |
| MECS55 | Is the SiteID attribute supported? | [R2] D.3.2.2.4.8 | MECS1:O | NA |
| MECS56 | Is the MeterSerialNumber attribute supported? | [R2] D.3.2.2.4.9 | MECS1:O | NA |
| MECS57 | Is the InstantaneousDemand attribute supported? | [R2] D.3.2.2.5.1 | MECS1:O | NA |
| MECS58 | Is the CurrentDayConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.2 | MECS1:O | NA |
| MECS59 | Is the CurrentDayConsumptionReceived attribute supported? | [R2] D.3.2.2.5.3 | MECS1:O | NA |
| MECS60 | Is the PreviousDayConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.4 | MECS1:O | NA |
| MECS61 | Is the PreviousDayConsumptionReceived attribute supported? | [R2] D.3.2.2.5.5 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---------|---------|
| MECS62 | Is the CurrentPartialProfileIntervalStartTimeDelivered attribute supported? | [R2] D.3.2.2.5.6 | MECS1:O | NA |
| MECS63 | Is the CurrentPartialProfileIntervalStartTimeReceived attribute supported? | [R2] D.3.2.2.5.7 | MECS1:O | NA |
| MECS64 | Is the CurrentPartialProfileIntervalValueDelivered attribute supported? | [R2] D.3.2.2.5.8 | MECS1:O | NA |
| MECS65 | Is the CurrentPartialProfileIntervalValueReceived attribute supported? | [R2] D.3.2.2.5.9 | MECS1:O | NA |
| MECS66 | Is the MaxNumberOfPeriodsDelivered attribute supported? | [R2] D.3.2.2.6.1 | MECS1:O | NA |
| MECS67 | Is the CurrentDemandDelivered attribute supported? | [R2] D.3.2.2.7.1 | MECS1:O | NA |
| MECS68 | Is the DemandLimit attribute supported? | [R2] D.3.2.2.7.2 | MECS1:O | NA |
| MECS69 | Is the DemandIntegrationPeriod attribute supported? | [R2] D.3.2.2.7.3 | MECS1:O | NA |
| MECS70 | Is the NumberOfDemandSubintervals attribute supported? | [R2] D.3.2.2.7.4 | MECS1:O | NA |
| MECS71 | Is the reception of Get Profile command supported? | [R2] D.3.3.3.1.1 | MECS1:O | NA |
| MECS72 | Is the reception of Request Mirror Response command supported? | [R2] D.3.3.3.1.2 | MECS1:O | NA |
| MECS73 | Is the reception of Mirror Removed command supported? | [R2] D.3.3.3.1.3 | MECS1:O | NA |
| MECS74 | Is the generation of Get Profile Response command supported? | [R2] D.3.2.3.1.1 | MECS1:O | NA |
| MECS75 | Is the generation of Request Mirror command supported? | [R2] D.3.2.3.1.2 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------|---------|---------|
| MECS76 | Is the generation of Remove Mirror command supported? | [R2] D.3.2.3.1.3 | MECS1:O | NA |
| MECS77 | Is the ProfileIntervalPeriod attribute supported? | [R2] D.3.2.2.1.16 | MECS1:O | NA |
| MECS78 | Deprecated ¹³ | | | |
| MECS79 | Is the PresetReadingTime attribute supported? | [R2] D.3.2.2.1.17 | MECS1:O | NA |
| MECS80 | Is the VolumePerReport attribute supported? | [R2] D.3.2.2.1.18 | MECS1:O | NA |
| MECS81 | Is the FlowRestriction attribute supported? | [R2] D.3.2.2.1.19 | MECS1:O | NA |
| MECS82 | Is the Supply Status attribute supported? | [R2] D.3.2.2.1.20 | MECS1:O | NA |
| MECS83 | Is the CurrentDayMaxPressure attribute supported? | [R2] D.3.2.2.5.10 | MECS1:O | NA |
| MECS84 | Is the CurrentDayMinPressure attribute supported? | [R2] D.3.2.2.5.12 | MECS1:O | NA |
| MECS85 | Is the PreviousDayMaxPressure attribute supported? | [R2] D.3.2.2.5.11 | MECS1:O | NA |
| MECS86 | Is the PreviousDayMinPressure attribute supported? | [R2] D.3.2.2.5.13 | MECS1:O | NA |
| MECS87 | Is the CurrentDayMaxDemand attribute supported? | [R2] D.3.2.2.5.14 | MECS1:O | NA |
| MECS88 | Is the PreviousDayMaxDemand attribute supported? | [R2] D.3.2.2.5.15 | MECS1:O | NA |
| MECS89 | Is the Meter Status (Gas) attribute supported? | [R2] D.3.2.2.3.1 | MECS1:O | NA |
| MECS90 | Is the Meter Status (Water) attribute supported? | [R2] D.3.2.2.3.1 | MECS1:O | NA |
| MECS91 | Is the RemainingBatteryLife attribute supported? | [R2] D.3.2.2.3.2 | MECS1:O | NA |

¹³ CCB 1886

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------|--|---------|
| MECS93 | Is the CurrentInletEnergyCarrierSummation attribute supported? | [R2] D.3.2.2.1.21 | MECS1:O ¹⁴ | NA |
| MECS94 | Is the CurrentOutletEnergyCarrierSummation attribute supported? | [R2] D.3.2.2.1.22 | MECS1:O | NA |
| MECS95 | Is the InletTemperature attribute supported? | [R2] D.3.2.2.1.23 | MECS1:O ¹⁵ | NA |
| MECS96 | Is the OutletTemperature attribute supported? | [R2] D.3.2.2.1.24 | MECS1:O ¹⁶ | NA |
| MECS97 | Is the ControlTemperature attribute supported? | [R2] D.3.2.2.1.25 | MECS1:O | NA |
| MECS98 | Is the CurrentInletEnergyCarrierDemand attribute supported? | [R2] D.3.2.2.1.26 | MECS1:O | NA |
| MECS99 | Is the CurrentOutletEnergyCarrierDemand attribute supported? | [R2] D.3.2.2.1.27 | MECS1:O | NA |
| MECS100 | Is the EnergyCarrierUnitOfMeasure attribute supported? | [R2] D.3.2.2.4.10 | MECS1:O ¹⁷ | NA |
| MECS101 | Is the EnergyCarrierSummationFormatting attribute supported? | [R2] D.3.2.2.4.11 | MECS93:M MECS94:M | NA |
| MECS102 | Is the EnergyCarrierDemandFormatting attribute supported? | [R2] D.3.2.2.4.12 | MECS98:M MECS99:M MECS107:M MECS108:M MECS109:M MECS110:M MECS111:M MECS112:M | NA |
| MECS103 | Is the TemperatureUnitOfMeasure attribute supported? | [R2] D.3.2.2.4.13 | MECS1:O ¹⁸ | NA |

¹⁴ CCB 1999¹⁵ CCB 1999¹⁶ CCB 1999¹⁷ CCB 1999¹⁸ CCB 1999

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------------|-----------------------|---------|
| MECS104 | Is the TemperatureFormatting attribute supported? | [R2] D.3.2.2.4.14 | MECS1:O ¹⁹ | NA |
| MECS105 | Is the CurrentMonthMaxDemand attribute supported? | [R2] D.3.2.2.5.16 | MECS1:O | NA |
| MECS106 | Is the CurrentYearMaxDemand attribute supported? | [R2] D.3.2.2.5.17 | MECS1:O | NA |
| MECS107 | Is the CurrentDayMaxEnergyCarrierDemand attribute supported? | [R2] D.3.2.2.5.18 | MECS1:O | NA |
| MECS108 | Is the PreviousDayMaxEnergyCarrierDemand attribute supported? | [R2] D.3.2.2.5.19 | MECS1:O | NA |
| MECS109 | Is the CurrentMonthMaxEnergyCarrierDemand attribute supported? | [R2] D.3.2.2.5.20 | MECS1:O | NA |
| MECS110 | Is the CurrentMonthMinEnergyCarrierDemand attribute supported? | [R2] D.3.2.2.5.21 | MECS1:O | NA |
| MECS111 | Is the CurrentYearMaxEnergyCarrierDemand attribute supported? | [R2] D.3.2.2.5.22 | MECS1:O | NA |
| MECS112 | Is the CurrentYearMinEnergyCarrierDemand attribute supported? | [R2] D.3.2.2.5.23 | MECS1:O | NA |
| MECS113 | Is the HoursInOperation attribute supported? | [R2] D.3.2.2.3.3 | MECS1:O ²⁰ | NA |
| MECS114 | Is the HoursInFault attribute supported? | [R2] D.3.2.2.3.4 | MECS1:O | NA |
| MECS115 | Is the Generic AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |
| MECS116 | Is the Electricity AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |
| MECS117 | Is the GenericFlow/Pressure AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |
| MECS118 | Is the Water Specific AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |

¹⁹ CCB 1999²⁰ CCB 1999

| Item number | Item description | Reference | Status | Support |
|-------------|--|--------------------------------|------------------------|---------|
| MECS119 | Is the Heating Specific AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |
| MECS120 | Is the Cooling Specific AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |
| MECS121 | Is the Gas Specific AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |
| MECS122 | Is the reception of Request Fast Poll Mode command supported? | [R2] D.3.3.3.1.4 | MECS1:O | NA |
| MECS123 | Is the generation of Request Fast Poll Mode Response supported? | [R2] D.3.2.3.1.4 | MECS1:O | NA |
| MECS124 | Is the Mapping of the Status Attribute (Electricity) supported? | [R2]/D.3.2.2.3.1 Table D.16 | MECS54a:M | NA |
| MECS125 | Is the Meter Status Attribute (Gas) mapping supported? | [R2]/D.3.2.2.3.1 Table D.17 | MECS54b:M | NA |
| MECS126 | Is the Meter Status Attribute (Water) mapping supported? | [R2] D.3.2.2.3.1 Table D.18 | MECS54c:M | NA |
| MECS127 | RESERVED | | | NA |
| MECS128 | Is the Meter Status Attribute (Heat and Cooling) mapping? | [R2] D.3.2.2.3.1 Table D.19 | MECS54e:M MECS54f:M | NA |
| MECS129 | RESERVED | | | NA |
| MECS130 | Does the device generate fragmented Get Profile Response commands? | | MECS74:O | NA |
| MECS131 | Is the <i>PreviousBlockPeriodConsumptionDelivered</i> attribute supported? | [R2] D.3.2.2.1.28 | MECS132:O MECS133:O | NA |
| MECS132 | Does the device support Block Charging only? | [R2] D.4.4.3.2 | MECS1:O | NA |
| MECS133 | Does the device support Block/TOU Combination Charging? | [R2] D.4.4.3.3 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------|-------------------------|---------|
| MECS134 | Are any Block Information 'No Tier' attributes (0x00 to 0x0F) supported? | [R2] D.3.2.2.8 | MECS132:O ²¹ | NA |
| MECS135 | Are any Block Information 'TierxBlocky' attributes (0x10 to 0xFF) supported | [R2] D.3.2.2.8 | MECS133:O | NA |
| MECS136 | Is the CurrentBlockPeriodConsumptionReceived attribute supported? | [R2] D.3.2.2.1.29 | MECS1:O | NA |
| MECS137 | Is the CurrentBlockReceived attribute supported? | [R2] D.3.2.2.1.30 | MECS1:O | NA |
| MECS138 | Is the DFTSummationReceived attribute supported? | [R2] D.3.2.2.1.31 | MECS1:O | NA |
| MECS139 | Is the ActiveRegisterTierDelivered attribute supported? | [R2] D.3.2.2.1.32 | MECS1:O | NA |
| MECS140 | Is the ActiveRegisterTierReceived attribute supported? | [R2] D.3.2.2.1.33 | MECS1:O | NA |
| MECS141 | Is the LastBlockSwitchTime attribute supported? | [R2] D.3.2.2.1.34 | MECS1:O | NA |
| MECS142 | Is the CurrentTier16SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS143 | Is the CurrentTier16SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS144 | Is the CurrentTier17SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS145 | Is the CurrentTier17SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS146 | Is the CurrentTier18SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS147 | Is the CurrentTier18SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |

²¹ CCB 2260

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---------|---------|
| MECS148 | Is the CurrentTier19SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS149 | Is the CurrentTier19SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS150 | Is the CurrentTier20SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS151 | Is the CurrentTier20SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS152 | Is the CurrentTier21SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS153 | Is the CurrentTier21SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS154 | Is the CurrentTier22SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS155 | Is the CurrentTier22SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS156 | Is the CurrentTier23SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS157 | Is the CurrentTier23SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS158 | Is the CurrentTier24SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS159 | Is the CurrentTier24SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS160 | Is the CurrentTier25SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS161 | Is the CurrentTier25SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS162 | Is the CurrentTier26SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---------|---------|
| MECS163 | Is the CurrentTier26SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS164 | Is the CurrentTier27SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS165 | Is the CurrentTier27SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS166 | Is the CurrentTier28SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS167 | Is the CurrentTier28SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS168 | Is the CurrentTier29SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS169 | Is the CurrentTier29SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS170 | Is the CurrentTier30SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS171 | Is the CurrentTier30SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS172 | Is the CurrentTier31SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS173 | Is the CurrentTier31SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS174 | Is the CurrentTier32SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS175 | Is the CurrentTier32SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS176 | Is the CurrentTier33SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS177 | Is the CurrentTier33SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---------|---------|
| MECS178 | Is the CurrentTier34SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS179 | Is the CurrentTier34SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS180 | Is the CurrentTier35SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS181 | Is the CurrentTier35SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS182 | Is the CurrentTier36SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS183 | Is the CurrentTier36SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS184 | Is the CurrentTier37SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS185 | Is the CurrentTier37SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS186 | Is the CurrentTier38SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS187 | Is the CurrentTier38SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS188 | Is the CurrentTier39SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS189 | Is the CurrentTier39SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS190 | Is the CurrentTier40SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS191 | Is the CurrentTier40SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS192 | Is the CurrentTier41SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---------|---------|
| MECS193 | Is the CurrentTier41SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS194 | Is the CurrentTier42SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS195 | Is the CurrentTier42SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS196 | Is the CurrentTier43SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS197 | Is the CurrentTier43SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS198 | Is the CurrentTier44SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS199 | Is the CurrentTier44SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS200 | Is the CurrentTier45SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS201 | Is the CurrentTier45SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS202 | Is the CurrentTier46SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS203 | Is the CurrentTier46SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS204 | Is the CurrentTier47SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS205 | Is the CurrentTier47SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |
| MECS206 | Is the CurrentTier48SummationDelivered attribute supported? | [R2] D.3.2.2.2.1 | MECS1:O | NA |
| MECS207 | Is the CurrentTier48SummationReceived attribute supported? | [R2] D.3.2.2.2.2 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------------|-----------------------|---------|
| MECS208 | Is the CPP1SummationDelivered attribute supported? | [R2] D.3.2.2.2.3 | MECS1:O | NA |
| MECS209 | Is the CPP2SummationDelivered attribute supported? | [R2] D.3.2.2.2.4 | MECS1:O | NA |
| MECS210 | Is the Extended Status attribute supported? | [R2] D.3.2.2.3.5 | MECS1:O ²² | NA |
| MECS211 | Is the RemainingBatteryLifeinDays attribute supported? | [R2] D.3.2.2.3.6 | MECS1:O | NA |
| MECS212 | Is the CurrentMeterID attribute supported? | [R2] D.3.2.2.3.7 | MECS1:O | NA |
| MECS213 | Is the AmbientConsumptionIndicator attribute supported? | [R2] D.3.2.2.3.8 | MECS1:O | NA |
| MECS214 | Is the ModuleSerialNumber attribute supported? | [R2] D.3.2.2.4.15 | MECS1:O | NA |
| MECS215 | Is the OperatingTariffLabelDelivered attribute supported? | [R2] D.3.2.2.4.16 | MECS1:O | NA |
| MECS216 | Is the OperatingTariffLabelReceived attribute supported? | [R2] D.3.2.2.4.17 | MECS1:O | NA |
| MECS217 | Is the CustomerIDNumber attribute supported? | [R2] D.3.2.2.4.18 | MECS1:O | NA |
| MECS218 | Is the AlternativeUnitofMeasure attribute supported? | [R2] D.3.2.2.4.19 | MECS1:O | NA |
| MECS219 | Is the AlternativeDemandFormatting attribute supported? | [R2] D.3.2.2.4.20 | MECS1:O | NA |
| MECS220 | Is the AlternativeConsumptionFormatting attribute supported? | [R2] D.3.2.2.4.21 | MECS1:O | NA |
| MECS221 | Is the PreviousDay2ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.24 | MECS1:O | NA |
| MECS222 | Is the PreviousDay2ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.25 | MECS1:O | NA |
| MECS223 | Is the PreviousDay3ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.24 | MECS1:O | NA |

²² CCB 2258

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------------|---------|---------|
| MECS224 | Is the PreviousDay3ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.25 | MECS1:O | NA |
| MECS225 | Is the PreviousDay4ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.24 | MECS1:O | NA |
| MECS226 | Is the PreviousDay4ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.25 | MECS1:O | NA |
| MECS227 | Is the PreviousDay5ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.24 | MECS1:O | NA |
| MECS228 | Is the PreviousDay5ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.25 | MECS1:O | NA |
| MECS229 | Is the PreviousDay6ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.24 | MECS1:O | NA |
| MECS230 | Is the PreviousDay6ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.25 | MECS1:O | NA |
| MECS231 | Is the PreviousDay7ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.24 | MECS1:O | NA |
| MECS232 | Is the PreviousDay7ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.25 | MECS1:O | NA |
| MECS233 | Is the PreviousDay8ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.24 | MECS1:O | NA |
| MECS234 | Is the PreviousDay8ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.25 | MECS1:O | NA |
| MECS235 | Is the CurrentWeekConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.26 | MECS1:O | NA |
| MECS236 | Is the CurrentWeekConsumptionReceived attribute supported? | [R2] D.3.2.2.5.27 | MECS1:O | NA |
| MECS237 | Is the PreviousWeekConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.28 | MECS1:O | NA |
| MECS238 | Is the PreviousWeekConsumptionReceived attribute supported? | [R2] D.3.2.2.5.29 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------------|---------|---------|
| MECS239 | Is the PreviousWeek2ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.28 | MECS1:O | NA |
| MECS240 | Is the PreviousWeek2ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.29 | MECS1:O | NA |
| MECS241 | Is the PreviousWeek3ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.28 | MECS1:O | NA |
| MECS242 | Is the PreviousWeek3ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.29 | MECS1:O | NA |
| MECS243 | Is the PreviousWeek4ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.28 | MECS1:O | NA |
| MECS244 | Is the PreviousWeek4ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.29 | MECS1:O | NA |
| MECS245 | Is the PreviousWeek5ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.28 | MECS1:O | NA |
| MECS246 | Is the PreviousWeek5ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.29 | MECS1:O | NA |
| MECS247 | Is the CurrentMonthConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.30 | MECS1:O | NA |
| MECS248 | Is the CurrentMonthConsumptionReceived attribute supported? | [R2] D.3.2.2.5.31 | MECS1:O | NA |
| MECS249 | Is the PreviousMonthConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS250 | Is the PreviousMonthConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS251 | Is the PreviousMonth2ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS252 | Is the PreviousMonth2ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS253 | Is the PreviousMonth3ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------|---------|---------|
| MECS254 | Is the PreviousMonth3ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS255 | Is the PreviousMonth4ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS256 | Is the PreviousMonth4ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS257 | Is the PreviousMonth5ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS258 | Is the PreviousMonth5ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS259 | Is the PreviousMonth6ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS260 | Is the PreviousMonth6ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS261 | Is the PreviousMonth7ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS262 | Is the PreviousMonth7ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS263 | Is the PreviousMonth8ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS264 | Is the PreviousMonth8ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS265 | Is the PreviousMonth9ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS266 | Is the PreviousMonth9ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS267 | Is the PreviousMonth10ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS268 | Is the PreviousMonth10ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------|-------------------------|---------|
| MECS269 | Is the PreviousMonth11ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS270 | Is the PreviousMonth11ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS271 | Is the PreviousMonth12ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS272 | Is the PreviousMonth12ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS273 | Is the PreviousMonth13ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.32 | MECS1:O | NA |
| MECS274 | Is the PreviousMonth13ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.33 | MECS1:O | NA |
| MECS275 | Is the HistoricalFreezeTime attribute supported? | [R2] D.3.2.2.5.34 | MECS1:O | NA |
| MECS276 | Is the DemandLimitArm Duration attribute supported? | [R2] D.3.2.2.7.5 | MECS1:O | NA |
| MECS277 | Is the LoadLimitSupplyState attribute supported? | [R2] D.3.2.2.7.6 | MECS1:O | NA |
| MECS278 | Is the LoadLimitCounter attribute supported? | [R2] D.3.2.2.7.7 | MECS1:O | NA |
| MECS279 | Is the SupplyTamperState attribute supported? | [R2] D.3.2.2.7.8 | MECS1:O | NA |
| MECS280 | Is the SupplyDepletionState attribute supported? | [R2] D.3.2.2.7.9 | MECS1:O | NA |
| MECS281 | Is the SupplyUncontrolled FlowState attribute supported? | [R2] D.3.2.2.7.10 | MECS1:O | NA |
| MECS282 | Is the Extended Generic AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |
| MECS283 | Is the Manufacturer AlarmMask attribute supported? | [R2] D.3.2.2.9.2 | MECS1:O | NA |
| MECS284 | Are any Block Information 'No Tier' Received attributes (0x00 to 0x0F) supported? | [R2] D.3.2.2.10 | MECS132:O ²³ | NA |

²³ CCB 2260

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------------|-----------|---------|
| MECS285 | Are any Block Information 'TierxBlocky' Received attributes (0x10 to 0xFF) supported | [R2] D.3.2.2.10 | MECS133:O | NA |
| MECS286 | Is the BillToDateDelivered attribute supported? | [R2] D.3.2.2.11.1 | MECS1:O | NA |
| MECS287 | Is the BillToDateTimeStampDelivered attribute supported? | [R2] D.3.2.2.11.2 | MECS1:O | NA |
| MECS288 | Is the ProjectedBillDelivered attribute supported? | [R2] D.3.2.2.11.3 | MECS1:O | NA |
| MECS289 | Is the ProjectedBillTimeStampDelivered attribute supported? | [R2] D.3.2.2.11.4 | MECS1:O | NA |
| MECS290 | Is the BillDeliveredTrailingDigit attribute supported? | [R2] D.3.2.2.11.5 | MECS1:O | NA |
| MECS291 | Is the BillToDateReceived attribute supported? | [R2] D.3.2.2.11.6 | MECS1:O | NA |
| MECS292 | Is the BillToDateTimeStampReceived attribute supported? | [R2] D.3.2.2.11.7 | MECS1:O | NA |
| MECS293 | Is the ProjectedBillReceived attribute supported? | [R2] D.3.2.2.11.8 | MECS1:O | NA |
| MECS294 | Is the ProjectedBillTimeStampReceived attribute supported? | [R2] D.3.2.2.11.9 | MECS1:O | NA |
| MECS295 | Is the BillReceivedTrailingDigit attribute supported? | [R2] D.3.2.2.11.10 | MECS1:O | NA |
| MECS296 | Is the ProposedChangeSupplyImplementationTime attribute supported? | [R2] D.3.2.2.12.1 | MECS1:O | NA |
| MECS297 | Is the ProposedChangeSupplyStatus attribute supported? | [R2] D.3.2.2.12.2 | MECS1:O | NA |
| MEC298 | Is the Uncontrolled Flow Threshold attribute supported? | [R2] D.3.2.2.12.3 | MECS1:O | NA |
| MEC299 | Is the Uncontrolled Flow Threshold Unit of Measure attribute supported? | [R2] D.3.2.2.12.4 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------------|---------|---------|
| MEC300 | Is the Uncontrolled Flow Multiplier attribute supported? | [R2] D.3.2.2.12.5 | MECS1:O | NA |
| MEC300 | Is the Uncontrolled Flow Divisor attribute supported? | [R2] D.3.2.2.12.6 | MECS1:O | NA |
| MEC301 | Is the Flow Stabilisation Period attribute supported? | [R2] D.3.2.2.12.7 | MECS1:O | NA |
| MEC302 | Is the Flow Measurement Period attribute supported? | [R2] D.3.2.2.12.8 | MECS1:O | NA |
| MECS303 | Is the AlternativeInstantaneousDemand attribute supported? | [R2] D.3.2.2.13.1 | MECS1:O | NA |
| MECS304 | Is the CurrentDay AlternativeConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.2 | MECS1:O | NA |
| MECS305 | Is the CurrentDay AlternativeConsumptionReceived attribute supported? | [R2] D.3.2.2.13.3 | MECS1:O | NA |
| MECS306 | Is the PreviousDay AlternativeConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.4 | MECS1:O | NA |
| MECS307 | Is the PreviousDay AlternativeConsumptionReceived attribute supported? | [R2] D.3.2.2.13.5 | MECS1:O | NA |
| MECS308 | Is the CurrentAlternativePartialProfile IntervalStartTimeDelivered attribute supported? | [R2] D.3.2.2.13.6 | MECS1:O | NA |
| MECS309 | Is the CurrentAlternativePartialProfile IntervalStartTimeReceived attribute supported? | [R2] D.3.2.2.13.7 | MECS1:O | NA |
| MECS310 | Is the CurrentAlternativePartialProfile IntervalValueDelivered attribute supported? | [R2] D.3.2.2.13.8 | MECS1:O | NA |
| MECS311 | Is the CurrentAlternativePartialProfile IntervalValueReceived attribute supported? | [R2] D.3.2.2.13.9 | MECS1:O | NA |
| MECS312 | Is the CurrentDayAlternativeMaxPressure attribute supported? | [R2] D.3.2.2.13.10 | MECS1:O | NA |
| MECS313 | Is the PreviousDayAlternativeMaxPressure attribute supported? | [R2] D.3.2.2.13.11 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------------|---------|---------|
| MECS314 | Is the CurrentDayAlternativeMinPressure attribute supported? | [R2] D.3.2.2.13.12 | MECS1:O | NA |
| MECS315 | Is the PreviousAlternativeDayMinPressure attribute supported? | [R2] D.3.2.2.13.13 | MECS1:O | NA |
| MECS316 | Is the CurrentDayAlternativeMaxDemand attribute supported? | [R2] D.3.2.2.13.14 | MECS1:O | NA |
| MECS317 | Is the PreviousDayAlternativeMaxDemand attribute supported? | [R2] D.3.2.2.13.15 | MECS1:O | NA |
| MECS318 | Is the CurrentMonthAlternativeMaxDemand attribute supported? | [R2] D.3.2.2.13.16 | MECS1:O | NA |
| MECS319 | Is the CurrentYearAlternativeMaxDemand attribute supported? | [R2] D.3.2.2.13.17 | MECS1:O | NA |
| MECS320 | Is the PreviousDay2Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.18 | MECS1:O | NA |
| MECS321 | Is the PreviousDay2Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.19 | MECS1:O | NA |
| MECS322 | Is the PreviousDay3Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.18 | MECS1:O | NA |
| MECS323 | Is the PreviousDay3Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.19 | MECS1:O | NA |
| MECS324 | Is the PreviousDay4Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.18 | MECS1:O | NA |
| MECS325 | Is the PreviousDay4Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.19 | MECS1:O | NA |
| MECS326 | Is the PreviousDay5Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.18 | MECS1:O | NA |
| MECS327 | Is the PreviousDay5Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.19 | MECS1:O | NA |
| MECS328 | Is the PreviousDay6Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.18 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------------|---------|---------|
| MECS329 | Is the PreviousDay6Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.19 | MECS1:O | NA |
| MECS330 | Is the PreviousDay7Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.18 | MECS1:O | NA |
| MECS331 | Is the PreviousDay7Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.19 | MECS1:O | NA |
| MECS332 | Is the PreviousDay8Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.18 | MECS1:O | NA |
| MECS333 | Is the PreviousDay8Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.19 | MECS1:O | NA |
| MECS334 | Is the CurrentWeek Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.20 | MECS1:O | NA |
| MECS335 | Is the CurrentWeek Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.21 | MECS1:O | NA |
| MECS336 | Is the PreviousWeek Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.22 | MECS1:O | NA |
| MECS337 | Is the PreviousWeekAlternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.23 | MECS1:O | NA |
| MECS338 | Is the PreviousWeek2Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.22 | MECS1:O | NA |
| MECS339 | Is the PreviousWeek2Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.23 | MECS1:O | NA |
| MECS340 | Is the PreviousWeek3Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.22 | MECS1:O | NA |
| MECS341 | Is the PreviousWeek3Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.23 | MECS1:O | NA |
| MECS342 | Is the PreviousWeek4Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.22 | MECS1:O | NA |
| MECS343 | Is the PreviousWeek4Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.23 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------------|---------|---------|
| MECS344 | Is the PreviousWeek5Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.22 | MECS1:O | NA |
| MECS345 | Is the PreviousWeek5Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.23 | MECS1:O | NA |
| MECS346 | Is the CurrentMonthAlternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.24 | MECS1:O | NA |
| MECS347 | Is the CurrentMonthAlternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.25 | MECS1:O | NA |
| MECS348 | Is the PreviousMonthAlternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS349 | Is the PreviousMonthAlternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS350 | Is the PreviousMonth2Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS351 | Is the PreviousMonth2Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS352 | Is the PreviousMonth3Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS353 | Is the PreviousMonth3Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS356 | Is the PreviousMonth4Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS357 | Is the PreviousMonth4Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS358 | Is the PreviousMonth5Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS359 | Is the PreviousMonth5Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS360 | Is the PreviousMonth6Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------------|---------|---------|
| MECS361 | Is the PreviousMonth6Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS362 | Is the PreviousMonth7Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS363 | Is the PreviousMonth7Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS364 | Is the PreviousMonth8Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS365 | Is the PreviousMonth8Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS366 | Is the PreviousMonth9Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS367 | Is the PreviousMonth9Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS368 | Is the PreviousMonth10Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS369 | Is the PreviousMonth10Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS370 | Is the PreviousMonth11Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS371 | Is the PreviousMonth11Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS372 | Is the PreviousMonth12Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.5.26 | MECS1:O | NA |
| MECS373 | Is the PreviousMonth12Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.13.27 | MECS1:O | NA |
| MECS374 | Is the PreviousMonth13Alternative ConsumptionDelivered attribute supported? | [R2] D.3.2.2.13.26 | MECS1:O | NA |
| MECS375 | Is the PreviousMonth13Alternative ConsumptionReceived attribute supported? | [R2] D.3.2.2.5.27 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-------------------|---------|---------|
| MECS376 | Is the reception of ScheduleSnapShot command supported? | [R2] D.3.3.3.1.5 | MECS1:O | NA |
| MECS377 | Is the reception of TakeSnapshot command supported? | [R2] D.3.3.3.1.6 | MECS1:O | NA |
| MECS378 | Is the reception of GetSnapshot command supported? | [R2] D.3.3.3.1.7 | MECS1:O | NA |
| MECS379 | Is the reception of StartSampling command supported? | [R2] D.3.3.3.1.8 | MECS1:O | NA |
| MECS380 | Is the reception of GetSampledData command supported? | [R2] D.3.3.3.1.9 | MECS1:O | NA |
| MECS381 | Is the reception of MirrorReportAttributeResponse command supported? | [R2] D.3.3.3.1.10 | MECS1:O | NA |
| MECS382 | Is the reception of ResetLoad Limit Counter command supported? | [R2] D.3.3.3.1.11 | MECS1:O | NA |
| MECS383 | Is the reception of Change Supply command supported? | [R2] D.3.3.3.1.12 | MECS1:O | NA |
| MECS384 | Is the reception of Local Change Supply command supported? | [R2] D.3.3.3.1.13 | MECS1:O | NA |
| MECS385 | Is the reception of SetSupplyStatus command supported? | [R2] D.3.3.3.1.14 | MECS1:O | NA |
| MECS386 | Is the reception of SetUncontrolledFlowThreshold command supported? | [R2] D.3.3.3.1.15 | MECS1:O | NA |
| MECS387 | Is the generation of ScheduleSnapShotResponse command supported? | [R2] D.3.2.3.1.5 | MECS1:O | NA |
| MECS388 | Is the generation of TakeSnapshotResponse command supported? | [R2] D.3.2.3.1.6 | MECS1:O | NA |
| MECS389 | Is the generation of Publish Snapshot command supported? | [R2] D.3.2.3.1.7 | MECS1:O | NA |
| MECS390 | Is the generation of GetSampledDataResponse command supported? | [R2] D.3.2.3.1.8 | MECS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------|---------|---------|
| MECS391 | Is the generation of ConfigureMirror command supported? | [R2] D.3.2.3.1.9 | MECS1:O | NA |
| MECS392 | Is the generation of ConfigureNotificationScheme command supported? | [R2] D.3.2.3.1.10 | MECS1:O | NA |
| MECS393 | Is the generation of ConfigureNotificationFlags command supported? | [R2] D.3.2.3.1.11 | MECS1:O | NA |
| MECS394 | Is the generation of GetNotified Message command supported? | [R2] D.3.2.3.1.12 | MECS1:O | NA |
| MECS395 | Is the generation of Supply Status Response command supported? | [R2] D.3.2.3.1.13 | MECS1:O | NA |
| MECS396 | Is the generation of StartSamplingResponse command supported? | [R2] D.3.2.3.1.14 | MECS1:O | NA |

425

Table 36 – Metering cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---------|-------------------|
| MECC1 | Is the Metering Cluster supported as a client? | [R2]/D.3 | O | Y [Int: EP# 1] |
| MECC2 | Is the reception of Get Profile Response command supported? | [R2]/D.3.2.3.1.1 | MECC1:O | Y [Int: EP# 1] |
| MECC3 | Is the reception of Request Mirror command supported? | [R2]/D.3.2.3.1.2 | MECC1:O | N |
| MECC4 | Is the reception of Remove Mirror command supported? | [R2]/D.3.2.3.1.3 | MECC1:O | N |
| MECC5 | Is the generation of Get Profile command supported? | [R2]/D.3.3.3.1.1 | MECC1:O | Y [Int: EP# 1] |
| MECC6 | Is the generation of Request Mirror Response command supported? | [R2]/D.3.3.3.1.2 | MECC1:O | N |
| MECC7 | Is the generation of Mirror Removed command supported? | [R2]/D.3.3.3.1.3 | MECC1:O | N |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-------------------|---------|-------------------|
| MECC8 | Is the reception of Request Fast Poll Mode Response command supported? | [R2]/D.3.2.3.1.4 | MECC1:O | N |
| MECC9 | Is the generation of Request Fast Poll Mode command supported? | [R2]/D.3.3.3.1.4 | MECC1:O | N |
| MECC10 | Does the device support reception of fragmented Get Profile Response commands? | | MECC5:M | Y [Int: EP# 1] |
| MECC11 | Is the FunctionalNotificationFlags attribute supported? | [R2]/D.3.3.2.1.1 | MECC1:O | N |
| MECC12 | Is the NotificationFlags2 attribute supported? | [R2]/D.3.3.2.1.2 | MECC1:O | N |
| MECC13 | Is the NotificationFlags3 attribute supported? | [R2]/D.3.3.2.1.2 | MECC1:O | N |
| MECC14 | Is the NotificationFlags4 attribute supported? | [R2]/D.3.3.2.1.2 | MECC1:O | N |
| MECC15 | Is the NotificationFlags5 attribute supported? | [R2]/D.3.3.2.1.2 | MECC1:O | N |
| MECC16 | Is the NotificationFlags6 attribute supported? | [R2]/D.3.3.2.1.2 | MECC1:O | N |
| MECC17 | Is the NotificationFlags7 attribute supported? | [R2]/D.3.3.2.1.2 | MECC1:O | N |
| MECC18 | Is the NotificationFlags8 attribute supported? | [R2]/D.3.3.2.1.2 | MECC1:O | N |
| MECC22 | Is the reception of ScheduleSnapShotResponse command supported? | [R2]/D.3.2.3.1.5 | MECC1:O | N |
| MECC23 | Is the reception of TakeSnapshotResponse command supported? | [R2]/D.3.2.3.1.6 | MECC1:O | N |
| MECC24 | Is the reception of Publish Snapshot command supported? | [R2]/D.3.2.3.1.7 | MECC1:O | N |
| MECC25 | Is the reception of GetSampledDataResponse command supported? | [R2]/D.3.2.3.1.8 | MECC1:O | Y [Int: EP# 1] |
| MECC26 | Is the reception of ConfigureMirror command supported? | [R2]/D.3.2.3.1.9 | MECC1:O | N |
| MECC27 | Is the reception of ConfigureNotificationScheme command supported? | [R2]/D.3.2.3.1.10 | MECC1:O | N |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|---------|-------------------|
| MECC28 | Is the reception of ConfigureNotificationFlags command supported? | [R2]/D.3.2.3.1.11 | MECC1:O | N |
| MECC29 | Is the reception of GetNotifiedMessage command supported? | [R2]/D.3.2.3.1.12 | MECC1:O | N |
| MECC30 | Is the reception of Supply Status Response command supported? | [R2]/D.3.2.3.1.13 | MECC1:O | N |
| MECC31 | Is the reception of StartSamplingResponse command supported? | [R2]/D.3.2.3.1.14 | MECC1:O | N |
| MECC32 | Is the generation of ScheduleSnapShot command supported? | [R2]/D.3.3.3.1.5 | MECC1:O | N |
| MECC33 | Is the generation of TakeSnapshot command supported? | [R2]/D.3.3.3.1.6 | MECC1:O | N |
| MECC34 | Is the generation of GetSnapshot command supported? | [R2]/D.3.3.3.1.7 | MECC1:O | N |
| MECC35 | Is the generation of StartSampling command supported? | [R2]/D.3.3.3.1.8 | MECC1:O | N |
| MECC36 | Is the generation of GetSampledData command supported? | [R2]/D.3.3.3.1.9 | MECC1:O | Y [Int: EP# 1] |
| MECC37 | Is the generation of MirrorReportAttributeResponse command supported? | [R2]/D.3.3.3.1.10 | MECC1:O | N |
| MECC38 | Is the generation of ResetLoadLimitCounter command supported? | [R2]/D.3.3.3.1.11 | MECC1:O | N |
| MECC39 | Is the generation of Change Supply command supported? | [R2]/D.3.3.3.1.12 | MECC1:O | N |
| MECC40 | Is the generation of Local Change Supply command supported? | [R2]/D.3.3.3.1.13 | MECC1:O | Y [Int: EP# 1] |
| MECC41 | Is the generation of SetSupplyStatus command supported? | [R2]/D.3.3.3.1.14 | MECC1:O | N |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-------------------|---------|---------|
| MECC42 | Is the generation of SetUncontrolledFlowThreshold command supported? | [R2]/D.3.3.3.1.15 | MECC1:O | N |

426

427

428 8.8.10 **Price Cluster attributes and functions**

429

Table 37 – Price cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------|--------|---------|
| PCS1 | Is the Price Cluster supported as a server? | [R2]/D.4 | O | N |
| PCS2 | Is the Tier1PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS3 | Is the Tier2PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS4 | Is the Tier3PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS5 | Is the Tier4PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS6 | Is the Tier5PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS7 | Is the Tier6PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS8 | Is the reception of Get Current Price command supported? | [R2]/D.4.2.3.2 | PCS1:M | NA |
| PCS9 | Is the reception of Get Scheduled Prices command supported? | [R2]/D.4.2.3.3 | PCS1:O | NA |
| PCS10 | Is the generation of Publish Price command supported? | [R2]/D.4.2.4.1 | PCS1:M | NA |
| PCS11 | Is the Tier7PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS12 | Is the Tier8PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS13 | Is the Tier9PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS14 | Is the Tier10PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|--------------------|---------|
| PCS15 | Is the Tier11PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS16 | Is the Tier12PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS17 | Is the Tier13PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS18 | Is the Tier14PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS19 | Is the Tier15PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS20 | Are any Block Threshold attributes 0x0100 to 0x010F supported? | [R2]/D.4.2.2.2.1 | PCS42:M PCS43:M | NA |
| PCS25 | Is the reception of Price Acknowledgement command supported? | [R2]/D.4.2.3.4 | PCS1:O | NA |
| PCS26 | Is the generation of Publish Block Period command supported? | [R2]/D.4.2.4.2 | PCS42:O PCS43:O | NA |
| PCS27 | Is the reception of Get Block Period(s) command support? | [R2]/D.4.2.3.5 | PCS42:O PCS43:O | NA |
| PCS28 | Is the Commodity Type (server) attribute supported? | [R2]/D.4.2.2.4.1 | PCS1:O | NA |
| PCS29 | Is the Standing Charge attribute supported? | [R2]/D.4.2.2.4.2 | PCS1:O | NA |
| PCS30 | Is the <i>ConversionFactor</i> attribute supported? | [R2]/D.4.2.2.4.3 | PCS1:O | NA |
| PCS31 | Is the <i>ConversionFactorTrailingDigit</i> supported? | [R2]/D.4.2.2.4.4 | PCS1:O | NA |
| PCS32 | Is the <i>CalorificValue</i> attribute supported? | [R2]/D.4.2.2.4.5 | PCS1:O | NA |
| PCS33 | Is the <i>CalorificValueUnit</i> attribute supported? | [R2]/D.4.2.2.4.6 | PCS1:O | NA |
| PCS34 | Is the <i>CalorificValueTrailingDigit</i> attribute supported? | [R2]/D.4.2.2.4.7 | PCS1:O | NA |
| PCS36 | Is the reception of the <i>GetConversionFactor</i> command supported? | [R2]/D.4.2.3.6 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|--------------------|---------|
| PCS37 | Is the reception of the <i>GetCalorificValue</i> command supported? | [R2]/D.4.2.3.7 | PCS1:O | NA |
| PCS38 | Is the generation of the <i>Publish Conversion Factor</i> command supported? | [R2]/D.4.2.4.3 | PCS1:O | NA |
| PCS39 | Is the generation of the <i>Publish Calorific Value</i> command supported? | [R2]/D.4.2.4.4 | PCS1:O | NA |
| PCS40 | Is the <i>CurrentBillingPeriodStart</i> attribute supported? | [R2]/D.4.2.2.8.1 | PCS1:O | NA |
| PCS41 | Is the <i>CurrentBillingPeriodDuration</i> attribute supported? | [R2]/D.4.2.2.8.2 | PCS1:O | NA |
| PCS42 | Does the device support Block Charging only? | [R2]/D.4.4.3.2 | PCS1:O | NA |
| PCS43 | Does the device support Block/TOU Combination Charging ? | [R2]/D.4.4.3.3 | PCS1:O | NA |
| PCS44 | Is the Block Period (Delivered) attribute set supported? | [R2]/D.4.2.2.3 | PCS42:O PCS43:O | NA |
| PCS45 | Are any Block Price Information (Delivered) 'No Tier' attributes (0x0400 to 0x040F) supported? | [R2]/D.4.2.2.5 | PCS42:M | NA |
| PCS46 | Are any Block Price Information (Delivered) 'TierxBloky' attributes (0x0410 to 0x04FF) supported? | [R2]/D.4.2.2.5 | PCS43:O | NA |
| PCS47 | Is the Tier16PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS48 | Is the Tier17PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS49 | Is the Tier18PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS50 | Is the Tier19PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS51 | Is the Tier20PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS52 | Is the Tier21PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS53 | Is the Tier22PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------|--------|---------|
| PCS54 | Is the Tier23PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS55 | Is the Tier24PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS56 | Is the Tier25PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS57 | Is the Tier26PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS58 | Is the Tier27PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS59 | Is the Tier28PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS60 | Is the Tier29PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS61 | Is the Tier30PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS62 | Is the Tier31PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS63 | Is the Tier32PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS64 | Is the Tier33PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS65 | Is the Tier34PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS66 | Is the Tier35PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS67 | Is the Tier36PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS68 | Is the Tier37PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS69 | Is the Tier38PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS70 | Is the Tier39PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS71 | Is the Tier40PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS72 | Is the Tier41PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS73 | Is the Tier42PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS74 | Is the Tier43PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS75 | Is the Tier44PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|------------------|---------|---------|
| PCS76 | Is the Tier45PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS77 | Is the Tier46PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS78 | Is the Tier47PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS79 | Is the Tier48PriceLabel attribute supported? | [R2]/D.4.2.2.1 | PCS1:O | NA |
| PCS80 | Is the BlockThresholdCount attribute supported? | [R2]/D.4.2.2.2.2 | PCS1:O | NA |
| PCS81 | Are any TierNBlockMThreshold attributes supported? | [R2]/D.4.2.2.2.3 | PCS43:O | NA |
| PCS82 | Are any TierNBlockThresholdCount attributes supported? | [R2]/D.4.2.2.2.4 | PCS43:O | NA |
| PCS83 | Are any PriceTierN attributes supported? | [R2]/D.4.2.2.6.1 | PCS1:O | NA |
| PCS84 | Is the CPP1 Price attribute supported? | [R2]/D.4.2.2.6.2 | PCS1:O | NA |
| PCS85 | Is the CPP2 Price attribute supported? | [R2]/D.4.2.2.6.3 | PCS1:O | NA |
| PCS86 | Is the TariffLabel attribute supported? | [R2]/D.4.2.2.7.1 | PCS1:O | NA |
| PCS87 | Is the NumberofPriceTiersInUse attribute supported? | [R2]/D.4.2.2.7.2 | PCS1:O | NA |
| PCS88 | Is the NumberofBlockThresholdsInUse attribute supported? | [R2]/D.4.2.2.7.3 | PCS1:O | NA |
| PCS89 | Is the TierBlockMode attribute supported? | [R2]/D.4.2.2.7.4 | PCS1:O | NA |
| PCS90 | Is the Unit of Measure attribute supported? | [R2]/D.4.2.2.7.5 | PCS1:O | NA |
| PCS91 | Is the Currency attribute supported? | [R2]/D.4.2.2.7.6 | PCS1:O | NA |
| PCS92 | Is the Price Trailing Digit attribute supported? | [R2]/D.4.2.2.7.7 | PCS1:O | NA |
| PCS93 | Is the TariffResolutionPeriod attribute supported? | [R2]/D.4.2.2.7.8 | PCS1:O | NA |
| PCS94 | Is the CO ₂ attribute supported? | [R2]/D.4.2.2.7.9 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|--------|---------|
| PCS95 | Is the CO ₂ Unit attribute supported? | [R2]/D.4.2.2.7.10 | PCS1:O | NA |
| PCS96 | Is the CO ₂ TrailingDigit attribute supported? | [R2]/D.4.2.2.7.11 | PCS1:O | NA |
| PCS97 | Is the LastBillingPeriodStart attribute supported? | [R2]/D.4.2.2.8.3 | PCS1:O | NA |
| PCS98 | Is the LastBillingPeriodDuration attribute supported? | [R2]/D.4.2.2.8.4 | PCS1:O | NA |
| PCS99 | Is the LastBillingPeriodConsolidatedBill attribute supported? | [R2]/D.4.2.2.8.5 | PCS1:O | NA |
| PCS100 | Is the CreditPaymentDueDate attribute supported? | [R2]/D.4.2.2.9.1 | PCS1:O | NA |
| PCS101 | Is the CreditPaymentStatus attribute supported? | [R2]/D.4.2.2.9.2 | PCS1:O | NA |
| PCS102 | Is the CreditPaymentOverDueAmount attribute supported? | [R2]/D.4.2.2.9.3 | PCS1:O | NA |
| PCS103 | Is the PaymentDiscount attribute supported? | [R2]/D.4.2.2.9.4 | PCS1:O | NA |
| PCS104 | Is the PaymentDiscountPeriod attribute supported? | [R2]/D.4.2.2.9.5 | PCS1:O | NA |
| PCS105 | Is the CreditPayment#1 attribute supported? | [R2]/D.4.2.2.9.6 | PCS1:O | NA |
| PCS106 | Is the CreditPaymentDate#1 attribute supported? | [R2]/D.4.2.2.9.7 | PCS1:O | NA |
| PCS107 | Is the CreditPaymentRef#1 attribute supported? | [R2]/D.4.2.2.9.8 | PCS1:O | NA |
| PCS108 | Is the CreditPayment#2 attribute supported? | [R2]/D.4.2.2.9.6 | PCS1:O | NA |
| PCS109 | Is the CreditPaymentDate#2 attribute supported? | [R2]/D.4.2.2.9.7 | PCS1:O | NA |
| PCS110 | Is the CreditPaymentRef#2 attribute supported? | [R2]/D.4.2.2.9.8 | PCS1:O | NA |
| PCS111 | Is the CreditPayment#3 attribute supported? | [R2]/D.4.2.2.9.6 | PCS1:O | NA |
| PCS112 | Is the CreditPaymentDate#3 attribute supported? | [R2]/D.4.2.2.9.7 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|--------------------|---------|
| PCS113 | Is the CreditPaymentRef#3 attribute supported? | [R2]/D.4.2.2.9.8 | PCS1:O | NA |
| PCS114 | Is the CreditPayment#4 attribute supported? | [R2]/D.4.2.2.9.6 | PCS1:O | NA |
| PCS115 | Is the CreditPaymentDate#4 attribute supported? | [R2]/D.4.2.2.9.7 | PCS1:O | NA |
| PCS116 | Is the CreditPaymentRef#4 attribute supported? | [R2]/D.4.2.2.9.8 | PCS1:O | NA |
| PCS117 | Is the CreditPayment#5 attribute supported? | [R2]/D.4.2.2.9.6 | PCS1:O | NA |
| PCS118 | Is the CreditPaymentDate#5 attribute supported? | [R2]/D.4.2.2.9.7 | PCS1:O | NA |
| PCS119 | Is the CreditPaymentRef#5 attribute supported? | [R2]/D.4.2.2.9.8 | PCS1:O | NA |
| PCS120 | Are any ReceivedTierNPriceLabel attributes supported? | [R2]/D.4.2.2.10 | PCS1:O | NA |
| PCS121 | Are any ReceivedBlockNThreshold attributes supported? | [R2]/D.4.2.2.11 | PCS42:O PCS43:O | NA |
| PCS122 | Is the ReceivedStartofBlockPeriod attribute supported? | [R2]/D.4.2.2.12.1 | PCS1:O | NA |
| PCS123 | Is the ReceivedBlockPeriodDuration attribute supported? | [R2]/D.4.2.2.12.2 | PCS1:O | NA |
| PCS124 | Is the ReceivedThresholdMultiplier attribute supported? | [R2]/D.4.2.2.12.3 | PCS1:O | NA |
| PCS125 | Is the ReceivedThresholdDivisor attribute supported? | [R2]/D.4.2.2.12.4 | PCS1:O | NA |
| PCS126 | Are any Received Block Price Information 'RxTierMBlockNPrice' attributes supported? | [R2]/D.4.2.2.13 | PCS42:O PCS43:O | NA |
| PCS127 | Are any ReceivedPriceTierN attributes supported? | [R2]/D.4.2.2.14 | PCS1:O | NA |
| PCS128 | Is the ReceivedTariffLabel attribute supported? | [R2]/D.4.2.2.15.1 | PCS1:O | NA |
| PCS129 | Is the ReceivedNumberofPriceTiersInUse attribute supported? | [R2]/D.4.2.2.15.2 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-------------------|--------|---------|
| PCS130 | Is the ReceivedNumberOfBlockThresholdsInUse attribute supported? | [R2]/D.4.2.2.15.3 | PCS1:O | NA |
| PCS131 | Is the ReceivedTierBlockMode attribute supported? | [R2]/D.4.2.2.15.4 | PCS1:O | NA |
| PCS132 | Is the ReceivedTariffResolutionPeriod attribute supported? | [R2]/D.4.2.2.15.5 | PCS1:O | NA |
| PCS133 | Is the ReceivedCO ₂ attribute supported? | [R2]/D.4.2.2.15.6 | PCS1:O | NA |
| PCS134 | Is the ReceivedCO ₂ Unit attribute supported? | [R2]/D.4.2.2.15.7 | PCS1:O | NA |
| PCS135 | Is the ReceivedCO ₂ TrailingDigit attribute supported? | [R2]/D.4.2.2.15.8 | PCS1:O | NA |
| PCS136 | Is the ReceivedCurrentBillingPeriodStart attribute supported? | [R2]/D.4.2.2.16.1 | PCS1:O | NA |
| PCS137 | Is the ReceivedCurrentBillingPeriodDuration attribute supported? | [R2]/D.4.2.2.16.2 | PCS1:O | NA |
| PCS138 | Is the ReceivedLastBillingPeriodStart attribute supported? | [R2]/D.4.2.2.16.3 | PCS1:O | NA |
| PCS139 | Is the ReceivedLastBillingPeriodDuration attribute supported? | [R2]/D.4.2.2.16.4 | PCS1:O | NA |
| PCS140 | Is the ReceivedLastBillingPeriodConsolidatedBill attribute supported? | [R2]/D.4.2.2.16.5 | PCS1:O | NA |
| PCS141 | Is the reception of the <i>GetTariffInformation</i> command supported? | [R2]/D.4.2.3.8 | PCS1:O | NA |
| PCS142 | Is the reception of the <i>GetPriceMatrix</i> command supported? | [R2]/D.4.2.3.9 | PCS1:O | NA |
| PCS143 | Is the reception of the <i>GetBlockThresholds</i> command supported? | [R2]/D.4.2.3.10 | PCS1:O | NA |
| PCS144 | Is the reception of the <i>GetCO₂Value</i> command supported? | [R2]/D.4.2.3.11 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------|--------|---------|
| PCS145 | Is the reception of the <i>GetTierLabels</i> command supported? | [R2]/D.4.2.3.12 | PCS1:O | NA |
| PCS146 | Is the reception of the <i>GetBillingPeriod</i> command supported? | [R2]/D.4.2.3.13 | PCS1:O | NA |
| PCS147 | Is the reception of the <i>GetConsolidatedBill</i> command supported? | [R2]/D.4.2.3.14 | PCS1:O | NA |
| PCS148 | Is the reception of the <i>CPPEventResponse</i> command supported? | [R2]/D.4.2.3.15 | PCS1:O | NA |
| PCS149 | Is the reception of the <i>GetCreditPayment</i> command supported? | [R2]/D.4.2.3.16 | PCS1:O | NA |
| PCS150 | Is the reception of the <i>GetCurrencyConversion</i> command supported? | [R2]/D.4.2.3.17 | PCS1:O | NA |
| PCS151 | Is the reception of the <i>GetTariffCancellation</i> command supported? | [R2]/D.4.2.3.18 | PCS1:O | NA |
| PCS152 | Is the generation of the <i>PublishTariffInformation</i> command supported? | [R2]/D.4.2.4.5 | PCS1:O | NA |
| PCS153 | Is the generation of the <i>PublishPriceMatrix</i> command supported? | [R2]/D.4.2.4.6 | PCS1:O | NA |
| PCS154 | Is the generation of the <i>PublishBlockThresholds</i> command supported? | [R2]/D.4.2.4.7 | PCS1:O | NA |
| PCS155 | Is the generation of the <i>PublishCO₂Value</i> command supported? | [R2]/D.4.2.4.8 | PCS1:O | NA |
| PCS156 | Is the generation of the <i>PublishTierLabels</i> command supported? | [R2]/D.4.2.4.9 | PCS1:O | NA |
| PCS157 | Is the generation of the <i>PublishBillingPeriod</i> command supported? | [R2]/D.4.2.4.10 | PCS1:O | NA |
| PCS158 | Is the generation of the <i>PublishConsolidatedBill</i> command supported? | [R2]/D.4.2.4.11 | PCS1:O | NA |
| PCS159 | Is the generation of the <i>PublishCPPEvent</i> command supported? | [R2]/D.4.2.4.12 | PCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------|--------|---------|
| PCS160 | Is the generation of the <i>PublishCreditPayment</i> command supported? | [R2]/D.4.2.4.13 | PCS1:O | NA |
| PCS161 | Is the generation of the <i>PublishCurrencyConversion</i> command supported? | [R2]/D.4.2.4.14 | PCS1:O | NA |
| PCS162 | Is the generation of the <i>CancelTariff</i> command supported? | [R2]/D.4.2.4.15 | PCS1:O | NA |

430

431

Table 38 – Price cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------|--------------------|-------------------|
| PCC1 | Is the Price Cluster supported as a client? | [R2]/D.4 | O | Y [Int: EP# 1] |
| PCC2 | Is the reception of Publish Price command supported? | [R2]/D.4.2.4.1 | PCC1:M | Y [Int: EP# 1] |
| PCC3 | Is the generation of Get Current Price command supported? | [R2]/D.4.2.3.2 | PCC1:M | Y [Int: EP# 1] |
| PCC4 | Is the generation of Get Scheduled Prices command supported? | [R2]/D.4.2.3.3 | PCC1:O | Y [Int: EP# 1] |
| PCC5 | Is the PriceIncreaseRandomizeMinutes attribute supported? | [R2]/D.4.3.2.1 | PCC1:O | N |
| PCC6 | Is the PriceDecreaseRandomizeMinutes attribute supported? | [R2]/D.4.3.2.2 | PCC1:O | N |
| PCC7 | Is the Commodity Type (client) attribute supported? | [R2]/D.4.3.2.3 | PCC1:O | N |
| PCC8 | Is the generation of Price Acknowledgement command supported? | [R2]/D.4.2.3.4 | PCC1:O | Y [Int: EP# 1] |
| PCC9 | Is the reception of Publish Block Period command supported? | [R2]/D.4.2.4.2 | PCC12:O PCC13:O | N |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------|--------------------|-------------------|
| PCC10 | Is the generation of Get Block Period(s) command supported? | [R2]/D.4.2.3.5 | PCC12:O PCC13:O | N |
| PCC11 | Is the TOU charging behavior supported? | [R2]/D.4.4.3.1 | PCC1:O | Y [Int: EP# 1] |
| PCC12 | Is the Block Tariffs Block Charging ONLY behavior supported? | [R2]/D.4.4.3.2 | PCC1:O | N |
| PCC13 | Is the Block Tariffs Block/TOU Combination Charging supported? | [R2]/D.4.4.3.3 | PCC1:O | N |
| PCC14 | Is the Block Tariffs guideline for extended non-communication supported? | [R2]/D.4.4.3.4 | PCC12:O PCC13:O | N |
| PCC15 | Is the Block Tariffs guideline for meter installation or swap-out supported? | [R2]/D.4.4.3.4 | PCC12:O PCC13:O | N |
| PCC16 | Is the generation of the <i>GetConversionFactor</i> command supported? | [R2]/D.4.2.3.6 | PCC1:O | Y [Int: EP# 1] |
| PCC17 | Is the generation of the <i>GetCalorificValue</i> command supported? | [R2]/D.4.2.3.7 | PCC1:O | Y [Int: EP# 1] |
| PCC18 | Is the reception of the <i>Publish Conversion Factor</i> command supported? | [R2]/D.4.2.4.3 | PCC1:O | Y [Int: EP# 1] |
| PCC19 | Is the reception of the <i>Publish Calorific Value</i> command supported? | [R2]/D.4.2.4.4 | PCC1:O | Y [Int: EP# 1] |
| PCC20 | Is the reception of the <i>PublishTariffInformation</i> command supported? | [R2]/D.4.2.4.5 | PCC1:O | Y [Int: EP# 1] |
| PCC21 | Is the reception of the <i>PublishPriceMatrix</i> command supported? | [R2]/D.4.2.4.6 | PCC1:O | N |
| PCC22 | Is the reception of the <i>PublishBlockThresholds</i> command supported? | [R2]/D.4.2.4.7 | PCC1:O | N |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------|--------|-------------------|
| PCC23 | Is the reception of the <i>PublishCO₂Value</i> command supported? | [R2]/D.4.2.4.8 | PCC1:O | Y [Int: EP# 1] |
| PCC24 | Is the reception of the <i>PublishTierLabels</i> command supported? | [R2]/D.4.2.4.9 | PCC1:O | N |
| PCC25 | Is the reception of the <i>PublishBillingPeriod</i> command supported? | [R2]/D.4.2.4.10 | PCC1:O | Y [Int: EP# 1] |
| PCC26 | Is the reception of the <i>PublishConsolidatedBill</i> command supported? | [R2]/D.4.2.4.11 | PCC1:O | N |
| PCC27 | Is the reception of the <i>PublishCPPEvent</i> command supported? | [R2]/D.4.2.4.12 | PCC1:O | N |
| PCC28 | Is the reception of the <i>PublishCreditPayment</i> command supported? | [R2]/D.4.2.4.13 | PCC1:O | N |
| PCC29 | Is the reception of the <i>PublishCurrencyConversion</i> command supported? | [R2]/D.4.2.4.14 | PCC1:O | N |
| PCC30 | Is the reception of the <i>CancelTariff</i> command supported? | [R2]/D.4.2.4.15 | PCC1:O | N |
| PCC31 | Is the generation of the <i>GetTariffInformation</i> command supported? | [R2]/D.4.2.3.8 | PCC1:O | Y [Int: EP# 1] |
| PCC32 | Is the generation of the <i>GetPriceMatrix</i> command supported? | [R2]/D.4.2.3.9 | PCC1:O | N |
| PCC33 | Is the generation of the <i>GetBlockThresholds</i> command supported? | [R2]/D.4.2.3.10 | PCC1:O | N |
| PCC34 | Is the generation of the <i>GetCO₂Value</i> command supported? | [R2]/D.4.2.3.11 | PCC1:O | Y [Int: EP# 1] |
| PCC35 | Is the generation of the <i>GetTierLabels</i> command supported? | [R2]/D.4.2.3.12 | PCC1:O | N |
| PCC36 | Is the generation of the <i>GetBillingPeriod</i> command supported? | [R2]/D.4.2.3.13 | PCC1:O | Y [Int: EP# 1] |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------|--------|---------|
| PCC37 | Is the generation of the <i>GetConsolidatedBill</i> command supported? | [R2]/D.4.2.3.14 | PCC1:O | N |
| PCC38 | Is the generation of the <i>CPPEventResponse</i> command supported? | [R2]/D.4.2.3.15 | PCC1:O | N |
| PCC39 | Is the generation of the <i>GetCreditPayment</i> command supported? | [R2]/D.4.2.3.16 | PCC1:O | N |
| PCC40 | Is the generation of the <i>GetCurrencyConversion</i> command supported? | [R2]/D.4.2.3.17 | PCC1:O | N |
| PCC41 | Is the generation of the <i>GetTariffCancellation</i> command supported? | [R2]/D.4.2.3.18 | PCC1:O | N |

432

433

434 8.8.11 Messaging Cluster attributes and functions

435

Table 39 – Messaging cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------|--------|---------|
| MCS1 | Is the Messaging Cluster supported as a server? | [R2]/D.5 | O | N |
| MCS2 | Is the reception of Get Last Message command supported? | [R2]/D.5.3.3.1 | MCS1:M | NA |
| MCS5 | Is the reception of Message Confirmation command supported? | [R2]/D.5.3.3.2 | MCS1:M | NA |
| MCS3 | Is the generation of Display Message command supported? | [R2]/D.5.2.3.1 | MCS1:M | NA |
| MCS4 | Is the generation of Cancel Message command supported? | [R2]/D.5.2.3.2 | MCS1:M | NA |
| MCS5 | Is the generation of Display Protected Message command supported? | [R2]/D.5.2.3.3 | MCS1:O | NA |
| MCS6 | Is the generation of Cancel All Messages command supported? | [R2]/D.5.2.3.4 | MCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------|--------|---------|
| MCS7 | Is the reception of GetMessageCancellation command supported? | [R2]/D.5.3.3.3 | MCS1:O | NA |

436

Table 40 – Messaging cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------|----------------------|-------------------|
| MCC1 | Is the Messaging Cluster supported as a client? | [R2]/D.5 | O | Y [Int: EP# 1] |
| MCC2 | Is the reception of Display Message command supported? | [R2]/D.5.2.3.1 | MCC1:M | Y [Int: EP# 1] |
| MCC3 | Is the reception of Cancel Message command supported? | [R2]/D.5.2.3.2 | MCC1:M | Y [Int: EP# 1] |
| MCC4 | Is the generation of Get Last Message command supported? | [R2]/D.5.3.3.1 | MCC1:M | Y [Int: EP# 1] |
| MCC5 | Is the generation of Message Confirmation command supported? | [R2]/D.5.3.3.2 | MCC1:M | Y [Int: EP# 1] |
| MCC6 | Is the reception of Display Protected Message command supported? | [R2]/D.5.2.3.3 | MCC1:O | N |
| MCC7 | Is the reception of Cancel All Messages command supported? | [R2]/D.5.2.3.4 | MCC1:O | N |
| MCC8 | Is the generation of GetMessageCancellation command supported? | [R2]/D.5.3.3.3 | MCC1:O ²⁴ | Y [Int: EP# 1] |

²⁴ CCB 2303

437

438 8.8.12 Tunneling Cluster attributes and functions

439

Table 41 – Tunneling cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------|--------|---------|
| TUS1 | Is the Tunneling Cluster supported as a server? | [R2]/D.6 | O | N |
| TUS2 | Is the reception of RequestTunnel command supported? | [R2]/D.6.2.4.1 | TUS1:M | NA |
| TUS3 | Is the reception of CloseTunnel command supported? | [R2]/D.6.2.4.2 | TUS1:M | NA |
| TUS4 | Is the reception of TransferData command supported? | [R2]/D.6.2.4.3 | TUS1:M | NA |
| TUS5 | Is the reception of TransferDataError command supported? | [R2]/D.6.2.4.4 | TUS1:M | NA |
| TUS6 | Is the reception of AckTransferData command supported? | [R2]/D.6.2.4.5 | TUS1:O | NA |
| TUS7 | Is the reception of ReadyData command supported? | [R2]/D.6.2.4.6 | TUS1:O | NA |
| TUS8 | Is the generation of RequestTunnelResponse command supported? | [R2]/D.6.2.5.1 | TUS1:M | NA |
| TUS9 | Is the generation of TransferData command supported? | [R2]/D.6.2.5.2 | TUS1:M | NA |
| TUS10 | Is the generation of TransferDataError command supported? | [R2]/D.6.2.5.3 | TUS1:M | NA |
| TUS11 | Is the generation of AckTransferData command supported? | [R2]/D.6.2.5.4 | TUS1:O | NA |
| TUS12 | Is the generation of ReadyData command supported? | [R2]/D.6.2.5.5 | TUS1:O | NA |
| TUS13 | Is the reception of the <i>GetSupportedTunnelProtocols</i> supported? | [R2]/D.6.2.4.7 | TUS1:O | NA |
| TUS14 | Is the generation of the <i>Supported Tunnel Protocols Response</i> command supported? | [R2]/D.6.2.5.6 | TUS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------|--------|---------|
| TUS15 | Is the generation of the <i>TunnelClosureNotification</i> command supported? | [R2]/D.6.2.5.7 | TUS1:O | NA |
| TUS16 | Is the <i>CloseTunnelTimeout</i> attribute supported? | [R2]/D.6.2.2.1 | TUS1:M | NA |

440

441

Table 42 – Tunneling cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------------------|--------|-------------------|
| TUC1 | Is the Tunneling Cluster supported as a client? | [R2]/D.6 | O | Y [Int: EP# 1] |
| TUC2 | Is the reception of RequestTunnelResponse command supported? | [R2]/D.6.3.3 /D.6.2.5.1 | TUC1:M | Y [Int: EP# 1] |
| TUC3 | Is the reception of TransferData command supported? | [R2]/D.6.3.3 /D.6.2.5.2 | TUC1:M | Y [Int: EP# 1] |
| TUC4 | Is the reception of TransferDataError command supported? | [R2]/D.6.3.3 /D.6.2.5.3 | TUC1:M | Y [Int: EP# 1] |
| TUC5 | Is the reception of AckTransferData command supported? | [R2]/D.6.3.3 /D.6.2.5.4 | TUC1:O | N |
| TUC6 | Is the reception of ReadyData command supported? | [R2]/D.6.3.3 /D.6.2.5.5 | TUC1:O | N |
| TUC7 | Is the generation of RequestTunnel command supported? | [R2]/D.6.3.4 /D.6.2.4.1 | TUC1:M | Y [Int: EP# 1] |
| TUC8 | Is the generation of CloseTunnel command supported? | [R2]/D.6.3.4 /D.6.2.4.2 | TUC1:M | Y [Int: EP# 1] |
| TUC9 | Is the generation of TransferData command supported? | [R2]/D.6.3.4 /D.6.2.4.3 | TUC1:M | Y [Int: EP# 1] |
| TUC10 | Is the generation of TransferDataError command supported? | [R2]/D.6.3.4 /D.6.2.4.4 | TUC1:M | Y [Int: EP# 1] |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------------------|--------|---------|
| TUC11 | Is the generation of AckTransferData command supported? | [R2]/D.6.3.4 /D.6.2.4.5 | TUC1:O | N |
| TUC12 | Is the generation of ReadyData command supported? | [R2]/D.6.3.4 /D.6.2.4.6 | TUC1:O | N |
| TUC13 | Is the generation of the <i>GetSupportedTunnelProtocols</i> supported? | [R2]/D.6.2.4 /D.6.2.4.7 | TUC1:O | N |
| TUC14 | Is the reception of the <i>Supported Tunnel Protocols Response</i> command supported? | [R2]/D.6.3.3 /D.6.2.5.6 | TUC1:O | N |
| TUC15 | Is the reception of the <i>TunnelClosureNotification</i> command supported? | [R2] /D.6.3.3 /D.6.2.5.7 | TUC1:O | N |

442

443 8.8.13 **Prepayment Cluster attributes and functions**

444

Table 43 – Prepayment cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---------|---------|
| PPCS1 | Is the Prepayment Cluster supported as a server? | [R2]/D.7 | O | N |
| PPCS2 | Is the reception of Select Available Emergency Credit command supported? | [R2]/D.7.2.3.1 | PPCS1:O | NA |
| PPCS3 | RESERVED | | | NA |
| PPCS4 | RESERVED | | | NA |
| PPCS7 | Is the PaymentControlConfiguration attribute supported? | [R2]/D.7.2.2.1.1 | PPCS1:M | NA |
| PPCS8 | Is the Credit Remaining attribute supported? | [R2]/D.7.2.2.1.2 | PPCS1:O | NA |
| PPCS9 | Is the Emergency Credit Remaining attribute supported? | [R2]/D.7.2.2.1.3 | PPCS1:O | NA |
| PPCS10 | Is the Credit Status attribute supported? | [R2]/D.7.2.2.1.4 | PPCS1:O | NA |
| PPCS11 | Are the Top up Date/Time attributes supported? If so, list supported attributes #1-5. | [R2]/D.7.2.2.2.1 | PPCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|---------|---------|
| PPCS12 | Are the Top up Amount attributes supported? If so, list supported attributes #1-5. | [R2]/D.7.2.2.2.2 | PPCS1:O | NA |
| PPCS13 | Are the Originating Device attributes supported? If so, list supported attributes #1-5. | [R2]/D.7.2.2.2.3 | PPCS1:O | NA |
| PPCS14 | RESERVED | | | NA |
| PPCS15 | RESERVED | | | NA |
| PPCS16 | RESERVED | | | NA |
| PPCS17 | RESERVED | | | NA |
| PPCS18 | RESERVED | | | NA |
| PPCS19 | RESERVED | | | NA |
| PPCS20 | RESERVED | | | NA |
| PPCS21 | RESERVED | | | NA |
| PPCS22 | RESERVED | | | NA |
| PPCS23 | RESERVED | | | NA |
| PPCS24 | RESERVED | | | NA |
| PPCS25 | Is the CreditRemainingTimeStamp attribute supported? | [R2]/D.7.2.2.1.5 | PPCS1:O | NA |
| PPCS26 | Is the AccumulatedDebt attribute supported? | [R2]/D.7.2.2.1.6 | PPCS1:O | NA |
| PPCS27 | Is the OverallDebtCap attribute supported? | [R2]/D.7.2.2.1.7 | PPCS1:O | NA |
| PPCS28 | Is the EmergencyCredit Limit/Allowance attribute supported? | [R2]/D.7.2.2.1.8 | PPCS1:O | NA |
| PPCS29 | Is the EmergencyCredit Threshold attribute supported? | [R2]/D.7.2.2.1.9 | PPCS1:O | NA |
| PPCS30 | Is the TotalCreditAdded attribute supported? | [R2]/D.7.2.2.1.10 | PPCS1:O | NA |
| PPCS31 | Is the MaxCreditLimit attribute supported? | [R2]/D.7.2.2.1.11 | PPCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|---------|---------|
| PPCS32 | Is the MaxCreditPerTopUp attribute supported? | [R2]/D.7.2.2.1.12 | PPCS1:O | NA |
| PPCS33 | Is the FriendlyCredit Warning attribute supported? | [R2]/D.7.2.2.1.13 | PPCS1:O | NA |
| PPCS34 | Is the LowCreditWarning attribute supported? | [R2]/D.7.2.2.1.14 | PPCS1:O | NA |
| PPCS35 | Is the IHDLowCreditWarning attribute supported? | [R2]/D.7.2.2.1.15 | PPCS1:O | NA |
| PPCS36 | Is the InterruptSuspend Time attribute supported? | [R2]/D.7.2.2.1.16 | PPCS1:O | NA |
| PPCS37 | Is the RemainingFriendlyCreditTime attribute supported? | [R2]/D.7.2.2.1.17 | PPCS1:O | NA |
| PPCS38 | Is the NextFriendlyCreditPeriod attribute supported? | [R2]/D.7.2.2.1.18 | PPCS1:O | NA |
| PPCS39 | Is the CutOffValue attribute supported? | [R2]/D.7.2.2.1.19 | PPCS1:O | NA |
| PPCS40 | Is the TokenCarrierID attribute supported? | [R2]/D.7.2.2.1.20 | PPCS1:O | NA |
| PPCS41 | Are the Top up Code attributes supported? If so, list supported attributes #1-5. | [R2]/D.7.2.2.2.4 | PPCS1:O | NA |
| PPCS42 | Are the DebtLabel attributes supported? If so, list supported attributes #1-3. | [R2]/D.7.2.2.3.1 | PPCS1:O | NA |
| PPCS43 | Are the DebtAmount attributes supported? If so, list supported attributes #1-3. | [R2]/D.7.2.2.3.2 | PPCS1:O | NA |
| PPCS44 | Are the DebtRecoveryMethod attributes supported? If so, list supported attributes #1-3. | [R2]/D.7.2.2.3.3 | PPCS1:O | NA |
| PPCS45 | Are the DebtRecoveryStartTime attributes supported? If so, list supported attributes #1-3. | [R2]/D.7.2.2.3.4 | PPCS1:O | NA |
| PPCS46 | Are the DebtRecoveryCollectionTime attributes supported? If so, list supported attributes #1-3. | [R2]/D.7.2.2.3.5 | PPCS1:O | NA |
| PPCS47 | Are the DebtRecoveryFrequency attributes supported? If so, list supported attributes #1-3. | [R2]/D.7.2.2.3.6 | PPCS1:O | NA |
| PPCS48 | Are the DebtRecoveryAmount attributes supported? If so, list supported attributes #1-3. | [R2]/D.7.2.2.3.7 | PPCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|------------------|---------|---------|
| PPCS49 | Are the DebtRecoveryTopUpPercentage attributes supported? If so, list supported attributes #1-3. | [R2]/D.7.2.2.3.8 | PPCS1:O | NA |
| PPCS50 | Is the PrepaymentAlarmStatus attribute supported? | [R2]/D.7.2.2.5.1 | PPCS1:O | NA |
| PPCS51 | Is the PrepayGenericAlarmMask attribute supported? | [R2]/D.7.2.2.5.2 | PPCS1:O | NA |
| PPCS52 | Is the PrepaySwitchAlarmMask attribute supported? | [R2]/D.7.2.2.5.2 | PPCS1:O | NA |
| PPCS53 | Is the PrepayEventAlarmMask attribute supported? | [R2]/D.7.2.2.5.2 | PPCS1:O | NA |
| PPCS54 | Is the HistoricalCostConsumption Formatting attribute supported? | [R2]/D.7.2.2.6.1 | PPCS1:O | NA |
| PPCS55 | Is the ConsumptionUnitofMeasurement attribute supported? | [R2]/D.7.2.2.6.2 | PPCS1:O | NA |
| PPCS56 | Is the CurrencyScalingFactor attribute supported? | [R2]/D.7.2.2.6.3 | PPCS1:O | NA |
| PPCS57 | Is the Currency attribute supported? | [R2]/D.7.2.2.6.4 | PPCS1:O | NA |
| PPCS58 | Is the CurrentDayCostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.5 | PPCS1:O | NA |
| PPCS59 | Is the CurrentDayCostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.6 | PPCS1:O | NA |
| PPCS60 | Is the PreviousDayCostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.7 | PPCS1:O | NA |
| PPCS61 | Is the PreviousDayCostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.8 | PPCS1:O | NA |
| PPCS62 | Is the PreviousDay2CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.7 | PPCS1:O | NA |
| PPCS63 | Is the PreviousDay2CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.8 | PPCS1:O | NA |
| PPCS64 | Is the PreviousDay3CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.7 | PPCS1:O | NA |
| PPCS65 | Is the PreviousDay3CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.8 | PPCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|---------|---------|
| PPCS66 | Is the PreviousDay4CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.7 | PPCS1:O | NA |
| PPCS67 | Is the PreviousDay4CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.8 | PPCS1:O | NA |
| PPCS68 | Is the PreviousDay5CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.7 | PPCS1:O | NA |
| PPCS69 | Is the PreviousDay5CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.8 | PPCS1:O | NA |
| PPCS70 | Is the PreviousDay6CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.7 | PPCS1:O | NA |
| PPCS71 | Is the PreviousDay6CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.8 | PPCS1:O | NA |
| PPCS72 | Is the PreviousDay7CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.7 | PPCS1:O | NA |
| PPCS73 | Is the PreviousDay7CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.8 | PPCS1:O | NA |
| PPCS74 | Is the PreviousDay8CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.7 | PPCS1:O | NA |
| PPCS75 | Is the PreviousDay8CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.8 | PPCS1:O | NA |
| PPCS76 | Is the CurrentWeekCostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.9 | PPCS1:O | NA |
| PPCS77 | Is the CurrentWeekCostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.10 | PPCS1:O | NA |
| PPCS78 | Is the PreviousWeekCostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.11 | PPCS1:O | NA |
| PPCS79 | Is the PreviousWeekCostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.12 | PPCS1:O | NA |
| PPCS80 | Is the PreviousWeek2CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.11 | PPCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-------------------|---------|---------|
| PPCS81 | Is the PreviousWeek2CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.12 | PPCS1:O | NA |
| PPCS82 | Is the PreviousWeek3CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.11 | PPCS1:O | NA |
| PPCS83 | Is the PreviousWeek3CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.12 | PPCS1:O | NA |
| PPCS84 | Is the PreviousWeek4CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.11 | PPCS1:O | NA |
| PPCS85 | Is the PreviousWeek4CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.12 | PPCS1:O | NA |
| PPCS86 | Is the PreviousWeek5CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.11 | PPCS1:O | NA |
| PPCS87 | Is the PreviousWeek5CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.12 | PPCS1:O | NA |
| PPCS88 | Is the CurrentMonthCostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.13 | PPCS1:O | NA |
| PPCS89 | Is the CurrentMonthCostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.14 | PPCS1:O | NA |
| PPCS90 | Is the PreviousMonthCostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS91 | Is the PreviousMonthCostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS92 | Is the PreviousMonth2CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS93 | Is the PreviousMonth2CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS94 | Is the PreviousMonth3CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS95 | Is the PreviousMonth3CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|---------|---------|
| PPCS96 | Is the PreviousMonth4CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS97 | Is the PreviousMonth4CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS98 | Is the PreviousMonth5CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS99 | Is the PreviousMonth5CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS100 | Is the PreviousMonth6CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS101 | Is the PreviousMonth6CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS102 | Is the PreviousMonth7CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS103 | Is the PreviousMonth7CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS104 | Is the PreviousMonth8CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS105 | Is the PreviousMonth8CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS106 | Is the PreviousMonth9CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS107 | Is the PreviousMonth9CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS108 | Is the PreviousMonth10CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS109 | Is the PreviousMonth10CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS110 | Is the PreviousMonth11CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|---------|---------|
| PPCS111 | Is the PreviousMonth11CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS112 | Is the PreviousMonth12CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS113 | Is the PreviousMonth12CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS114 | Is the PreviousMonth13CostConsumptionDelivered attribute supported? | [R2]/D.7.2.2.6.15 | PPCS1:O | NA |
| PPCS115 | Is the PreviousMonth13CostConsumptionReceived attribute supported? | [R2]/D.7.2.2.6.16 | PPCS1:O | NA |
| PPCS116 | Is the HistoricalFreezeTime attribute supported? | [R2]/D.7.2.2.6.17 | PPCS1:O | NA |
| PPCS117 | Is the reception of Change Debt command supported? | [R2]/D.7.2.3.3 | PPCS1:O | NA |
| PPCS118 | Is the reception of Emergency Credit Setup command supported? | [R2]/D.7.2.3.4 | PPCS1:O | NA |
| PPCS119 | Is the reception of Consumer Top Up command supported? | [R2]/D.7.2.3.5 | PPCS1:O | NA |
| PPCS120 | Is the reception of CreditAdjustment command supported? | [R2]/D.7.2.3.6 | PPCS1:O | NA |
| PPCS121 | Is the reception of Change Payment Mode command supported? | [R2]/D.7.2.3.7 | PPCS1:O | NA |
| PPCS122 | Is the reception of Get Prepay Snapshot command supported? | [R2]/D.7.2.3.8 | PPCS1:O | NA |
| PPCS123 | Is the reception of Get Top Up Log command supported? | [R2]/D.7.2.3.9 | PPCS1:O | NA |
| PPCS124 | Is the reception of Set Low Credit Warning Level command supported? | [R2]/D.7.2.3.10 | PPCS1:O | NA |
| PPCS125 | Is the reception of Get Debt Repayment Log command supported? | [R2]/D.7.2.3.11 | PPCS1:O | NA |
| PPCS126 | Is the reception of Set Maximum Credit Limit command supported? | [R2]/D.7.2.3.12 | PPCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------|---------|---------|
| PPCS127 | Is the reception of Set Overall Debt Cap command supported? | [R2]/D.7.2.3.13 | PPCS1:O | NA |
| PPCS128 | Is the generation of Publish Prepay Snapshot command supported? | [R2]/D.7.2.4.2 | PPCS1:O | NA |
| PPCS129 | Is the generation of Change Payment Mode Response command supported? | [R2]/D.7.2.4.3 | PPCS1:O | NA |
| PPCS130 | Is the generation of Consumer Top Up Response command supported? | [R2]/D.7.2.4.4 | PPCS1:O | NA |
| PPCS131 | Is the generation of Publish Top Up Log command supported? | [R2]/D.7.2.4.5 | PPCS1:O | NA |
| PPCS132 | Is the generation of Publish Debt Log command supported? | [R2]/D.7.2.4.6 | PPCS1:O | NA |

445

446

Table 44 – Prepayment cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------------|---------|-------------------|
| PPCC1 | Is the Prepayment Cluster supported as a client? | [R2]/D.7 | O | Y [Int: EP# 1] |
| PPCC2 | Is the generation of Select Available Emergency Credit command supported? | [R2]/D.7.3.4 /D.7.2.3.1 | PPCC1:O | Y [Int: EP# 1] |
| PPCC3 | RESERVED | | | NA |
| PPCC4 | RESERVED | | | NA |
| PPCC5 | Is the generation of Change Debt command supported? | [R2]/D.7.3.4 /D.7.2.3.3 | PPCC1:O | N |
| PPCC6 | Is the generation of Emergency Credit Setup command supported? | [R2]/D.7.3.4 /D.7.2.3.4 | PPCC1:O | N |
| PPCC7 | Is the generation of Consumer Top Up command supported? | [R2]/D.7.3.4 /D.7.2.3.5 | PPCC1:O | Y [Int: EP# 1] |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------------------|---------|-------------------|
| PPCC8 | Is the generation of CreditAdjustment command supported? | [R2]/D.7.3.4 /D.7.2.3.6 | PPCC1:O | N |
| PPCC9 | Is the generation of Change Payment Mode command supported? | [R2]/D.7.3.4 /D.7.2.3.7 | PPCC1:O | N |
| PPCC10 | Is the generation of Get Prepay Snapshot command supported? | [R2]/D.7.3.4 /D.7.2.3.8 | PPCC1:O | N |
| PPCC11 | Is the generation of Get Top Up Log command supported? | [R2]/D.7.3.4 /D.7.2.3.9 | PPCC1:O | Y [Int: EP# 1] |
| PPCC12 | Is the generation of Set Low Credit Warning Level command supported? | [R2]/D.7.3.4 /D.7.2.3.10 | PPCC1:O | N |
| PPCC13 | Is the generation of Get Debt Repayment Log Level command supported? | [R2]/D.7.3.4 /D.7.2.3.11 | PPCC1:O | Y [Int: EP# 1] |
| PPCC14 | Is the generation of Set Maximum Credit Limit Level command supported? | [R2]/D.7.3.4 /D.7.2.3.12 | PPCC1:O | N |
| PPCC15 | Is the generation of Set Overall Debt Cap Level command supported? | [R2]/D.7.3.4 /D.7.2.3.13 | PPCC1:O | N |
| PPCC16 | Is the reception of Publish Prepay Snapshot command supported? | [R2]/D.7.3.3 /D.7.2.4.2 | PPCC1:O | N |
| PPCC17 | Is the reception of Change Payment Mode Response command supported? | [R2]/D.7.3.3 /D.7.2.4.3 | PPCC1:O | N |
| PPCC18 | Is the reception of Consumer Top Up Response command supported? | [R2]/D.7.3.3 /D.7.2.4.4 | PPCC1:O | Y [Int: EP# 1] |
| PPCC20 | Is the reception of Publish Top Up Log command supported? | [R2]/D.7.3.3 /D.7.2.4.5 | PPCC1:O | Y [Int: EP# 1] |
| PPCC21 | Is the reception of Publish Debt Log command supported? | [R2]/D.7.3.3 /D.7.2.4.6 | PPCC1:O | Y [Int: EP# 1] |

447

448 8.8.14 Trust Center Swap-out

449

Table 45 – Trust Center Swap-out capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|---|----------|---------|
| TCSW1a | Is the device a Trust Center supporting Trust Center Swap-out? | [R2] 5.4.2.2.3 / 5.4.2.2.3.2 / 5.4.2.2.3.5 | O | NA |
| TCSW1b | Is the Device a Router supporting Trust Center Swap-out? | [R2] 5.4.2.2.3 / 5.4.2.2.3.1 / 5.4.2.2.3.4 / 5.4.2.2.3.5 | O | NA |
| TCSW1c | Is the Device an End Device supporting Trust Center Swap-out? | [R2] 5.4.2.2.3 / 5.4.2.2.3.4 / 5.4.2.2.3.5 | O | Y |
| TCSW3 | Is the backup of the Extended PAN ID to an off-chip device supported? | [R2] 5.4.2.2.3.2 / 5.4.2.2.3.5 | TCSW1a:M | NA |
| TCSW4 | Is the backup of the registered device EUI-64 to an off-chip device supported? | [R2] 5.4.2.2.3.2 / 5.4.2.2.3.5 | TCSW1a:M | NA |
| TCSW5 | Is the backup of the registered device Install Code to an off-chip device supported? | [R2] 5.4.2.2.3.2 / 5.4.2.2.3.5 | TCSW1a:O | NA |
| TCSW6 | Is the backup of the registered device hashed CBKE derived link key to an off-chip device supported? | [R2] 5.4.2.2.3.2 / 5.4.2.2.3.5 | TCSW1a:M | NA |
| TCSW7 | Is the restore of the Extended PAN ID from an off-chip device supported? | [R2] 5.4.2.2.3.5 | TCSW1a:M | NA |
| TCSW8 | Is the restore of the registered device EUI-64 from an off-chip device supported? | [R2] 5.4.2.2.3.5 | TCSW1a:M | NA |
| TCSW9 | Is the restore of the registered device Install Code from an off-chip device supported? | [R2] 5.4.2.2.3.5 | TCSW1a:O | NA |
| TCSW10 | Is the restore of the registered device hashed CBKE derived link key from an off-chip device supported? | [R2] 5.4.2.2.3.5 | TCSW1a:M | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|---|---------|
| TCSW11 | Is the discovery of the new Trust Center based on the Extended PAN ID supported? | [R2] 5.4.2.2.3.5 | TCSW1a:M TCSW1b:M TCSW1c:M | Y |
| TCSW12 | Is the rejoin using a hash of the CBKE derived link key supported? | [R2] 5.4.2.2.3.5 | TCSW1a:M TCSW1b:M TCSW1c:M | Y |
| TCSW13 | Is the Recommission of device supported? | | FDT1:O FDT2:O FDT3:O FDT3:O FDT4:O FDT5:O FDT6:O FDT7:O FDT8:O FDT9:O FDT10:O | NA |
| TCSW15 | Does the device check the continued presence of a Trust Center using the Keep-Alive cluster? | [R2] 5.4.2.2.3.4 | TCSW1b:M TCSW1c:O | N |
| TCSW16 | Does the device comply with the timing values specified in the Keep-Alive cluster attributes when checking for the continued presence of a Trust Center using the Keep-Alive cluster? | [R2] 5.4.2.2.3.4 | TCSW1b:M TCSW1c:O | N |

450

451 8.8.15 **Multiple ESI**

452

Table 46 – Multiple ESI Client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------|---------|---------|
| MESC1 | Is Multiple ESI supported? | [R2]/5.7 | O | N |
| MESC2 | Is the discovery of all ESIs in a HAN supported? | | MESC1:M | NA |
| MESC3 | Is the generation of bindings on discovered ESIs supported? | | MESC1:M | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------|---------|---------|
| MESC4 | Is determination of the authoritative ESI supported? | | MESC1:M | NA |
| MESC5 | Is processing of events from multiple ESIs supported? | | MESC1:M | NA |
| MESC6 | Is resolution of conflicting events received from multiple ESIs supported? | | MESC1:M | NA |
| MESC7 | Is the notification message for an event sent to at least one ESI that sent the event? | | MESC1:M | NA |
| MESC8 | Is the event processing based on the authoritative time? | | MESC1:M | NA |

453

454

Table 47 – Multiple ESI Server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------|-----------------------|---------|
| MESS1 | Is Multiple ESI supported? | [R2]/5.7 | O | N |
| MESS2 | Is the <i>TimeStatus</i> attribute supported? | | MESS1:M | NA |
| DELETED | | | | NA |
| MESS4 | Is the <i>ValidUntilTime</i> attribute supported? | | MESS1:O ²⁵ | NA |

455

456 8.8.16 OTA Upgrade Cluster attributes and functions

457

Table 48 – OTA Upgrade cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------|--------|---------|
| OTAS1 | Is the OTA Upgrade Cluster supported as a server? | [R9] | O | N |

458

²⁵ CCB 2306

459

Table 49 – OTA Upgrade cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------|--------|---------|
| OTAC1 | Is the OTA Upgrade Cluster supported as a client? | [R9] | O | N |

460

461 If supporting OTA upgrade cluster client or server, need to complete OTA Upgrade Cluster PICS
 462 document in addition to this document for certification.

463

464 8.8.17 Calendar Cluster attributes and functions

465

Table 50 – Calendar cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|------------------|----------|---------|
| CALCS1 | Is the Calendar Cluster supported as a server? | [R2]/D.9 | O | N |
| CALCS2 | Is the AuxSwitch1Label attribute supported? | [R2]/D.9.2.2.1.1 | CALCS1:O | NA |
| CALCS3 | Is the AuxSwitch2Label attribute supported? | [R2]/D.9.2.2.1.1 | CALCS1:O | NA |
| CALCS4 | Is the AuxSwitch3Label attribute supported? | [R2]/D.9.2.2.1.1 | CALCS1:O | NA |
| CALCS5 | Is the AuxSwitch4Label attribute supported? | [R2]/D.9.2.2.1.1 | CALCS1:O | NA |
| CALCS6 | Is the AuxSwitch5Label attribute supported? | [R2]/D.9.2.2.1.1 | CALCS1:O | NA |
| CALCS7 | Is the AuxSwitch6Label attribute supported? | [R2]/D.9.2.2.1.1 | CALCS1:O | NA |
| CALCS8 | Is the AuxSwitch7Label attribute supported? | [R2]/D.9.2.2.1.1 | CALCS1:O | NA |
| CALCS9 | Is the AuxSwitch8Label attribute supported? | [R2]/D.9.2.2.1.1 | CALCS1:O | NA |
| CALCS10 | Is the generation of PublishCalendar command supported? | [R2]/D.9.2.3.1 | CALCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------|----------|---------|
| CALCS10a | Maximum number of calendars that can be stored by device? | [R2]/D.9.1 | | NA |
| CALCS11 | Is the generation of PublishDayProfile command supported? | [R2]/D.9.2.3.2 | CALCS1:M | NA |
| CALCS11a | Can the device support application-layer fragmentation ('Command Indexing') of PublishDayProfile commands? NOTE: It is anticipated that at least 14 Schedule Entries would need to be included before a second sub-command would be needed) | [R2]/D.9.2.3.2 | | NA |
| CALCS11b | Maximum number of Day Profiles that can be stored by device? | [R2]/D.9.2.3.2 | | NA |
| CALCS11c | Maximum number of Schedule Entries that can be stored in each Day Profile? | [R2]/D.9.2.3.2 | | NA |
| CALCS12 | Is the generation of PublishWeekProfile command supported? | [R2]/D.9.2.3.3 | CALCS1:M | NA |
| CALCS12a | Maximum number of Week Profiles that can be stored by device? | [R2]/D.9.2.3.3 | | NA |
| CALCS13 | Is the generation of PublishSeasons command supported? | [R2]/D.9.2.3.4 | CALCS1:M | NA |
| CALCS13a | Can the device support application-layer fragmentation ('Command Indexing') of Publish Seasons commands? NOTE: It is anticipated that at least 9 Season Entries would need to be included before a second sub-command would be needed) | [R2]/D.9.2.3.4 | | NA |
| CALCS13b | Maximum number of Season Entries that can be stored? | [R2]/D.9.2.3.4 | | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------|----------|---------|
| CALCS14 | Is the generation of PublishSpecialDays command supported? | [R2]/D.9.2.3.5 | CALCS1:M | NA |
| CALCS14a | Maximum number of Special Day Entries that can be stored? | [R2]/D.9.2.3.5 | | NA |
| CALCS15 | Is the generation of CancelCalendar command supported? | [R2]/D.9.2.3.6 | CALCS1:O | NA |
| CALCS16 | Is the reception of GetCalendar command supported? | [R2]/D.9.2.4.1 | CALCS1:O | NA |
| CALCS17 | Is the reception of GetDayProfiles command supported? | [R2]/D.9.2.4.2 | CALCS1:O | NA |
| CALCS18 | Is the reception of GetWeekProfiles command supported? | [R2]/D.9.2.4.3 | CALCS1:O | NA |
| CALCS19 | Is the reception of GetSeasons command supported? | [R2]/D.9.2.4.4 | CALCS1:O | NA |
| CALCS20 | Is the reception of GetSpecialDays command supported? | [R2]/D.9.2.4.5 | CALCS1:O | NA |
| CALCS21 | Is the reception of GetCalendarCancellation command supported? | [R2]/D.9.2.4.6 | CALCS1:O | NA |

466

467

Table 51 – Calendar cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------------|----------|-------------------|
| CALCC1 | Is the Calendar Cluster supported as a client? | [R2]/D.9 | O | Y [Int: EP# 1] |
| CALCC2 | Is the reception of PublishCalendar command supported? | [R2]/D.9.3.3 /D.9.2.3.1 | CALCC1:M | Y [Int: EP# 1] |
| CALCC2a | Maximum number of calendars that can be stored by device? | [R2]/D.9.1 | | 3 |

| Item number | Item description | Reference | Status | Support |
|-------------|--|----------------------------|----------|-------------------|
| CALCC3 | Is the reception of PublishDayProfile command supported? | [R2]/D.9.3.3 /D.9.2.3.2 | CALCC1:M | Y [Int: EP# 1] |
| CALCC3a | Can the device support application-layer fragmentation ('Command Indexing') of PublishDayProfile commands? NOTE: It is anticipated that at least 14 Schedule Entries would need to be included before a second sub-command would be needed) | [R2]/D.9.2.3.2 | | Y |
| CALCC3b | Maximum number of Day Profiles that can be stored by device? | [R2]/D.9.2.3.2 | | 24 |
| CALCC3c | Maximum number of Schedule Entries that can be stored in each Day Profile? | [R2]/D.9.2.3.2 | | 48 |
| CALCC4 | Is the reception of PublishWeekProfile command supported? | [R2]/D.9.3.3 /D.9.2.3.3 | CALCC1:M | Y [Int: EP# 1] |
| CALCC4a | Maximum number of Week Profiles that can be stored by device? | [R2]/D.9.2.3.3 | | 8 |
| CALCC5 | Is the reception of PublishSeasons command supported? | [R2]/D.9.3.3 /D.9.2.3.4 | CALCC1:M | Y [Int: EP# 1] |
| CALCC5a | Can the device support application-layer fragmentation ('Command Indexing') of Publish Seasons commands? NOTE: It is anticipated that at least 9 Season Entries would need to be included before a second sub-command would be needed) | [R2]/D.9.2.3.4 | | Y |
| CALCC5b | Maximum number of Season Entries that can be stored? | [R2]/D.9.2.3.4 | | 8 |
| CALCC6 | Is the reception of PublishSpecialDays command supported? | [R2]/D.9.3.3 /D.9.2.3.5 | CALCC1:M | Y [Int: EP# 1] |

| Item number | Item description | Reference | Status | Support |
|-------------|---|----------------------------|----------|-------------------|
| CALCC6a | Maximum number of Special Day Entries that can be stored? | [R2]/D.9.2.3.5 | | 75 |
| CALCC7 | Is the reception of CancelCalendar command supported? | [R2]/D.9.3.3 /D.9.2.3.6 | CALCC1:O | Y [Int: EP# 1] |
| CALCC8 | Is the generation of GetCalendar command supported? | [R2]/D.9.3.4 /D.9.2.4.1 | CALCC1:O | Y [Int: EP# 1] |
| CALCC9 | Is the generation of GetDayProfiles command supported? | [R2]/D.9.3.4 /D.9.2.4.2 | CALCC1:O | Y [Int: EP# 1] |
| CALCC10 | Is the generation of GetWeekProfiles command supported? | [R2]/D.9.3.4 /D.9.2.4.3 | CALCC1:O | Y [Int: EP# 1] |
| CALCC11 | Is the generation of GetSeasons command supported? | [R2]/D.9.3.4 /D.9.2.4.4 | CALCC1:O | Y [Int: EP# 1] |
| CALCC12 | Is the generation of GetSpecialDays command supported? | [R2]/D.9.3.4 /D.9.2.4.5 | CALCC1:O | Y [Int: EP# 1] |
| CALCC13 | Is the generation of GetCalendarCancellation command supported? | [R2]/D.9.3.4 /D.9.2.4.6 | CALCC1:O | Y [Int: EP# 1] |

468

469 8.8.18 **Device Management Cluster attributes and functions**

470

Table 52 – Device Management cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|---------|---------|
| DMCS1 | Is the Device Management Cluster supported as a server? | [R2]/D.10 | O | N |
| DMCS2 | Is the ProviderID attribute supported? | [R2]/D.10.2.2.1.1 | DMCS1:O | NA |
| DMCS3 | Is the ProviderName attribute supported? | [R2]/D.10.2.2.1.2 | DMCS1:O | NA |
| DMCS4 | Is the ProviderContactDetails attribute supported? | [R2]/D.10.2.2.1.3 | DMCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|--------------------|---------|---------|
| DMCS5 | Is the ProposedProviderID attribute supported? | [R2]/D.10.2.2.1.4 | DMCS1:O | NA |
| DMCS6 | Is the ProposedProviderName attribute supported? | [R2]/D.10.2.2.1.5 | DMCS1:O | NA |
| DMCS7 | Is the ProposedProviderChangeDate/Time attribute supported? | [R2]/D.10.2.2.1.6 | DMCS1:O | NA |
| DMCS8 | Is the ProposedProviderChangeControl attribute supported? | [R2]/D.10.2.2.1.7 | DMCS1:O | NA |
| DMCS9 | Is the Proposed Provider Contact Details attribute supported? | [R2]/D.10.2.2.1.8 | DMCS1:O | NA |
| DMCS10 | Is the ReceivedProviderID attribute supported? | [R2]/D.10.2.2.1.9 | DMCS1:O | NA |
| DMCS11 | Is the ReceivedProviderName attribute supported? | [R2]/D.10.2.2.1.10 | DMCS1:O | NA |
| DMCS12 | Is the ReceivedProviderContactDetails attribute supported? | [R2]/D.10.2.2.1.11 | DMCS1:O | NA |
| DMCS13 | Is the ReceivedProposedProviderID attribute supported? | [R2]/D.10.2.2.1.12 | DMCS1:O | NA |
| DMCS14 | Is the ReceivedProposedProviderName attribute supported? | [R2]/D.10.2.2.1.13 | DMCS1:O | NA |
| DMCS15 | Is the ReceivedProposedProviderChangeDate/Time attribute supported? | [R2]/D.10.2.2.1.14 | DMCS1:O | NA |
| DMCS16 | Is the ReceivedProposedProviderChangeControl attribute supported? | [R2]/D.10.2.2.1.15 | DMCS1:O | NA |
| DMCS17 | Is the ReceivedProposed Provider ContactDetails attribute supported? | [R2]/D.10.2.2.1.16 | DMCS1:O | NA |
| DMCS18 | Is the ChangeofTenancyUpdateDate/Time attribute supported? | [R2]/D.10.2.2.2.1 | DMCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|---------|---------|
| DMCS19 | Is the ProposedTenancyChangeControl attribute supported? | [R2]/D.10.2.2.2.2 | DMCS1:O | NA |
| DMCS20 | Is the WAN Status attribute supported? | [R2]/D.10.2.2.3.1 | DMCS1:O | NA |
| DMCS21 | Is the LowMediumThreshold attribute supported? | [R2]/D.10.2.2.4.1 | DMCS1:O | NA |
| DMCS22 | Is the MediumHighThreshold attribute supported? | [R2]/D.10.2.2.4.2 | DMCS1:O | NA |
| DMCS23 | Is the reception of Get Change of Tenancy command supported? | [R2]/D.10.2.3.1 | DMCS1:O | NA |
| DMCS24 | Is the reception of Get Change of Supplier command supported? | [R2]/D.10.2.3.2 | DMCS1:O | NA |
| DMCS25 | Is the reception of RequestNewPassword command supported? | [R2]/D.10.2.3.3 | DMCS1:O | NA |
| DMCS24 | Is the reception of GetSiteID command supported? | [R2]/D.10.2.3.4 | DMCS1:O | NA |
| DMCS25 | Is the reception of Report Event Configuration command supported? | [R2]/D.10.2.3.5 | DMCS1:O | NA |
| DMCS26 | Is the reception of GetCIN command supported? | [R2]/D.10.2.3.6 | DMCS1:O | NA |
| DMCS27 | Is the generation of Publish Change of Tenancy command supported? | [R2]/D.10.2.4.1 | DMCS1:O | NA |
| DMCS28 | Is the generation of Publish Change of Supplier command supported? | [R2]/D.10.2.4.2 | DMCS1:O | NA |
| DMCS29 | Is the generation of Request New Password Response command supported? | [R2]/D.10.2.4.3 | DMCS1:O | NA |
| DMC30 | Is the generation of UpdateSiteID command supported? | [R2]/D.10.2.4.4 | DMCS1:O | NA |
| DMCS31 | Is the generation of SetEventConfiguration command supported? | [R2]/D.10.2.4.5 | DMCS1:O | NA |
| DMCS32 | Is the generation of GetEventConfiguration command supported? | [R2]/D.10.2.4.6 | DMCS1:O | NA |

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------|---------|---------|
| DMC33 | Is the generation of Update CIN command supported? | [R2]/D.10.2.4.7 | DMCS1:O | NA |

471

472

Table 53 – Device Management cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-------------------|-----------------------|-------------------|
| DMCC1 | Is the Device Management Cluster supported as a client? | [R2]/D.10 | O | Y [Int: EP# 1] |
| DMCC2 | Is the Provider ID attribute supported? | [R2]/D.10.3.2.1.1 | DMCC1:O ²⁶ | N |
| DMCC3 | Is the ReceivedProviderID attribute supported? | [R2]/D.10.3.2.1.2 | DMCC1:O ²⁷ | N |
| DMCC4 | Is the Price Event Configuration attribute set supported? | [R2]/D.10.3.2.2 | DMCC1:O ²⁸ | N |
| DMCC5 | Is the Metering Event Configuration attribute set supported? | [R2]/D.10.3.2.3 | DMCC1:O ²⁹ | N |
| DMCC6 | Is the Messaging Event Configuration attribute set supported? | [R2]/D.10.3.2.4 | DMCC1:O ³⁰ | N |
| DMCC7 | Is the Prepayment Event Configuration attribute set supported? | [R2]/D.10.3.2.5 | DMCC1:O ³¹ | N |
| DMCC8 | Is the Calendar Event Configuration attribute set supported? | [R2]/D.10.3.2.6 | DMCC1:O ³² | N |
| DMCC9 | Is the Device Management Event Configuration attribute set supported? | [R2]/D.10.3.2.7 | DMCC1:O ³³ | N |

²⁶ CCB 2185²⁷ CCB 2185²⁸ CCB 2185²⁹ CCB 2185³⁰ CCB 2185³¹ CCB 2185³² CCB 2185³³ CCB 2185

| Item number | Item description | Reference | Status | Support |
|-------------|--|------------------------------|-----------------------|-------------------|
| DMCC10 | Is the Tunnel Event Configuration attribute set supported? | [R2]/D.10.3.2.8 | DMCC1:O ³⁴ | NA |
| DMCC11 | Is the OTA Event Configuration attribute set supported? | [R2]/D.10.3.2.9 | DMCC1:O ³⁵ | NA |
| DMCC12 | Is the reception of Publish Change of Tenancy command supported? | [R2]/D.10.3.3 /D.10.2.4.1 | DMCC1:O ³⁶ | Y [Int: EP# 1] |
| DMCC13 | Is the reception of Publish Change of Supplier command supported? | [R2]/D.10.3.3 /D.10.2.4.2 | DMCC1:O ³⁷ | Y [Int: EP# 1] |
| DMCC14 | Is the reception of Request New Password Response command supported? | [R2]/D.10.3.3 /D.10.2.4.3 | DMCC1:O ³⁸ | N |
| DMCC15 | Is the reception of UpdateSiteID command supported? | [R2]/D.10.3.3 /D.10.2.4.4 | DMCC1:O ³⁹ | N |
| DMCC16 | Is the reception of SetEventConfiguration command supported? | [R2]/D.10.3.3 /D.10.2.4.5 | DMCC1:O ⁴⁰ | N |
| DMCC17 | Is the reception of GetEventConfiguration command supported? | [R2]/D.10.3.3 /D.10.2.4.6 | DMCC1:O ⁴¹ | N |
| DMCC18 | Is the reception of Update CIN command supported? | [R2]/D.10.3.3 /D.10.2.4.7 | DMCC1:O ⁴² | N |
| DMCC19 | Is the generation of Get Change of Tenancy command supported? | [R2]/D.10.3.4 /D.10.2.3.1 | DMCC1:O ⁴³ | Y [Int: EP# 1] |
| DMCC20 | Is the generation of Get Change of Supplier command supported? | [R2]/D.10.3.4 /D.10.2.3.2 | DMCC1:O ⁴⁴ | Y [Int: EP# 1] |

³⁴ CCB2185³⁵ CCB 2185³⁶ CCB 2185³⁷ CCB 2185³⁸ CCB 2185³⁹ CCB 2185⁴⁰ CCB 2185⁴¹ CCB 2185⁴² CCB 2185⁴³ CCB 2185⁴⁴ CCB 2185

| Item number | Item description | Reference | Status | Support |
|-------------|--|------------------------------|-----------------------|---------|
| DMCC21 | Is the generation of RequestNewPassword command supported? | [R2]/D.10.3.4 /D.10.2.3.3 | DMCC1:O ⁴⁵ | N |
| DMCC22 | Is the generation of GetSiteID command supported? | [R2]/D.10.3.4 /D.10.2.3.4 | DMCC1:O ⁴⁶ | N |
| DMCC23 | Is the generation of Report Event Configuration command supported? | [R2]/D.10.3.4 /D.10.2.3.5 | DMCC1:O ⁴⁷ | N |
| DMCC24 | Is the generation of GetCIN command supported? | [R2]/D.10.3.4 /D.10.2.3.6 | DMCC1:O ⁴⁸ | N |

473

474 8.8.19 Events Cluster attributes and functions

475

Table 54 – Events cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------|---------|---------|
| EVCS1 | Is the Events Cluster supported as a server? | [R2]/D.11 | O | N |
| EVCS2 | Is the reception of GetEventLog command supported? | [R2]/D.11.2.3.1 | EVCS1:O | NA |
| EVCS3 | Is the reception of ClearEventLogRequest command supported? | [R2]/D.11.2.3.2 | EVCS1:O | NA |
| EVCS4 | Is the generation of PublishEvent command supported? | [R2]/D.11.2.4.1 | EVCS1:O | NA |
| EVCS5 | Is the generation of PublishEventLog command supported? | [R2]/D.11.2.4.2 | EVCS1:O | NA |
| EVCS6 | Is the generation of ClearEventLogResponse command supported? | [R2]/D.11.2.4.3 | EVCS1:O | NA |

⁴⁵ CCB 2185⁴⁶ CCB 2185⁴⁷ CCB 2185⁴⁸ CCB 2185

476

477

Table 55 – Events cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|---------------------------|-----------------------|---------|
| EVCC1 | Is the Events Cluster supported as a client? | [R2]/D.11 | O | NA |
| EVCC2 | Is the reception of PublishEvent command supported? | [R2]/D.11.3.3 /D.11.2.4.1 | EVCC1:O ⁴⁹ | NA |
| EVCC3 | Is the reception of PublishEventLog command supported? | [R2]/D.11.3.3 /D.11.2.4.2 | EVCC1:O ⁵⁰ | NA |
| EVCC4 | Is the reception of ClearEventLogResponse command supported? | [R2]/D.11.3.3 /D.11.2.4.3 | EVCC1:O ⁵¹ | NA |
| EVCC5 | Is the generation of GetEventLog command supported? | [R2]/D.11.3.4 /D.11.2.3.1 | EVCC1:O ⁵² | NA |
| EVCC6 | Is the generation of ClearEventLogRequest command supported? | [R2]/D.11.3.4 /D.11.2.3.2 | EVCC1:O ⁵³ | NA |

478

479 **8.8.20 Energy Management Cluster attributes and functions**

480

Table 56 – Energy Management cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------|---------|---------|
| EMCS1 | Is the Energy Management Cluster supported as a server? | [R2]/D.12 | O | N |
| EMCS2 | Is the LoadControlState attribute supported? | [R2]/D.12.2.2.1 | EMCS1:M | NA |
| EMCS3 | Is the CurrentEventID attribute supported? | [R2]/D.12.2.2.2 | EMCS1:M | NA |
| EMCS4 | Is the CurrentEventStatus attribute supported? | [R2]/D.12.2.2.3 | EMCS1:M | NA |
| EMCS5 | Is the ConformanceLevel attribute supported? | [R2]/D.12.2.2.4 | EMCS1:M | NA |

⁴⁹ CCB 2185

⁵⁰ CCB 2185

⁵¹ CCB 2185

⁵² CCB 2185

⁵³ CCB 2185

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------|---------|---------|
| EMCS6 | Is the MinimumOffTime attribute supported? | [R2]/D.12.2.2.5 | EMCS1:M | NA |
| EMCS7 | Is the MinimumOnTime attribute supported? | [R2]/D.12.2.2.5 | EMCS1:M | NA |
| EMCS8 | Is the MinimumCyclePeriod attribute supported? | [R2]/D.12.2.2.5 | EMCS1:M | NA |
| EMCS9 | Is the reception of ManageEvent command supported? | [R2]/D.12.2.4.1 | EMCS1:M | NA |
| EMCS10 | Is the generation of ReportEventStatus command supported? | [R2]/D.12.2.5.1 | EMCS1:M | NA |

481

482

Table 57 – Energy Management cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|------------------------------|---------|---------|
| EMCC1 | Is the Energy Management Cluster supported as a client? | [R2]/D.12 | O | N |
| EMCC2 | Is the reception of ReportEventStatus command supported? | [R2]/D.12.3.3 /D.12.2.5.1 | EMCC1:M | NA |
| EMCC3 | Is the generation of ManageEvent command supported? | [R2]/D.12.3.4 /D.12.2.4.1 | EMCC1:M | NA |

483

484 8.8.21 **MDU Pairing Cluster attributes and functions**

485

Table 58 – MDU Pairing cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------|----------|---------|
| MDUCS1 | Is the MDU Pairing Cluster supported as a server? | [R2]/D.13 | O | N |
| MDUCS2 | Is the generation of Pairing Response command supported? | [R2]/D.13.2.3.1 | MDUCS1:O | NA |
| MDUCS3 | Is the reception of Pairing Request command supported? | [R2]/D.13.3.3.1 | MDUCS1:M | NA |

486

487

Table 59 – MDU Pairing cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------|----------|---------|
| MDUCC1 | Is the MDU Pairing Cluster supported as a client? | [R2]/D.13 | O | N |
| MDUCC2 | Is the reception of Pairing Response command supported? | [R2]/D.13.2.3.1 | MDUCC1:O | NA |
| MDUCC3 | Is the generation of Pairing Request command supported? | [R2]/D.13.3.3.1 | MDUCC1:M | NA |

488

489 8.8.22 Sub-GHz Cluster attributes and functions

490

Table 60 – Sub-GHz cluster server capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|--|-----------------|----------|---------|
| SUBCS1 | Is the Sub-GHz Cluster supported as a server? | [R2]/D.14 | O | N |
| SUBCS2 | Is the Channel Change attribute supported? | [R2]/D.14.2.2.1 | SUBCS1:M | NA |
| SUBCS3 | Is the Page 28 Channel Mask attribute supported? | [R2]/D.14.2.2.2 | SUBCS1:O | NA |
| SUBCS4 | Is the Page 29 Channel Mask attribute supported? | [R2]/D.14.2.2.3 | SUBCS1:O | NA |
| SUBCS5 | Is the Page 30 Channel Mask attribute supported? | [R2]/D.14.2.2.4 | SUBCS1:O | NA |
| SUBCS6 | Is the Page 31 Channel Mask attribute supported? | [R2]/D.14.2.2.5 | SUBCS1:O | NA |
| SUBCS7 | Is the generation of Suspend ZCL Messages command supported? | [R2]/D.14.2.3.1 | SUBCS1:M | NA |
| SUBCS8 | Is the reception of Get Suspend ZCL Messages Status command supported? | [R2]/D.14.3.3.1 | SUBCS1:M | NA |

491

492

Table 61 – Sub-GHz cluster client capabilities

| Item number | Item description | Reference | Status | Support |
|-------------|---|-----------------|--------------------------|---------|
| SUBCC1 | Is the Sub-GHz Cluster supported as a client? | [R2]/D.14 | O | NA |
| SUBCC2 | Is the reception of Suspend ZCL Messages command supported? | [R2]/D.14.2.3.1 | SUBCC1:M | NA |
| SUBCC3 | Is the generation of Get Suspend ZCL Messages Status command supported? | [R2]/D.14.3.3.1 | SUBCC1:M/O ⁵⁴ | NA |

493

494

495 8.8.23 **Support on Non SE clusters**

496

497 List in the below section all non SE clusters supported on the submitted product:

498

⁵⁴ Mandatory for BOMDs, Optional for all other devices

